MiningUniforms.com.au

World wide delivery

CONTENTS

HUSKI 13
High Visibility 14
Flame Resistant 26
Rainwear 30
Workwear 37

PRIME MOVER WORK SHIRTS 38

HIGH VISIBILITY 58
Waterproof Jackets and Pants 64
Reversible Vests 71
Waterproof Multi-way Jackets 73
Waterproof Winter Jackets 80
Waterproof Bomber Jackets 83
Waterproof Pants 87
X Back 88
TTMC-W17 92
Workwear Jackets 96
Coveralls 100
Softshell 102
Fleece 103
Polos 110
T-Shirts 117
Vests 118

FLAME RESISTANT 122
Coveralls 126
ModaFlame 128
Shirts 130
Pants 132
Base Layers 134
Fleece & Polos 135
Accessories 137
Rainwear 138

RAINWEAR 142
Portwest X3 Rainwear 144
Baffle Jackets 146
PWR Extreme Rainwear 148
Classic Rainwear 150
Softshell 155
Fleece 156
Accessories 158

WORKWEAR 160
Stretch Pants 165
Pants 169
Shorts 176
Coveralls 178
Coat and Hoody 180
Polos and T-Shirts 181
Tradesman Whites 183

COOLING 184
Vests 185
Accessories 186

LADIESWEAR 188
Shirts 189
Polo and Shorts 192
Jackets 193
Pants 194
Chefswear 196

CHEFSWEAR 198
MeshAir Pro Jackets & Pants 200
Jackets 202
Pants 203
Accessories 204

SAFETY FOOTWEAR 206
Trainers 209
Boots 212
Microfibre 218
Gumboots 220
Insoles and Socks 222

HAND PROTECTION 224
Cut 230
Impact 238
Mechanic 240
Specialist 241
Nano 242
Aqua 243
Grip 244
Thermal 253
Leather Riggers 254
Welding 256
Disposable 257
Chemical 258

BIZTEX 260
SMS 262
Micro 263

PPE 264
Disposable Masks 267
Eye Protection 269
Face Protection Accessories 273
Head Protection 274
Hearing Protection 278

ACCESSORIES 280
Kneepads 280
Lights 282
Luggage 287

MERCHANDISING 290

KEY SYMBOLS 292

SIZE GUIDE 293

INDEX 294

PACKING QUANTITIES

1. This indicates how many products are packed per box and carton. All of our products are sold one size and one colour per carton.
2. Unit of Sales (UOS)
   This is the minimum order quantity of a product. Unless indicated otherwise the UOS is normally one piece or one pair.
3. Where pack symbols are coloured orange the UOS is greater than 1.

Example 1
UOS=1

Example 1
10 = Inner Box

200 = Total Outer Carton Quantity

In this case the UOS = 1 piece

Example 2
UOS=3000

Example 2
100 = Inner Box

500 = Mid Pack

3000 = Total Outer Carton Quantity

In this case the outer carton quantity is the UOS and is colour coded orange to show this. Ordering 1 unit = 3000 pieces when the order is placed.

Example 3
UOS=10

Example 3
10 = Inner Box

x30 = Total Outer Carton Quantity (300)

In this case the inner box is the UOS and is coloured orange to show this.

Example 4
UOS=50

Example 4
50 = Inner Box

x10 = The Number of Inner Boxes Per Mid Pack

x6 = The Number of Mid Packs Per Carton

Inner Boxes Per Carton (10x6 = 60)

Number of Individual Pieces Per Carton (50x10x6 = 3000)

In this case the inner box is the UOS and is coloured orange to show this.

Examples of units of sale (UOS)

1 = Singles
1 = Singles = Garments, specialist gloves sold in singles

2 = Pair
2 = Pair = Footwear, most gloves

B = Inner Box
B = Inner box = Disposable gloves

C = Outer Carton
C = Carton = Biztex, Disposables gloves,

INNOVATION IS IN OUR DNA

Whether through new product launches or improved service, Portwest is always innovating. With contemporary designs in every range, customers can be assured that Portwest will offer them the latest trends and technologies.

Our award-winning design team have been busy researching the latest trends, cutting edge fabrics and smart components to deliver revolutionary new designs.

OUR DESIGN PROCESS

Slim Fit Stretch Bio Motion Pants MP705 167

Stretch Fabric Allows Freedom of Movement

Cuffed Slim Fit Stretch Work Pants MP703 166

STRETCHING THE LIMITS

2X Stretch | 4X Stretch

Stretching the limits of comfort, safety and performance, Portwest's innovative and premium stretch fabrics provide unparalleled ease of movement and supreme flexibility. The unique blend of materials offers both high performance and exceptional all-day comfort. Technically superior with high levels of breathability and excellent abrasion and tear resistance, **Portwest's range of stretch fabrics have it all.**

CUSTOM MADE TO ORDER

Portwest create customised products for thousands of customers throughout Australia and New Zealand each year.

The Technical Design Team work closely with customers to design individual products or full ranges. They work with independent notified bodies enabling certification to all international standards. Portwest has different service and customisation options to choose from.

- **YOUR FABRIC**
- **YOUR SIZE RANGE**
- **YOUR COLOURS**
- **YOUR BRANDING**
- **YOUR PACKAGING**
- **YOUR LABELLING**
- **YOUR DESIGN**

PERSONALISED:

OUR STYLES,
YOUR BRANDING

Simply replace our portwest branding with your corporate brand and colours.

CUSTOM CHANGES:

OUR STYLES
YOUR REDESIGN

Redesign or alter an existing portwest product to suit your needs.

MADE TO ORDER:

YOUR IDEA
YOUR PRODUCT

Complete design service starting with your own specifications.

CUSTOM EXPRESS

Custom Express is a fast, efficient service using stock fabrics and colours to guarantee industry leading production times.

OR

CUSTOM SPECIAL

Use our fully bespoke Custom Special service using customised fabrics and colours that are made to order.

INDUSTRY LEADING PRODUCTION TIMES

Offering a fast and efficient personalised service.

EMBROIDERY AND SCREEN PRINTING SERVICE

Our fast and efficient branding service is a one-stop-shop for all your workwear needs.

Using in-house embroidery machines, your workwear will be branded and delivered in one simple process. Available in a large range of colours, our team of professionals will recommend the closest matches to your artwork. This service is fast, efficient and will save you time and money.



BRANDING SERVICES

Embroidery and screen printing can be applied to any workwear product to make your product stand out from the crowd. Using the latest Barudan embroidery machines, our in-house design team will produce the best quality branding for your work clothing.

OVER 100 YEARS' EXPERIENCE IN EVERY STITCH

SUN PROTECTION WORKWEAR

BE SAFE IN THE SUN WITH OUR EXTENSIVE RANGE OF UPF PROTECTIVE GARMENTS

TOP TIPS FOR STAYING SAFE WHEN WORKING IN THE SUN

Harmful effects of the sun can seriously compromise workers' health. Heat related fatigue and illness cost employers time and money, as well as having an ill-effect on individuals' health.

90% of skin cancers can be prevented if exposure to harmful sun rays is controlled

Our creative team has developed innovative garments that offer up to 50+ UPF ratings and are designed to keep workers safe, cool and comfortable.

Know your UPF ratings because smart workwear selection can minimise the risk of heat related illness such as heat exhaustion.

UPF CLASSIFICATION SYSTEM

RATED UPF	UPF CLASSIFICATION
15	MINIMUM PROTECTION
30	GOOD PROTECTION
50, 50+	EXCELLENT PROTECTION

INNOVATIVE TECHNOLOGIES

FABRIC FINISHES

Innovative fabric finishes used to enhance garment performance.

SPLASH, OIL + STAIN

- Helps protect fabric from oil and grease
- Drives away dirt and grime
- Enhanced water resistance
- Aids the release of stubborn stains when washing
- Helps retain fabric softness

WATER RESISTANT

- Extreme water resistance
- Water beads away from the fabric surface
- Repels dirt and helps prevents stains
- Allows for garment breathability
- Enhanced stain removal

DRYING + WICKING

- Wicks moisture away from the skin
- Keeps fabric fresh and comfortable
- Retains fabric brightness
- Powerful protection from stains
- Enhanced garment breathability
- Blocks bad odours

RETRO-REFLECTIVE TAPE

Innovative retro-reflective tape for ultimate visibility in low light conditions.

HiVisTex™

HiVisTex is the latest innovation in reflective tape material that surpasses all international standards including AS/NZS 1906.4, EN ISO 20471 and ANSI/ISEA 107.

HiVisTex tape is constructed from thousands of premium, wide angle, glass beads, placed per centimetre squared. These beads work like thousands of tiny mirrors, reflecting light back towards its source as a brilliant white glow. Perfect for use in the protective clothing industries HiVisTex tape ensures the wearer ultimate visibility in low light conditions.



TEXPEL AND HIVISTEX ARE TRADEMARKS OF THE PORTWEST GROUP.

PROTECTIVE WEAR

Portwest offers powerful protection against multiple hazards and industries. We are your one stop shop for head to toe safety solutions.

KEY INDUSTRIES

OIL & GAS

WELDING

PUBLIC SAFETY

TRANSPORT

METALS & MINING

CHEMICAL

CONSTRUCTION

WAREHOUSING

MANUFACTURING


ENGINEERING

HAZARDS

FLAME

ELECTRIC ARC

CHEMICAL


MOLTEN METAL

HEAT

COLD

VISIBILITY


RAIN

AND MANY MORE

PS55 - Endurance Helmet
K8106 - Venture 4-in-1 Jacket
A722 - Anti Impact Cut Resistant Glove
PW341 - PW3 Cargo Stretch Pants
FC30 - Rockley Safety Boot

HUSKI™

Huski has been producing quality workwear products, especially designed for Australian & New Zealand conditions since 1956.

Our customers trust the Huski brand and have confidence that all garments are manufactured using the best quality fabrics, trims and components. This range includes workwear, rainwear, high-visibility inner and outerwear, tailored to meet the needs of workers across a variety of industries.

Breathetec®

HIGH PERFORMING TECHNICAL FABRIC

Breathetec is a breathable, fully waterproof fabric. It offers unrivalled performance with maximum protection and ensures long lasting wear and comfort.

STAND TOUGH IN ALL CONDITIONS WITH HUSKI WORKWEAR

HUSKI IS A TRADEMARK OF THE PORTWEST GROUP.
BREATHETEC IS A REGISTERED TRADEMARK OF THE PORTWEST GROUP.

HUSKI™

4-IN-1 JACKET

HIGH PERFORMANCE WATERPROOF PROTECTION

2

3

4

FOUR WAYS TO WEAR

1

K8106

VENTURE 4-IN-1 JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 15,000MM

- 10 pockets for ample storage
- Card holder for ID card display
- Pack away hood for added functionality
- Two-way zip for quick and easy access
- Print access for corporate branding
- Taped seams to provide additional protection

100% Polyester, 300D Oxford Weave with Breathetec PU Coating, 185g
100% Polyester, 85g
Inner Jacket: 100% Polyester Quilted, 265g
Orange/Navy XS-6XL, Yellow/Navy XS-6XL

BIO MOTION

DAY & NIGHT

6XL XS

4IN1

HUSKI™

FREEZER JACKET & PANTS

COLD PROTECTION UP TO -55 C

K8044
FREEZER JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN 342 0.435(M².K/W)

- 4 pockets for ample storage
- Phone pocket
- Concealed detachable hood
- Taped seams to provide additional protection
- Fur lined collar
- Inner knitted cuff

100% Polyester 300D Oxford Weave, PU Coated, 190g
100% Polyester, 55g
100% Polyester, 320g
Yellow/Forest Green S-5XL

5XL

DAY & NIGHT

K8047
FREEZER PANTS

AS/NZS 1906.4
AS 4399 UPF 50+
EN 342 0.435 (M².K/W)

- Waterproof keeping the wearer dry and protected from the elements
- Fully lined and padded to trap the heat and increase warmth
- Drawcord adjustable waist for a secure and comfortable fit
- Concealed touch tape fastening for easy closure
- 2 pockets for secure storage
- Full length zipped sides with touch tape flap closure

100% Polyester 300D Oxford Weave, PU Coated, 190g
100% Polyester, 55g
100% Polyester, 320g
Forest/Yellow S-5XL

5XL

HUSKI™

2-IN-1 JACKET

WORLD CLASS HIGH VISIBILITY PROTECTION

MICRO PRISM REFLECTIVE TAPE

K8155
ROADS 2-IN-1 JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
VIC ROADS STYLE
AS 4399 UPF 50+

- 6 pockets for ample storage
- Phone and pen holder pocket
- Zip out sleeves for multi use
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Touch tape cuffs for a secure fit

100% Polyester, 300D Oxford Weave with Breathetec PU Coating, 185g
65% Polyester, 35% Cotton, 175g
Orange S-5XL

DAY & NIGHT

5XL

2IN1

1

2

DETACHABLE SLEEVES OFFERS AN ALTERNATIVE WAY TO WEAR

HUSKI™

LINED JACKET

PREMIUM STYLE, MAXIMUM PERFORMANCE

K8095
TRANSIT JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 6 pockets for ample storage
- Card holder for ID card display
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Touch tape cuffs for a secure fit
- Print access for corporate branding

100% Polyester 300D Oxford Weave, PU Coated, 190g
100% Brushed Cotton, 175g
Orange/Navy XS-5XL, Yellow/Navy XS-5XL

BIO MOTION

DAY & NIGHT

5XL XS

COMBINING SAFETY, PROTECTION AND STYLE

HUSKI™

K8131
BOMBER JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 7 pockets for ample storage
- Sleeve pocket
- Taped seams to provide additional protection
- Elasticated hem for a secure and comfortable fit

100% Polyester, 300D Oxford Weave with Breathetec PU Coating, 185g
100% Polyester, 60g
100% Polyester, 170g
Orange/Navy XS-6XL, Yellow/Navy XS-6XL

6XL XS

DAY & NIGHT

K8160
BOMBER JACKET

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50+

- 7 pockets for ample storage
- Sleeve pocket
- Taped seams to provide additional protection
- Print access for corporate branding

100% Polyester 300D Oxford Weave, PU Coated, 185g
100% Polyester, 60g
100% Polyester, 170g
Orange/Navy S-6XL, Yellow/Navy S-6XL

6XL

DAY

K8132
REVERSIBLE POLAR FLEECE TRAFFIC VEST

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)

- 6 pockets for ample storage
- Reversible garment for multi use
- Fleece lining for added warmth and comfort
- Card holder for ID card display
- Taped seams to provide additional protection
- Wind resistant fabric to protect against wind chill

100% Polyester 300D Oxford Weave, PU Coated, 185g
100% Polyester Micro Polar Fleece, 288g
Orange XS-5XL, Yellow XS-5XL

5XL XS

DAY & NIGHT

HUSKI™

LIGHTWEIGHT WATERPROOF JACKET AND PANTS

K8069
SOCKET PACKABLE JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- Lightweight packaway jacket
- 5 pockets for ample storage
- Pack away hood for added functionality
- Drawcord adjustable hem
- Taped seams to provide additional protection
- Wind resistant fabric to protect against wind chill

100% Polyester, Plain weave, PU coated, 95g
100% Polyester Mesh, 65g
Orange/Navy XS-5XL, Yellow/Navy XS-5XL

Built in packaway pocket for convenient storage

DAY & NIGHT

5XL XS

K8093
TARMAC PANTS

AS/NZS 1906.4
QLD TMR STYLE
AS 4399 UPF 50+

- Side access pockets
- Drawcord adjustable waist for a secure and comfortable fit
- Taped seams to provide additional protection
- Zipped ankles for easy access
- Fully elasticated waistband for ultimate wearer comfort
- Wind resistant fabric to protect against wind chill

100% Polyester 300D Oxford Weave, PU Coated, 185g
Navy S-5XL, Orange S-5XL, Yellow S-5XL

BIO MOTION

5XL

HUSKI™

WATERPROOF BREATHABLE JACKET

Breathetec®

HIGH PERFORMING TECHNICAL FABRIC

Breathetec is a breathable, fully waterproof fabric. It offers unrivalled performance with maximum protection and ensures long lasting wear and comfort.

K8107
FORGE JACKET

10 | 4 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
QLD TMR STYLE (YELLOW ONLY)
AS 4399 UPF 50+

- 4 pockets for ample storage
- Phone pocket
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Drawcord adjustable waist for a secure and comfortable fit
- Print access for corporate branding

100% Polyester 3 Layer with Breathetec PTFE Membrane, 237g
100% Polyester Mesh, 60g
Orange S-5XL, Yellow S-5XL

BIO MOTION | DAY & NIGHT | 5XL

HUSKI™

PREMIUM WATERPROOF JACKET AND PANTS

WELDED SEAMS FOR MAXIMUM WATERPROOFNESS

K8104
FARMERS HI-VIS JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4

- 2 pockets for secure storage
- Inner storm cuffs with adjustable touch tape for a secure fit
- Pack away hood for added functionality
- Heat welded seams to prevent water penetration
- 4-way stretch fabric for ease of movement and added comfort
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable

100% Polyester Tricot Knit with Breathetec PU Coating, 210g
Orange/Navy XS-5XL, Yellow/Navy XS-5XL

BIO MOTION

DAY & NIGHT

5XL XS

K8101
FARMERS HI-VIS PANTS

AS/NZS 1906.4

- Waterproof keeping the wearer dry and protected from the elements
- Drawcord adjustable waist for a secure and comfortable fit
- Side access pockets
- Stud adjustable hems for a secure fit
- Heat welded seams to prevent water penetration
- 4-way stretch fabric for ease of movement and added comfort

100% Polyester Tricot Knit with Breathetec PU Coating, 210g
Orange/Navy XS-4XL, Yellow/Navy XS-4XL

DAY & NIGHT

4XL XS

HUSKI™

2 IN 1 SOFTSHELL JACKET

PREMIUM STYLE, MAXIMUM PERFORMANCE

K8074

CHASSIS JACKET SOFTSHELL 2 IN 1

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF50+

- Breathable, windproof and water resistant
- Premium reflective tape for increased visibility
- 50+ UPF rated fabric to block 98% of UV rays
- Contrast panels for protection against dirt
- 4 pockets for ample storage
- Zip out sleeves for multi use

100% Polyester, 300g
100% Polyester, Tricot, 160g
Orange/Navy S-5XL, Railway Orange S-5XL, Yellow/Navy S-5XL

DAY & NIGHT

5XL

2IN1

1

2

HUSKI™

LADIES SOFTSHELL JACKET

GENUINE LADIES FIT FOR ADDED COMFORT

K7003
KIMBERLY JACKET SOFTSHELL

10 | 4 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF50+

- Breathable, windproof and water resistant
- Premium reflective tape for increased visibility
- 50+ UPF rated fabric to block 98% of UV rays
- Contrast panels for protection against dirt
- 4 pockets for ample storage
- Zip out sleeves for multi use

100% Polyester, 300g
100% Polyester, Tricot, 160g
Orange 008,010,012,014,016,018,020,
Yellow 008,010,012,014,016,018,020

BIO MOTION | DAY & NIGHT | 2IN1

3X ADVANCED TRIPLE LAYER TECHNOLOGY



HUSKI™

POLAR FLEECE JACKETS

K8158
CONVOY POLAR FLEECE JACKET

18 | 5

AS 4602.1 CLASS D/N
AS/NZS 1906.4:2010

- Anti-pill durable fleece fabric
- Premium reflective tape for increased visibility
- Contrast panels for protection against dirt
- 5 pockets for ample storage
- Elasticated cuffs for a secure fit
- Wind resistant fabric to protect against wind chill

100% Polyester, Anti-Pill finish Fleece, 280g
100% Polyester Tafetta 55gm (1.5oz)
100% Polyester Taslan with PU Coating 75gm
Orange/Navy XS-5XL, Yellow/ Navy XS-5XL

DAY & NIGHT

5XL XS

SUPERB WORKMANSHIP, UNRIVALLED FUNCTION

K8162
UTILITY POLAR FLEECE JUMPER

18 | 2

AS 4602.1 CLASS D/N
AS/NZS 1906.4:2010

- Anti-pill durable fleece fabric
- Premium reflective tape for increased visibility
- Contrast panels for protection against dirt
- 1/4 length centre front zip for added comfort and versatility
- 2 pockets for secure storage
- Elasticated cuffs for a secure fit

100% Polyester, Anti-Pill finish Fleece, 280g
Orange/Navy S-6XL, Yellow/ Navy S-6XL

DAY & NIGHT

6XL

HUSKI™

PREMIUM STYLE, MAXIMUM PERFORMANCE

K8158

HUSKI™

FLAME RESISTANT

D RING ACCESS

K8154
FLASH JACKET

10 | 9 | FR | 50+ UPF | 26 Cal/Cm2

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 14116 INDEX 3
EN 1149 -1
ASTM F1959/F1959M-12 PER F1891 ATPV 26 CAL/CM²

- Fabric conforms to ARC3 = 26cal/cm²
- 9 pockets for ample storage
- Pack away detachable hood for convenience
- Card holder for ID card display
- Touch tape cuffs for a secure fit
- D ring access

60% Modacrylic, 38% Cotton, 2% Antistatic Carbon Fibre with Breathetec PU Laminate, 300g
100% Cotton Flame Resistant Lining, 160g
Yellow/Navy S-5XL

AS 4602 | AS/NZS 1906 | AS 4399 | EN ISO 14116 | EN 1149 | ASTM F1959/F1959M-12 | DAY & NIGHT | 5XL

K8152
SCORCH PANTS

10 | FR | 50+ UPF | 26 Cal/Cm2

AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 14116 INDEX 3
EN 1149 -1
ASTM F1959/F1959M-12 PER F1891 ATPV 26 CAL/CM²

- Fabric conforms to ARC3 = 26cal/cm²
- Side access pockets
- Drawcord adjustable waist for a secure and comfortable fit
- Taped seams to provide additional protection
- Zipped ankles for easy access
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable

60% Modacrylic, 38% Cotton, 2% Antistatic Carbon Fibre with Breathetec PU Laminate, 300g
100% Cotton Flame Resistant Lining, 160g
Yellow/Navy S-5XL

AS/NZS 1906 | AS 4399 | EN ISO 14116 | EN 1149 | ASTM F1959/F1959M-12 | 5XL

HUSKI™

K8154: Flash Jacket
K8152: Scorch Pants
PS55: Endurance Helmet
PS47: Endurance HV Clip-on Ear Protector
A722: Anti Impact Cut Resistant Glove

HUSKI™

FLAME RESISTANT

K8000
FIRE JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 14116 INDEX 1
EN 1149 -1

- 5 pockets for ample storage
- Card holder for ID card display
- Pack away hood for added functionality
- Touch tape cuffs for a secure fit
- Taped seams to provide additional protection
- Print access for corporate branding

98% Polyester, 2% Antistatic Carbon Fibre with Breathetec PU Coating, 210g
100% Cotton Flame Resistant Lining, 125g
Orange/Navy XS-5XL, Yellow/Navy XS-5XL

AS 4602 · AS/NZS 1906 · AS 4399 · EN ISO 14116 · EN 1149 · DAY & NIGHT · 5XL XS

K8006
VOLT PANTS

AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 14116 INDEX 1
EN 1149 -1

- Drawcord adjustable waist for a secure and comfortable fit
- Contrast panels for protection against dirt
- Side access pockets
- Zipped ankles for easy access
- Taped seams to provide additional protection
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable

98% Polyester, 2% Antistatic Carbon Fibre with Breathetec PU Coating, 210g
Yellow/Navy, Orange/Navy S/82- 5XL/117

AS/NZS 1906 · AS 4399 · EN ISO 14116 · EN 1149 · 5XL

HUSKI™

FLAME RESISTANT

K8018
BLUEY JACKET

10 | 3 | FR

AS 4602.1 CLASS D/N
AS/NZS 1906.4
EN ISO 14116 INDEX 3

- Premium sew on flame resistant reflective tape
- FR cotton lined for added warmth and comfort
- 3 pockets for ample storage
- Touch tape cuffs for a secure fit
- Front zip opening

90% Wool 10% Polyamide, 712g
100% Cotton Flame Resistant Lining, 150g
Orange/Black S-5XL, Yellow/Navy S-5XL

AS 4602 | AS/NZS 1906 | EN ISO 14116

DAY & NIGHT | 5XL

OPTIMUM PROTECTION IN MULTI-HAZARD ENVIRONMENTS

K8005
AMP JACKET

10 | 4 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN 1149 -1

- 4 pockets for ample storage
- Pack away hood for added functionality
- Touch tape cuffs for a secure fit
- Taped seams to provide additional protection
- 100% metal free
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable

Huski Blaze: 98% Polyester, 2% Antistatic Carbon Fibre with Breathetec PU Coating, 210g
100% Cotton, 125g
Orange/Navy S-5XL, Yellow/Navy S-5XL

AS 4602 | AS/NZS 1906 | AS 4399 | EN 1149

DAY & NIGHT | 5XL

HUSKI™

BREATHETEC JACKET

B029 283

Breathetec®

HIGH PERFORMING TECHNICAL FABRIC

Breathetec is a breathable, fully waterproof fabric. It offers unrivalled performance with maximum protection and ensures long lasting wear and comfort.



K8103
BREATHETEC JACKET

- Waterproof keeping the wearer dry and protected from the elements
- Wind resistant fabric to protect against wind chill
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Pack away hood for added functionality
- Dual Storm Flap
- Stud front opening for easy access

100% Polyester with Breathetec PU coating, 220g
Navy XS-5XL

5XL
XS

WELDED SEAMS FOR MAXIMUM WATERPROOFNESS

HUSKI™

BREATHETEC BIB & BRACE AND PANTS

K8102

BREATHETEC PANTS

- Waterproof keeping the wearer dry and protected from the elements
- Wind resistant fabric to protect against wind chill
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- 4-way stretch fabric for ease of movement and added comfort
- Drawcord adjustable waist for a secure and comfortable fit
- Side access pockets

100% Polyester with Breathetec PU coating, 220g
Navy XS-5XL

K8097

BREATHETEC BIB & BRACE

- Waterproof keeping the wearer dry and protected from the elements
- Wind resistant fabric to protect against wind chill
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- 4-way stretch fabric for ease of movement and added comfort
- Adjustable straps with durable buckle closure
- Stud adjustable hems for a secure fit

100% Polyester with Breathetec PU coating, 220g
Navy XS-4XL

HUSKI™

PREMIUM RAIN JACKET AND PANTS

K8032
STRATUS JACKET

- Lightweight, waterproof fabric with taped seams prevents water penetration
- Lightweight packaway jacket
- Back vent with cool flow mesh
- Pack away hood for added functionality
- Stud front opening for easy access
- Elasticated cuffs for a secure fit

100% Polyester Taslan, PU Coated, 70g
100% Polyester Mesh 60g
Black S-5XL, Cobalt Blue S-5XL, Navy S-5XL, Yellow S-5XL

5XL

WATERPROOF, WINDPROOF, BREATHABLE

K8031
MONSOON PANTS

- Lightweight, waterproof fabric with taped seams prevents water penetration
- Built in packaway pocket for convenient storage
- Side zip leg opening for easy access
- Stud adjustable hems for a secure fit
- Drawcord adjustable waist for a secure and comfortable fit
- 3 pockets for ample storage

100% Polyester, PU coated, 70g
Black S-4XL, Navy S-4XL, Yellow S-3XL

HUSKI™

PREMIUM RAIN JACKETS - LINED

K8026
CLASSIC JACKET

- Waterproof with taped seams to prevent water penetration
- Cotton flanette lining for added style
- Contrast colouring for added style
- Pack away hood for added functionality
- 6 pockets for ample storage
- Lower front pockets with touch tape closure

100% Polyester, 210g
Upper body: 100% Brushed Cotton 160gm
Lower Body, Sleeves: 100% Polyester Tafetta 60gm
Black S-5XL, Navy S-5XL

5XL

ESSENTIAL RAINWEAR FOR FOUL WEATHER PROTECTION

K4039
EVEREST JACKET

- Lightweight, waterproof fabric with taped seams prevents water penetration
- Pack away hood for added functionality
- Fleece lining for added warmth and comfort
- Fleece lined collar to trap the heat and increase warmth
- Touch tape cuffs for a secure fit
- Handy waistband D ring for keys or ID cards

100% Polyester Taslan, PU Coated, 100g
Upper Body: 100% Polyester Fleece 260g
Lower Body and Sleeves: 100% Polyester Taffeta
Black S-6XL, Navy S-6XL

6XL

HUSKI™

SECURITY JACKETS - LINED

K2095
SECURITY JACKET

- Waterproof and breathable with taped seams to prevent water penetration
- Fully lined and padded to trap the heat and increase warmth
- Detachable hood
- Quick and easy side access to weapon holster
- Card holder for ID card display
- 8 pockets for ample storage

100% Polyester, PU coated, 180g
100% Polyester Tafetta, 60g
Black S-3XL

LUXURIOUS SOFT FABRIC

K8014
COMBAT JACKET

- Lightweight, waterproof fabric with taped seams prevents water penetration
- Quilt lined for thermal insulation
- Rib collar and cuffs
- Ribbed hem for a comfortable fit
- 4 pockets for ample storage
- Concealed zip pocket

100% Polyester 300D Oxford Weave, PU Coated, 185g
100% Polyester, 55g
100% Polyester, 120g
Black XS-6XL, Navy XS-6XL

6XL XS

HUSKI™

BREATHABLE SOFTSHELL JACKETS

SUPERIOR WORKING COMFORT

K8112

MASON SOFTSHELL JACKET

10 | 3 | 50+ UPF

- Micro polar fleece lined and bonded with shell
- Breathable, windproof and water resistant
- Contrast colouring for added style
- Reflective trim for increased visibility
- Ergonomically shaped hood for a perfect fit
- Zipped pockets

100% Polyester Softshell, 280g
Black S-5XL, Navy S-5XL

5XL

HUSKI™

BREATHABLE SOFTSHELL JACKETS

K8177
NERO SOFTSHELL JACKET

10 | 5 | 50+ UPF

- Micro polar fleece lined and bonded with shell
- Breathable, windproof and water resistant
- Lined for added warmth and comfort
- Waterproof zips to prevent water penetration
- Zipped pockets
- Internal pockets for safe storage

100% Polyester Softshell, 300g
Upper Body: 100% Polyester Mesh 65g, Lower body, Sleeves: 100% Polyester Tafetta 55g
Black S-5XL, Navy S-5XL

5XL

CONTEMPORARY FIT, STYLISH DESIGN

K8083
WARDEN SOFTSHELL JACKET

10 | X3 | 6

- Micro polar fleece lined and bonded with shell
- Breathable, windproof and water resistant
- 3 layer
- Premium epaulettes on shoulders
- Inner elasticated cuff
- Touch tape cuffs for a secure fit

94% Polyester, 6% Elastane, with 100% Polyester Micro Polar Fleece Softshell, 300g
100% Polyester 84g
Black S-4XL, Navy S-5XL

WATERPROOF, WINDPROOF, BREATHABLE

5XL

HUSKI™

LIGHTWEIGHT CARGO SHORTS

K5206
CASCADE MENS SHORTS

- 7 pockets for ample storage
- Easy access cargo pockets
- Phone pocket
- Flexi-fit for added freedom of movement
- Twin-stitched seams for extra durability
- Two back pockets

100% Polyester Microfibre, Peach finish, Satin Back, 120g
Bone, Clay, Navy 82-117

EasyCool

HARD WEARING EASY CARE FABRIC

PRIME MOVER®

WORK SHIRTS

FUNCTIONALITY, PERFORMANCE AND COMFORT COMBINED

PW372: PW3 Shirt
A641: Red Cut - PU
PW13: Clear View Spectacles

PRIME MOVER®

With over 30 styles to choose from, Prime Mover offers you the most hardworking shirt range in the market. All Prime Mover safety and non-safety shirts are designed to offer a stylish and comfortable fit, alongside maximum protection and increased performance.

100% COTTON DRILL

100% Cotton Drill fabric is available in two weights 260g and 300g. This fabric is fully pre shrunk and has excellent dye retention properties. The long staple fibres used in the construction process provide strength, pilling resistance and a quality finish. This fabric has a UPF rating of 50+ so will block 98% of the UV rays which fall on the garment.

KINGSMILL™ 145 COTTON STRETCH

Kingsmill™ Cotton Stretch is a premium cotton stretch fabric. This twill weave blend of 98% cotton and 2% elastane provides the ultimate in comfort and flexibility. The high cotton content gives an ultra soft handle, and the added elastane delivers ease of movement. This fabric has a UPF rating of 50+ to block 98% of UV rays.

SUPERIOR QUALITY SHIRTS DESIGNED FOR OUTSTANDING PERFORMANCE

PRIME MOVER IS A REGISTERED TRADEMARK OF THE PORTWEST GROUP.
KINGSMILL IS A TRADEMARK OF THE PORTWEST GROUP.

LIGHTWEIGHT STRETCH SHIRTS

2X Stretch

REGULAR WEIGHT 145g

LADIES STYLE AVAILABLE

LS502 189

24 4 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 4 pockets for ample storage
- Premium Hi-VisTex perforated reflective tape for increased visibility and breathability
- Reinforced panels in high wear areas for maximum durability
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Button placket opening
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 145g

KINGSMILL 145 COTTON STRETCH

DAY & NIGHT

BIO MOTION

Code	Opening	Style	Weight	COLOUR/SIZE			
MS103	FULL BUTTON OPENING	Long Sleeve	145g		Orange/ Navy XS-3XL		Yellow/Navy XS-3XL

MS103
UNDERARM MESH VENT

MS103
PERFORATED TAPE FOR ADDED BREATHABILITY

HOBART - DAY NIGHT REGULAR WEIGHT

REGULAR WEIGHT 185g

SUPERIOR HI-VIS SHIRT - DESIGN THAT WORKS FOR YOU

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Gusset sleeves for added safety
- Premium reflective tape for increased visibility
- Contrast panels for protection against dirt
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 185g

Code	Opening	Style	Weight	COLOUR/SIZE			
MA101	**FULL BUTTON OPENING**	Long Sleeve	185g		Orange/Navy XS-5XL,7XL,9XL		Yellow/Navy XS-5XL,7XL,9XL
MC101	**HALF BUTTON OPENING**	Long Sleeve	185g		Orange/Navy S-5XL,7XL		Yellow/Navy S-5XL,7XL

DAY & NIGHT

9XL XS

BEST QUALITY AND BEST VALUE SHIRTS

HOBART - DAY NIGHT LIGHTWEIGHT

LIGHT WEIGHT 155g

STAY COOL WITH OUR LIGHTWEIGHT SHIRTS

30 | 2 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Gusset sleeves for added safety
- 50+ UPF rated fabric to block 98% of UV rays
- Underarm cool flow mesh panel for ventilation
- Back vent with cool flow mesh

100% Cotton Drill, 155g

Code	Opening	Style	Weight	COLOUR/SIZE
MA801	FULL BUTTON OPENING	Long Sleeve	155g	Orange/Navy XXS-5XL; Yellow/Navy XS-5XL; Yellow/Green S-5XL
MA802	FULL BUTTON OPENING	Short Sleeve	155g	Orange/Navy S-5XL; Yellow/Navy S-5XL

DAY & NIGHT

5XL XXS

PW3 DAY NIGHT

LIGHT WEIGHT 155g

SEGMENTED REFLECTIVE TAPE ALLOWS FOR INCREASED VISIBILITY AND MOBILITY

24 | 2 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Flexible breathable segmented reflective tape for increased visibility
- Bio motion tape pattern to improve recognition of human shape at distance
- Loop at placket ideal for attaching glasses/pens
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 155g

Code	Opening	Style	Weight	COLOUR/SIZE			
PW372	**FULL BUTTON OPENING**	Long Sleeve	155g		Yellow/Navy S-5XL		Orange/Navy S-5XL

PW372
UNDERARM MESH VENT

PW372
BACK VENT WITH COOL FLOW MESH

BIO MOTION

DAY & NIGHT

5XL

PERTH - DAY NIGHT SHOULDER TAPE

REGULAR WEIGHT 185g

PROFESSIONAL STYLE AND QUALITY

30 2 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50 PLUS
VIC ROADS STYLE

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Gusset sleeves for added safety
- Button placket opening
- Premium reflective tape for increased visibility
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 185g

Code	Opening	Style	Weight	COLOUR/SIZE			
MS191	**FULL BUTTON OPENING**	Long Sleeve	185g		Yellow S-5XL		Orange S-5XL

DAY & NIGHT

5XL

DESIGNED FOR OUTSTANDING PERFORMANCE

DARWIN - DAY NIGHT LONG SLEEVE

DURABLE PERFORMANCE

REGULAR WEIGHT 185g

LIGHT WEIGHT 155g

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Gusset sleeves for added safety
- Premium reflective tape for increased visibility
- Button front closure
- 50+ UPF rated fabric to block 98% of UV rays

MA301 Only:

- Underarm cool flow mesh panel for ventilation
- Back vent with cool flow mesh

100% Cotton Drill

DAY & NIGHT

5XL

Code	Opening	Style	Weight	COLOUR/SIZE	
MA191	**FULL BUTTON OPENING**	Long Sleeve	185g		Orange S-5XL
MC191	**HALF BUTTON OPENING**	Long Sleeve	185g		Orange S-5XL
MA301	**FULL BUTTON OPENING**	Long Sleeve	155g		Orange S-5XL

MA301
UNDERARM MESH VENT



MA301
BACK VENT WITH COOL FLOW MESH

NSW RAIL COMPLIANT SHIRT - DAY/NIGHT

LIGHT WEIGHT 155g

100% COTTON FABRIC FOR ADDED COMFORT AND BREATHABILITY

AS 4602.1 CLASS D/N
AS/NZS 1906.4
NSW RAIL COMPLIANT
AS 7471 RAIL COMPLIANT
AS 4399 UPF 50+

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Underarm cool flow mesh panel for ventilation
- Back vent with cool flow mesh
- Gusset sleeves for added safety
- Pen division

100% Cotton Drill, 155g

DAY & NIGHT

5XL XS

Code	Opening	Style	Weight	COLOUR/SIZE	
MX301	**FULL BUTTON OPENING**	Long Sleeve	155g		Orange XS-5XL

MX301
UNDERARM MESH VENT



MX301
BACK VENT WITH COOL FLOW MESH

MELBOURNE - DAY REGULAR WEIGHT

REGULAR WEIGHT 185g

HIGH PERFORMING BREATHABLE FABRIC

30 | 2 | 50+ UPF

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Gusset sleeves for added safety
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 185g

Code	Opening	Style	Weight	COLOUR/SIZE	
MS988	**FULL BUTTON OPENING**	Long Sleeve	185g		Orange S-5XL

DAY | 5XL

HIGH PERFORMING WORKWEAR SHIRT

MELBOURNE - DAY LIGHTWEIGHT

LIGHT WEIGHT 155g

THE ULTIMATE LIGHTWEIGHT SHIRT

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Gusset sleeves for added safety
- Underarm cool flow mesh panel for ventilation
- Back vent with cool flow mesh
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 155g

DAY 5XL

Code	Opening	Style	Weight	COLOUR/SIZE
MS301	**FULL BUTTON OPENING**	Long Sleeve	155g	Orange S-5XL

MS301
UNDERARM MESH VENT

MS301
BACK VENT WITH COOL FLOW MESH

CANBERRA - DAY REGULAR WEIGHT

REGULAR WEIGHT 185g

THE HIGH PERFORMANCE SHIRT WITH EXCEPTIONAL QUALITY

30 2 50+ UPF

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Contrast panels for protection against dirt
- Gusset sleeves for added safety
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 185g

Code	Opening	Style	Weight	COLOUR/SIZE			
MS901	**FULL BUTTON OPENING**	Long Sleeve	185g		Orange/Navy XS-5XL		Yellow/Navy XS-5XL

DAY

5XL XS

UPF RATING OF 50+ TO BLOCK 98% OF UV RAYS

CANBERRA - DAY LIGHTWEIGHT

BEST QUALITY COTTON

LIGHT WEIGHT 155g

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Contrast panels for protection against dirt
- Underarm cool flow mesh panel for ventilation
- Back vent with cool flow mesh
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 155g

Code	Opening	Style	Weight	COLOUR/SIZE					
MS801	**FULL BUTTON OPENING**	Long Sleeve	155g		Orange/Navy S-5XL		Yellow/Navy S-5XL		Yellow/Green S-5XL
MS802	**FULL BUTTON OPENING**	Short Sleeve	155g		Orange/Navy S-5XL		Yellow/Navy S-5XL		
MC801	**HALF BUTTON OPENING**	Long Sleeve	155g		Orange/Navy S-5XL		Yellow/Navy S-5XL		
MC802	**HALF BUTTON OPENING**	Short Sleeve	155g		Orange/Navy S-5XL		Yellow/Navy S-5XL		

DAY

5XL

UNDERARM MESH VENT



BACK VENT WITH COOL FLOW MESH

BRISBANE - NIGHT REGULAR WEIGHT

REGULAR WEIGHT 185g

SHOULDER REFLECTIVE TAPE

30 | 2 | 50+ UPF

AS 4602.1 CLASS N
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Premium reflective tape for increased visibility
- Pen division
- Adjustable button cuffs
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 185g

NIGHT

5XL XS

Code	Opening	Style	Weight	COLOUR/SIZE	
MS908	**FULL BUTTON OPENING**	Long Sleeve	185g	●	Navy XS-5XL
MS909	**FULL BUTTON OPENING**	Short Sleeve	185g	●	Navy XS-5XL

HARD WEARING 100% COTTON BRISBANE SHIRTS

GEELONG - DAY REGULAR WEIGHT

REGULAR WEIGHT 185g

SLEEVE REFLECTIVE TAPE

AS 4602.1 CLASS N
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Premium reflective tape for increased visibility
- Pen division
- Two chest pockets with button and flap closure
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 185g

NIGHT

5XL

Code	Opening	Style	Weight	COLOUR/SIZE	
MA908	**FULL BUTTON OPENING**	Long Sleeve	185g		Navy S-5XL
MA909	**FULL BUTTON OPENING**	Short Sleeve	185g		Navy S-5XL

DURABLE SAFETY SHIRTS FOR ALL SEASONS

UTILITY LIGHTWEIGHT STRETCH SHIRTS

2x Stretch

LIGHT WEIGHT 145g

NEW

INCREASED BREATHABILITY AND COMFORT

LADIES STYLE AVAILABLE

LS501 191

24 | 4 | 50+ UPF

- 4 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Concealed zip pocket
- Underarm cool flow mesh panel for ventilation
- Increased breathability with a vented back yoke
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch:98% Cotton, 2% Elastane, 145g

KINGSMILL 145 COTTON STRETCH

2x Stretch

Code	Opening	Style	Weight	COLOUR/SIZE
MS106	**FULL BUTTON OPENING**	Long Sleeve	145g	Black XS-3XL; Dark Navy XS-3XL; Sand XS-3XL

MS106
UNDERARM MESH VENT



MS106
BACK VENT WITH COOL FLOW MESH

ADELAIDE - REGULAR WEIGHT

REGULAR WEIGHT 185g

QUALITY FABRIC AND SUPERB WORKMANSHIP

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Pen division
- Adjustable button cuffs
- Button front closure
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 185g

Code	Opening	Style	Weight	COLOUR/SIZE	
MS903	**FULL BUTTON OPENING**	Long Sleeve	185g		Navy S-5XL
MS905	**FULL BUTTON OPENING**	Short Sleeve	185g		Navy S-5XL

5XL

UNCOMPROMISING PERFORMANCE

ADELAIDE - LIGHTWEIGHT

COOL COMFORT

LIGHT WEIGHT 155g

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Pen division
- Two chest pockets with button and flap closure
- Button placket opening
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 155g

Code	Opening	Style	Weight	COLOUR/SIZE			
MC903	**HALF BUTTON OPENING**	Long Sleeve	155g		Navy S-5XL		Cobalt Blue S-5XL
MC905	**HALF BUTTON OPENING**	Short Sleeve	155g		Navy S-5XL		Cobalt Blue S-5XL

5XL

QUALITY, FUNCTION AND PERFORMANCE

WESTPORT - LIGHTWEIGHT FOOD SHIRT

LIGHT WEIGHT 155g

CONCEALED STUD FRONT FOR EASY ACCESS

30 50+ UPF

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 100% Cotton fabric for added comfort and breathability
- Gusset sleeves for added safety
- Contrast panels for protection against dirt
- Concealed stud front for easy access
- Underarm cool flow mesh panel for ventilation
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 155g

DAY

5XL XS

Code	Opening	Style	Weight	COLOUR/SIZE			
MF150	**FULL BUTTON OPENING**	Long Sleeve	155g		Orange/ Navy XS-5XL		Yellow/Navy XS-5XL

100% COTTON FOR COMFORT AND DURABILITY

SYDNEY - LIGHTWEIGHT

CLASSIC CHAMBRAY LIGHTWEIGHT SHIRT

LIGHT WEIGHT 130g

- 2 pockets for secure storage
- Lightweight and comfortable
- Pen division
- Button front closure
- Adjustable button cuffs
- 20+ UPF rated fabric to block 95% of UV rays

55% Cotton, 45% Polyester, 130g

Code	Opening	Style	Weight	COLOUR/SIZE	
MS868	**FULL BUTTON OPENING**	Long Sleeve	130g		Blue S-5XL
MS869	**FULL BUTTON OPENING**	Short Sleeve	130g		Blue S-5XL

5XL

SMART LOOK - EASY WEARING SHIRTS

HIGH VISIBILITY

INDUSTRY LEADING
HIGH VISIBILITY FABRICS

MP713: X Back L/S Polo
MP202: Wet Weather Pull-on Pants
K8158: Convoy Polar Fleece Jacket

PORTWEST's extensive range of high visibility clothing is designed and constructed to ensure compliance with relevant safety standards. Innovative and technical, this high visibility range is ideal for those who will not compromise on style, comfort or performance.

300D OXFORD WEAVE

150D OXFORD WEAVE

OXFORD WEAVE 100% polyester yarn, is a tough fabric for tough conditions. The fabric has superb abrasion and tear resistance. The polyurethane (PU) coating on the inside makes the fabric durable and waterproof and the outer has a water and stain repellent coating which helps keep the garment clean.

190T PLAIN WEAVE

Made with 190T plain weave 100% polyester yarn this is a durable, hard wearing fabric for tough conditions. This fabric is lightweight and has superb abrasion and tear resistance. It has a PVC coating inside which makes the fabric waterproof and has a water and stain repellent coating on the outside which helps keep the garment clean.

100% COTTON DRILL

This premium cotton fabric is constructed using special long staple fibres which create a soft but strong material. Moisture is absorbed quickly which allows the wearer to feel cooler, drier and more comfortable.

MICRO MESH

The Micro Mesh bird eye high visibility fabric is constructed to keep wearers cool, comfortable and visible in even the warmest environments. Providing the wearer with a range of UPF protection, the fabric has advanced cooling properties which combined with its breathability make it the ideal choice for warmer climates. Durable, wrinkle resistant with a quick dry quality finish, this fabric will stay strong wash after wash.

COTTON COMFORT

Cotton Comfort is constructed from a blend of 53% cotton/47% polyester. With the cotton on the inside for comfort and the polyester on the outside for maximum durability, this is a robust fabric that provides ultimate comfort. Certified to AS/NZS 1906.4.

VESTPORT

Vestport™ fabric is constructed from 100% polyester warp knitted fabric. This fabric is lightweight, comfortable and highly breathable. Certified to EN ISO 20471 and AS/NZS 1906.4

VESTPORT IS A TRADEMARK OF THE PORTWEST GROUP.

AUSTRALIAN & NEW ZEALAND STANDARDS

High Visibility Workwear Meets Relevant Australian and New Zealand Standards, AS 4602.1 for High Visibility Safety Garments

The AS 4602.1 Standard specifies the visual requirements for high visibility safety garments for occupational wear by people who may be exposed to the hazard of moving traffic, moving plant or equipment in high risk situations. The standard covers garments suitable for daytime wear, night-time wear where they will be seen by retroreflected light or for wear under both conditions but excludes garments for use by fire services.

The garments specified in this Standard are classified as follows:

Class D A garment designed for daytime use.

Class N A garment designed for night use using retro reflected light.

Class D/N A garment designed for day and night use.

Australian/New Zealand Standard AS/NZS 1906.4 Retroreflective Materials and Devices for Road Traffic Control Purposes

This Standard specifies the requirements for high visibility materials and reflective tape to be used on industrial safety garments for outdoor daytime use and for use at night or in other dark conditions where the wearer needs to be highly visible.

High-visibility materials are classified according to their day or night-time application, as follows:

Class F: High daytime visibility fluorescent material. Class F (W) – includes Wet Weather testing.

Class R: Retroreflective material for use on garments used in dark conditions.

Class RF: Combined performance retroreflective/fluorescent material meeting all of the requirements of Class R - and the daytime colour of Class F.

Class NF: High daytime visibility non-fluorescent material.

Temporary Traffic Management Control (TTMC-W)

The New Zealand Transport Agency (NZTA) has a Code of Practice which specifies the standard of safety garment that a worker must wear while working in or close to hazardous traffic areas.

Victoria Roads: VicRoads Style

This catalogue has a range of garments suitable for working on Victoria Roads marked Vic Roads Style.

Queensland Traffic Controller – Transport and Main Roads: QLD TMR Style –

This catalogue has a range of garments suitable for Queensland Traffic Management marked QLD TMR Style.

The AS 7471 Australian Rail Standard

This Standard outlines the minimum requirements for personal protection equipment including High visibility outer clothing when undertaking work in the rail corridor. The Standard aims to establish standardisation of PPE within the Australian rail industry.

New South Wales Rail Standard: NSW Rail Compliant - Styles with this marking are compliant to the New South Wales Rail standard

AS/NZS 1957

Outlines the care instructions required to ensure correct care of the garment.

AS 4399 Sun Protection Clothing Classification

UPF (Ultraviolet Protection Factor) is the classification system used for sun protective clothing. All fabrics are independently tested according to the AS 4399 standard.

The UPF rating applies only to the area of skin covered. Protection may be reduced if the material is wet, stretched or from the effects of normal wear or exposure to chemicals. For best sun protection use hats, clothing that provides maximum skin coverage, sunglasses, sunscreen and shade.

Sun protective clothing is categorized according to its rated UPF as given in table below.

Rated UPF	UPF classification
15	Minimum Protection
30	Good Protection
50, 50+	Excellent Protection

EUROPEAN STANDARDS

EN ISO 20471 - High Visibility Clothing - Test Methods And Requirements

This International Standard specifies requirements for high visibility clothing, which is capable of visually signalling the user's presence. The high visibility clothing is intended to provide conspicuity of the wearer in any light condition when viewed by the operators of vehicles or other mechanised equipment during daylight conditions and under illumination of headlights in the dark.

High Visibility clothing has a fluorescent surface, combined with reflective material that meets certification requirements in 3 different classes:

Class 3: Highest Level

Highest level of protection - required for any persons working on or near motorways or dual-carriage ways or airports. Must incorporate a minimum of 0.80m2 of background material and 0.20m2 of retro-reflective materials. (4 metres of 5cm wide reflective tape)



Class 2: Intermediate Level

Required for any persons working on or near A and B class roads, also for delivery drivers. Must incorporate a minimum of 0.50m2 of background material and 0.13m2 of retro-reflective material. (2.60 metres of 5cm wide reflective tape)



Class 1: Minimum Level

Minimum level of protection required for any persons working on a private road or to be used in conjunction with a higher classed garment. Must incorporate a minimum of 0.14m2 of background material and 0.10m2 of retro-reflective material. (2 metres of 5cm wide reflective tape)

EN 343 - Protective Clothing, Protection Against Rain

EN 343 EN 343 is the harmonised European standard that applies to garments worn in adverse weather conditions. It specifies the characteristics of protective clothing against the influence of foul weather, wind and cool above -5°c. The standard provides for two performance parameters: X = Waterproofness (4 levels) Y = Breathable properties (4 levels)

EN 342 - Protective Clothing - Ensembles and Garments for Protection Against Cold

EN 342 EN 342 is the harmonised European standard that specifies requirements and test methods for performance of clothing ensembles (ie. two piece suits or coveralls) and of single garments for protection against cold environment.

EN 14058 - Protective Clothing- Garments for Protection against Cool Environments

This standard specifies requirements and test methods for the performance of single garments for protection against cooling of the body in cool environments. Cool environments are as a result of a combination of humidity and wind at temperatures of -5°C and above.

At moderate low temperatures garments against local body cooling are not only used for outdoor activities but can be used for indoor activities. In these cases garments often do not need to be made of watertight or air impermeable materials. Therefore, these requirements are optional for this standard.

The cornerstone of success is stringent quality control. Can you be sure the product you are wearing conforms to AS/NZS 4602.1?

A certificate from a test house guarantees that the garment or fabric sent to the test house has attained the AS/NZS 4602.1 standard. It is not a guarantee that the bulk production meets the standard. Therefore, it is necessary that every roll of fabric and retro-reflective tape is tested with highly specialised equipment which guarantees that all production meets the AS/NZS 1906.4 standard.



FABRIC TESTING

In the quality control laboratory the Minolta Spectrophotometer is used to check every roll of fabric. This guarantees that the fabric used is fully compliant to the AS/NZS 1906.4 standard.

This graph displays the CIE 1931 X, Y chromaticity diagram which defines a colour space for graphing colour. Specifications for the colour space and luminance (brightness) are provided in the AS/NZS 1906.4 standard. The colour space is divided into 2 main classes - yellow and orange-red, with further divisions for certain application



CLOSE-UP VIEW OF FLUORESCENT YELLOW

This graph shows an enlarged view of the yellow AS/NZ 1906.4 colour range. The colour co-ordinates marked on the graph are a reading from our fluorescent yellow fabric. This reading is taken using the Minolta Spectrophotometer.

HIGHEST STANDARDS IN PROFESSIONAL TESTING

T182 - PW3 Hi-Vis Polo Shirt S/S
PW372 - PW3 Shirt

PW3™ PERFORMANCE WORKWEAR

Portwest PW3™ contemporary workwear blends sports, lifestyle trends and function with a modern fit and improved comfort. Utilising premium fabrics, products are engineered for flexibility across a diverse range of industry and trade end uses and offer exceptional value.

T403 64 PW3 Hi-Vis Breathable Jacket

T404 102 PW3 Hi-Vis Contrast Softshell (3L)

PW372 43 PW3 Shirt

T186 113 PW3 Hi-Vis Polo Shirt L/S

T182 110 PW3 Hi-Vis Polo Shirt S/S

T183 117 PW3 Hi-Vis T-Shirt S/S

T602 169 PW3 Holster Work Pants

PW341 169 PW3 Cargo Stretch Pants

DISCOVER STUNNING DESIGN

PW3 IS A TRADEMARK OF THE PORTWEST GROUP.

PW3™

WATERPROOF JACKET

BIO MOTION

Bio-motion is the placement of retro-reflective tape above and below the elbow and/or knee on high-visibility garments, enhancing long distance recognition of the wearer as a human figure when viewed by retro-reflected light.

T403

PW3 HI-VIS BREATHABLE JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- Waterproof and breathable with taped seams to prevent water penetration
- 4 pockets for ample storage
- Ezee zip allows for quick & easy fastening making it ideal for right and left handed users
- Concealed detachable hood
- Card holder for ID card display
- Touch tape cuffs for a secure fit

100% Polyester, 300D Oxford Weave, PU Coated, Breathable, Stain-Resistant Finish, 190g
100% Polyester Mesh, 60g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY & NIGHT | TEXPEL SPLASH | 5XL | BIO MOTION | EZEE ZIP

SUPERIOR FREEDOM OF MOVEMENT

HIGH VISIBILITY - SHELL JACKET

SUPERB WATERPROOF PROTECTION WITH ENHANCED VISIBILITY

MJ306

EYRE LIGHTWEIGHT HI-VIS RAIN JACKET WITH TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 3 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Print access for corporate branding
- Contrast panels for protection against dirt

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Mesh, 60g
Orange/Navy XS-5XL,7XL,9XL, Yellow/Green S-5XL, Yellow/Navy XS-5XL,7XL,9XL

DAY & NIGHT

9XL XS

CAN BE COMBINED WITH OTHER STYLES

HIGH VISIBILITY SHELL JACKETS

MY306
SQUIZZY JACKET WITH MICRO PRISM TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
VIC ROADS STYLE
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 3 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Print access for corporate branding
- Combination zip for added functionality

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Mesh, 60g
Orange S-5XL

DAY & NIGHT

5XL



MICRO PRISM REFLECTIVE TAPE

MX306
MAX RAIN JACKET WITH CROSS BACK TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
NSW RAIL COMPLIANT
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 3 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Print access for corporate branding
- Touch tape cuffs for a secure fit

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Mesh, 60g
Orange S-5XL

DAY & NIGHT

5XL

HIGH VISIBILITY SHELL JACKETS

MESH LINED

MF306
ARGYLE FULL HI-VIS RAIN JACKET WITH TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 3 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Touch tape cuffs for a secure fit
- Print access for corporate branding

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Mesh, 60g
Orange S-5XL, Yellow S-5XL

DAY & NIGHT

5XL

INTERACTIVE ZIP FOR INSERTION OF INNER LAYER. GARMENTS SOLD SEPARATELY.

MJ206
KIMBERLEY LIGHTWEIGHT HI-VIS RAIN JACKET

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 3 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Touch tape cuffs for a secure fit
- Increased breathability with a vented back yoke

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Mesh, 60g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY

5XL

HIGH VISIBILITY ESSENTIALS RANGE

190T OXFORD WEAVE

LONGER COAT LENGTH **122CM**

190T Essentials Made with 190T plain weave 100% polyester yarn this is a durable, hard wearing fabric for tough conditions. This fabric is lightweight and has superb abrasion and tear resistance. It has a PVC coating inside which makes the fabric waterproof and has a water and stain repellent coating on the outside which helps keep the garment clean.

H445
HI-VIS COAT 122CM

AS 4602.1 CLASS D/N
AS/NZS 1906.4
QLD TMR STYLE
AS 4399 UPF 50+
EN ISO 20471 CLASS 3
EN 343 CLASS 3:1 X

- Extremely water resistant fabric finish, water beads away from fabric surface
- 2 pockets for secure storage
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Extra protection against the rain with a longer 122cm length
- Vented back yoke and eyelets for added breathability and comfort

100% Polyester, 190T, Plain Weave, PVC coated, 200g
100% Polyester Mesh, 60g
Yellow S-4XL

DELIVERING VALUE AND STYLE

BIO MOTION | DAY & NIGHT | TEXPEL SPLASH | 4XL

ESSENTIALS RANGE JACKET AND PANTS

H440
HI-VIS RAIN JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT ORANGE ONLY
QLD TMR STYLE (YELLOW ONLY)
AS 4399 UPF 50+
EN ISO 20471 CLASS 3
EN 343 CLASS 3:1 X

- Extremely water resistant fabric finish, water beads away from fabric surface
- 2 pockets for secure storage
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Adjustable cord and toggles for a secure fit
- Vented back yoke and eyelets for added breathability and comfort

100% Polyester, 190T, Plain Weave, PVC coated, 200g
Yoke Only: 100% Polyester Mesh 60g
Orange XS-4XL, Yellow XS-4XL

BIO MOTION DAY & NIGHT TEXPEL SPLASH 4XL XS

EXCEPTIONAL VALUE RAINWEAR, GUARANTEED TO PERFORM

H441
HI-VIS RAIN PANTS

AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 20471 CLASS 1
EN 343 CLASS 3:1 X

- Extremely water resistant fabric finish, water beads away from fabric surface
- Taped seams to provide additional protection
- Fully elasticated waistband for ultimate wearer comfort
- Stud adjustable hems for a secure fit
- Wind resistant fabric to protect against wind chill
- Twin-stitched seams for extra durability

100% Polyester, 190T, Plain Weave, PVC coated, 200g
Orange S-4XL, Yellow XS-4XL

TEXPEL SPLASH 4XL XS

ESSENTIALS RANGE TWO TONE STYLES

H443
HI-VIS TWO-TONE RAIN JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 20471 CLASS 3
EN 343 CLASS 3:1 X

- Extremely water resistant fabric finish, water beads away from fabric surface
- 2 pockets for secure storage
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Adjustable cord and toggles for a secure fit
- Vented back yoke and eyelets for added breathability and comfort

100% Polyester, 190T, Plain Weave, PVC coated, 200g
Yoke Only: 100% Polyester Mesh, 60g
Orange/Navy S-3XL, Yellow/Navy S-3XL

BIO MOTION DAY & NIGHT TEXPEL SPLASH

POWERFUL PROTECTION AGAINST WIND AND RAIN

H444
HI-VIS CLASSIC TWO TONE RAIN PANTS

AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 20471 CLASS 1
EN 343 CLASS 3:1 X

- Extremely water resistant fabric finish, water beads away from fabric surface
- Taped seams to provide additional protection
- Fully elasticated waistband for ultimate wearer comfort
- Stud adjustable hems for a secure fit
- Contrast panels for protection against dirt
- Wind resistant fabric to protect against wind chill

100% Polyester, 190T, Plain Weave, PVC coated, 200g
Orange/Navy S-3XL, Yellow/Navy S-3XL

TEXPEL SPLASH

REVERSIBLE VESTS

MV214
POLAR FLEECE REVERSIBLE VEST

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
FABRIC PERFORMANCE WP 17,000MM

- 4 pockets for ample storage
- Fleece lining for added warmth and comfort
- Combination zip for added functionality
- Internal embroidery pocket with touch tape closure
- Premium reflective tape for increased visibility
- Reversible garment for multi use

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Polar Fleece, 180g
Orange XS-5XL,7XL,9XL, Yellow XS-5XL,7XL,9XL

DAY & NIGHT

9XL
XS

MX214
CROSS BACK POLAR FLEECE REVERSIBLE VEST

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
NSW RAIL COMPLIANT
FABRIC PERFORMANCE WP 17,000MM

- 4 pockets for ample storage
- Fleece lining for added warmth and comfort
- Combination zip for added functionality
- Internal embroidery pocket with touch tape closure
- Wind resistant fabric to protect against wind chill
- Reversible garment for multi use

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Polar Fleece, 180g
Orange S-5XL

DAY & NIGHT

5XL

MAKES A 4-IN-1 SET
when combined with style
MX306 66
***Style sold separately**

MY214
POLAR FLEECE VEST WITH MICRO PRISM TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
VIC ROADS STYLE
FABRIC PERFORMANCE WP 17,000MM

- 4 pockets for ample storage
- Fleece lining for added warmth and comfort
- High intensity micro prism reflective tape
- Combination zip for added functionality
- Wind resistant fabric to protect against wind chill
- Reversible garment for multi use

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Fleece, 180g
Orange S-5XL

DAY & NIGHT

5XL

MAKES A 4-IN-1 SET
when combined with style
MY306* 66
***Style sold separately**

REVERSIBLE VESTS

MA230
ANTISTATIC REVERSIBLE VEST

AS 4602.1 CLASS D/N
AS/NZS 1906.4
EN 1149 -1

- 4 pockets for ample storage
- Combination zip for added functionality
- Internal embroidery pocket with touch tape closure
- Lined for added warmth and comfort

98% Polyester, 2% Antistatic carbon fibre, 300D
Oxford Weave, 190g
100% Cotton, 155g
Yellow S-5XL

DAY & NIGHT

5XL

MAKES A 4-IN-1 SET when combined with style MJ370
***Style sold separately** 140

MV278
100% COTTON REVERSIBLE VEST

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 100% Cotton fabric for added comfort and breathability
- 50+ UPF rated fabric to block 98% of UV rays
- Premium reflective tape for increased visibility
- 4 pockets for ample storage
- Lined for added warmth and comfort
- Combination zip for added functionality

100% Cotton, 310g
100% Cotton, 150g
100% Cotton, 200g
Orange XS-5XL, Yellow XS-5XL

DAY & NIGHT

5XL XS

MAKES A 4-IN-1 SET when combined with style MJ998*
***Style sold separately** 98

COMBINATION JACKETS MATRIX

NEW

5x1

S766 74
ESSENTIAL 5-IN-1 TWO-TONE JACKET

SOLD AS A SET

4x1

K8106 14
VENTURE 4-IN-1 JACKET

SOLD AS A SET

4x1

MJ881 76
EYRE DAY/ NIGHT 4-IN-1 JACKET

MJ306 65 MV214 71

4x1

MJ885 75
SQUIZZY DAY/NIGHT 4-IN-1 JACKET WITH MICRO PRISM TAPE

MY306 66 MY214 71

4x1

MJ331 78
MAX CROSS BACK 4-IN-1 JACKET

MX306 66 MX214 71

4x1

MJ883 79
ARGYLE FULL DAY/ NIGHT 4-IN-1 JACKET

MF306 67 MV214 71

4x1

MJ887 141
MACKAY ANTI-STATIC 4-IN-1 JACKET

MJ370 140 MA230 72

3x1

MJ996 77
EYRE DAY/ NIGHT 3-IN-1 JACKET

MJ306 65 MA315 105

2x1

K8155 16
ROADS 2-IN-1 JACKET

SOLD AS A SET

5-IN-1 WINTER PARKA JACKET

OUTSTANDING VALUE

EN 342

COLD PROTECTION TO -40C

NEW

S766

ESSENTIAL 5-IN-1 TWO-TONE JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 20471 CLASS 3
EN 343 CLASS 3:1 X WP 15,000MM
EN 342 0.352 (M².K/W), 2, X

- Extremely water resistant fabric finish, water beads away from fabric surface
- 7 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away hood for added functionality
- Waterproof with taped seams to prevent water penetration
- Detachable inner jacket for added versatility in all weather conditions

100% Polyester, 300D Oxford Weave with a stain resistant finish, PU Coated, 190g
Outer Jacket: 100% Polyester Mesh 60g
Inner Jacket: 100% Polyester Fleece 280g
Orange/Navy XS-5XL, Yellow/Black S-5XL, Yellow/Navy XS-5XL

5XL XS

BIO MOTION

DAY & NIGHT

5IN1

TEXPEL SPLASH

4-IN-1 MICRO PRISM JACKET

EXTREMELY VERSATILE ALL SEASON STYLE

1

2

MY306 66

3

MY214 71

4

MJ885
SQUIZZY DAY/NIGHT 4-IN-1 JACKET WITH MICRO PRISM TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
VIC ROADS STYLE
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 7 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Detachable inner reversible bodywarmer vest
- Print access for corporate branding

100% Polyester, 150D Oxford weave, PU coated, 130g
Outer Jacket: 100% Polyester Mesh 60g
Inner Vest: 100% Polyester Polar Fleece 180g
Orange S-5XL

DAY & NIGHT

4IN1

5XL

4-IN-1 WATERPROOF JACKET

UNBEATABLE VALUE, MAXIMUM VISIBILITY

1

2

MJ306 65

3

MV214 71

4

MJ881
EYRE DAY/NIGHT 4-IN-1 JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 7 pockets for ample storage
- Two-way front plastic moulded zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Detachable inner reversible bodywarmer vest
- Print access for corporate branding

100% Polyester, 150D Oxford weave, PU coated, 130g
Outer Jacket: 100% Polyester Mesh 60g
Inner Vest: 100% Polyester Polar Fleece 180g
Orange/Navy XS-5XL,7XL,9XL, Yellow/Green S-5XL, Yellow/Navy XS-5XL,7XL,9XL

DAY & NIGHT

4IN1

9XL XS

3-IN-1 DAY/NIGHT JACKET

A SOLUTION FOR ALL SEASONS

1

2

MJ306 65

3

MA315 105

MJ996
EYRE DAY/NIGHT 3-IN-1 JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 6 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Detachable inner jacket for added versatility in all weather conditions
- Print access for corporate branding

100% Polyester, 150D Oxford weave, PU coated, 130g
Outer Jacket: 100% Polyester Mesh 60g
Inner Vest: 100% Polyester 320g
Yellow/Navy S-5XL

DAY & NIGHT

3IN1

5XL

4-IN-1 CROSS BACK RAIN JACKET

NSW RAIL COMPLIANT X-BACK

2

MX306 66

1

3

MX214 71

4

MJ331
MAX 4-IN-1 RAIN JACKET WITH CROSS BACK

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
NSW RAIL COMPLIANT
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 7 pockets for ample storage
- Two-way zip for quick and easy access
- Taped seams to provide additional protection
- Touch tape cuffs for a secure fit
- Print access for corporate branding
- Detachable inner reversible bodywarmer vest

100% Polyester, 150D Oxford weave, PU coated, 130g
Outer Jacket: 100% Polyester Mesh 60g
Inner Vest: 100% Polyester Polar Fleece 180g
Orange S-5XL

DAY & NIGHT

4IN1

5XL

4-IN-1 MESH LINED RAIN JACKET

1

2

MF306 67

3

MV214 71

4

MJ883
ARGYLE FULL DAY/NIGHT 4-IN-1 JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 7 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Detachable inner reversible bodywarmer vest
- Print access for corporate branding

100% Polyester, 150D Oxford weave, PU coated, 130g
Outer Jacket: 100% Polyester Mesh 60g
Inner Vest: 100% Polyester Polar Fleece 180g
Orange S-5XL, Yellow S-5XL

SUPERIOR WATERPROOF TECHNOLOGY

DAY & NIGHT

4IN1

5XL

BIO-MOTION WATERPROOF JACKETS - PADDED

EN 342

COLD PROTECTION TO -40°C

S460
HI-VIS TRAFFIC JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
QLD TMR STYLE (YELLOW ONLY)
AS 4399 UPF 50+
EN ISO 20471 CLASS 3
EN 343 CLASS 3:1 X WP 15,000MM
EN 342 0.345 (M².K/W), 2, X

- Extremely water resistant fabric finish, water beads away from fabric surface
- 4 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away hood for added functionality
- Inner ribbed cuffs for warmth and comfort
- Fully lined and padded to trap the heat and increase warmth

100% Polyester, 300D Oxford Weave with a stain resistant finish, PU Coated, 190g
100% Polyester, 60g
100% Polyester, 170g
Orange XS-6XL, Yellow XS-6XL

BIO MOTION DAY & NIGHT TEXPEL SPLASH 6XL XS

MX460
HI-VIS CROSS BACK TRAFFIC JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
NSW RAIL COMPLIANT
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 15,000MM

- Extremely water resistant fabric finish, water beads away from fabric surface
- 4 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away hood for added functionality
- Fully lined and padded to trap the heat and increase warmth
- X Back tape pattern provides additional wearer visibility

100% Polyester, 300D Oxford Weave with a stain resistant finish, PU Coated, 190g
100% Polyester, 60g
100% Polyester, 170g
Orange S-5XL

BIO MOTION DAY & NIGHT TEXPEL SPLASH 5XL

BIO-MOTION WATERPROOF JACKETS - PADDED

EN 342

COLD PROTECTION TO -40°C

S467
HI-VIS TWO TONE TRAFFIC JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 20471 CLASS 3
EN 343 CLASS 3:1 X WP 15,000MM
EN 342 0.345 (M².K/W), 2, X

- Extremely water resistant fabric finish, water beads away from fabric surface
- 4 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away hood for added functionality
- Fully lined and padded to trap the heat and increase warmth
- Inner ribbed cuffs for warmth and comfort

100% Polyester, 300D Oxford Weave with a stain resistant finish, PU Coated, 190g
100% Polyester, 60g
100% Polyester, 170g
Orange/Navy S-5XL

BIO MOTION DAY & NIGHT TEXPEL SPLASH 5XL

EN 342

COLD PROTECTION TO -40°C

S466
HI-VIS TWO TONE TRAFFIC JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 20471 CLASS 3
EN 343 CLASS 3:1 X WP 15,000MM
EN 342 0.345 (M².K/W), 2, X

- Extremely water resistant fabric finish, water beads away from fabric surface
- 4 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away hood for added functionality
- Fully lined and padded to trap the heat and increase warmth
- Contrast panels for protection against dirt

100% Polyester, 300D Oxford Weave with a stain resistant finish, PU Coated, 190g
100% Polyester, 60g
100% Polyester, 170g
Yellow/Navy XS-5XL

BIO MOTION DAY & NIGHT TEXPEL SPLASH 5XL XS

WATERPROOF JACKET - FLEECE LINED

FUNCTIONALITY, PERFORMANCE AND COMFORT COMBINED

MJ208

FLEECE LINED RAIN JACKET WITH TAPE

10 | 3 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

100% Polyester Oxford 300D, 170g
100% Polyester Fleece, 180g
Orange/Navy S-5XL, Yellow/Navy S-5XL

- 3 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Print access for corporate branding
- Contrast panels for protection against dirt

5XL

DAY & NIGHT

BOMBER JACKETS WITH COLLAR

EN 342

COLD PROTECTION TO -40°C

S463
HI-VIS BOMBER JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
QLD TMR STYLE (YELLOW ONLY)
AS 4399 UPF 50+
EN ISO 20471 CLASS 3
EN 343 CLASS 3:1 X WP 15,000MM
EN 342 0.336 (M².K/W), 2, X

- Extremely water resistant fabric finish, water beads away from fabric surface
- 4 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Print access for corporate branding

100% Polyester, 300D Oxford Weave with a stain resistant finish, PU Coated, 190g
100% Polyester, 60g
100% Polyester, 170g
Yellow XS-6XL, Orange S-5XL

BIO MOTION DAY & NIGHT TEXPEL SPLASH 6XL XS

MJ464
HI-VIS ESSENTIAL 2-IN-1 BOMBER JACKET WITH TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- Extremely water resistant fabric finish, water beads away from fabric surface
- 3 pockets for ample storage
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Detachable sleeves provides a multi-way option for wearer
- Print access zipper for corporate branding

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester, 60g
100% Polyester, 160g
Orange/Navy S-3XL, Yellow/Navy S-3XL

2

2IN1 BIO MOTION DAY & NIGHT

1

NEW

PORTWEST®

WORLD CLASS HIGH VISIBILITY PROTECTION

TWO TONE BOMBER JACKETS - PADDED

MJ204
HI-VIS FLYING JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 3 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Contrast panels for protection against dirt
- Wind resistant fabric to protect against wind chill

100% Polyester Oxford 300D, 160g
100% Polyester, 60g
100% Polyester, 160g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY & NIGHT

5XL

MJ504
HI-VIS BOMBER JACKET WITH TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 4 pockets for ample storage
- Phone and pen holder pocket
- Two-way zip for quick and easy access
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Elasticated cuffs for a secure fit

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester, 60g
100% Polyester, 160g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY & NIGHT

5XL

BOMBER JACKETS FOR DAYTIME USE

MC464
HI-VIS ESSENTIAL 2-IN-1 BOMBER JACKET

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- Extremely water resistant fabric finish, water beads away from fabric surface
- 3 pockets for ample storage
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Detachable sleeves provides a multi-way option for wearer
- Knitted cuff for comfort and warmth

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester, 60g
100% Polyester, 160g
Orange/Navy S-3XL, Yellow/Navy S-3XL

DAY

2IN1

1

2

MJ304
HI-VIS BOMBER JACKET

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- 4 pockets for ample storage
- Phone and pen holder pocket
- Two-way zip for quick and easy access
- Pack away hood for added functionality
- Taped seams to provide additional protection
- Print access for corporate branding

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester, 60g
100% Polyester, 160g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY

5XL

LIGHTWEIGHT WATERPROOF PANTS

SUPERB WATERPROOF PROTECTION WITH ENHANCED VISIBILITY

MP200
WET WEATHER CARGO PANTS

AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- Waterproof keeping the wearer dry and protected from the elements
- Drawcord adjustable waist for a secure and comfortable fit
- Contrast panels for protection against dirt
- Easy access cargo pockets
- Side access pockets
- Fully elasticated waistband for ultimate wearer comfort

100% Polyester, 150D Oxford weave, PU coated, 130g
Orange/Navy, Yellow/Navy S/M-4XL/5XL

5XL

MP202
WET WEATHER PULL-ON PANTS

AS/NZS 1906.4
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- Waterproof keeping the wearer dry and protected from the elements
- Drawcord adjustable waist for a secure and comfortable fit
- Contrast panels for protection against dirt
- Side access pockets
- Stud adjustable hems for a secure fit
- Fully elasticated waistband for ultimate wearer comfort

100% Polyester, 150D Oxford weave, PU coated, 130g
Orange/Navy, Yellow/Navy S/M-4XL/5XL

5XL

MP713 114
MP202 87

PORTWEST®

X-BACK RANGE

CROSS BACK REFLECTIVE TAPE FOR MAXIMUM VISIBILITY

Meeting the stringent requirements in both design and construction, this collection of styles is fully compliant with the latest NSW Rail standard. The NSW Rail standard sets out the minimum specification for high visibility clothing worn in the Rail Industry. These styles are also certified to the AS 4602.1 standard which specifies the visual requirements for high visibility safety garments.

NSW RAIL COMPLIANT X-BACK RANGE

MF116
CROSS BACK POLAR FLEECE JUMPER

AS 4602.1 CLASS D/N
AS/NZS 1906.4
NSW RAIL COMPLIANT
AS 7471 RAIL COMPLIANT
AS 4399 UPF50+

100% Polyester, Anti-Pill finish Fleece, 300g
Orange S-5XL

Full product details on page 104

BIO MOTION DAY & NIGHT 5XL

MX301
100% LIGHTWEIGHT COTTON LONG SLEEVE SHIRT WITH CROSS BACK TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
NSW RAIL COMPLIANT
AS 7471 RAIL COMPLIANT
AS 4399 UPF 50+

100% Cotton Drill, 155g
Orange XS-5XL

Full product details on page 46

DAY & NIGHT 5XL XS

MX214
CROSS BACK POLAR FLEECE REVERSIBLE VEST

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
NSW RAIL COMPLIANT
FABRIC PERFORMANCE WP 17,000MM

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Polar Fleece, 180g
Orange S-5XL

Full product details on page 71

DAY & NIGHT 5XL

X-BACK RANGE RAIN JACKETS

MX460
HI-VIS CROSS BACK TRAFFIC JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
NSW RAIL COMPLIANT
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 15,000MM

100% Polyester, 300D Oxford Weave with a stain resistant finish, PU Coated, 190g
100% Polyester, 60g
100% Polyester, 170g
Orange S-5XL

Full product details on page 80

BIO MOTION DAY & NIGHT 5XL

MX306
MAX RAIN JACKET WITH CROSS BACK TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
NSW RAIL COMPLIANT
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Mesh, 60g
Orange S-5XL

Full product details on page 66

DAY & NIGHT 5XL

MJ331
MAX CROSS BACK 4-IN-1 JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
NSW RAIL COMPLIANT
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

100% Polyester, 150D Oxford weave, PU coated, 130g
Outer Jacket: 100% Polyester Mesh 60g
Inner Vest: 100% Polyester Polar Fleece 180g
Orange S-5XL

Full product details on page 78

DAY & NIGHT 4IN1 5XL

TTMC-W17 RANGE

The New Zealand Transport Agency (NZTA) has a code of practice which specifies the standard of safety garment that a worker must wear while working in or close to hazardous traffic areas. This safety standard is called TTMC-W17.

The main standard guidelines are as follows:

- All garments align to AS 4602.1:2011 Amendment No. 2.
- The area of high visibility background material for each design meets the requirements of AS 4602.1:2011 High Visibility Safety Standard.
- Compliant styles have a specific belt and braces configuration of 50mm retro-reflective tape.
- The vertical measurement for the position of the waist hoop is taken from the highest shoulder point and is positioned at 53cm +/- 2.
- The overall front length of vests and shirts does not exceed 71cm and the back hem drop extends another 15cm +/- 0.5.
- Any buttons, studs or similar closure devices that are placed on compliant material must be concealed or match the colour of the garment.
- There are no breaks permitted on the waist hoop except for a 25 mm front opening break.
- All garments display permanent labels that state TTMC-W17 standard.

TTMC - W17 WINTER JACKET

WORLD CLASS HIGH VISIBILITY PROTECTION

DETACHABLE ID POCKET

SUPERB WATERPROOF PROTECTION WITH ENHANCED VISIBILITY

TM600

TTMC-W17 X-BACK WINTER JACKET

TTMC-W17 COMPLIANT
AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 15,000MM

- Extremely water resistant fabric finish, water beads away from fabric surface
- 4 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away hood for added functionality
- Inner ribbed cuffs for warmth and comfort
- Concealed stud front for easy access

100% Polyester 300D Oxford Weave, PU Coated, 190g
100% Polyester, 60g
100% Polyester, 170g
Orange S-3XL

BIO MOTION DAY & NIGHT TEXPEL SPLASH

TTMC-W17 COMPLIANT

NEW

TM610
TTMC-W17 X-BACK RAIN JACKET

TTMC-W17 COMPLIANT
AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT (ORANGE ONLY)
AS 4399 UPF 50+
FABRIC PERFORMANCE WP 17,000MM

- Extremely water resistant fabric finish, water beads away from fabric surface
- 3 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Concealed stud and zip fastening

100% Polyester, 150D Oxford weave, PU coated, 130g
100% Polyester Mesh, 60g
Orange S-3XL

BIO MOTION DAY & NIGHT

NEW

TM310
TTMC VEST

TTMC-W17 COMPLIANT
AS 4602.1 CLASS D/N
AS/NZS 1906.4

- Lightweight and comfortable
- X Back tape pattern provides additional wearer visibility
- ID card holder
- Smart phone pocket
- Front zip opening
- Dipped back hem for better coverage

100% Polyester Warp Knit, 124g
Orange S-5XL

DAY & NIGHT 5XL

TTMC-W17 POLO SHIRTS

TM311
TTMC SHORT SLEEVED POLO

48 | 1 | 30 UPF

AS 4602.1 CLASS D/N
TTMC-W17 COMPLIANT
AS/NZS 1906.4
AS 4399 UPF30

- Moisture wicking fabric helping to keep the body warm, cool and dry
- Lightweight and comfortable
- Underarm cool flow mesh panel for ventilation
- X Back tape pattern provides additional wearer visibility
- 30 UPF rated fabric to block 97% of UV rays
- Chest pocket

100% Polyester Micro Mesh, 150g
100% Polyester Mesh 125g
Orange S-4XL

DAY & NIGHT | 4XL

BREATHABLE DURABLE COMFORT

SIDE MESH PANELS

Underarm cool flow mesh panel for ventilation



TM312
TTMC LONG SLEEVE POLO

48 | 1 | 30 UPF

AS 4602.1 CLASS D/N
TTMC-W17 COMPLIANT
AS/NZS 1906.4
AS 4399 UPF30

- Moisture wicking fabric helping to keep the body warm, cool and dry
- Mesh panels for extra ventilation
- X Back tape pattern provides additional wearer visibility
- Chest pocket
- 30 UPF rated fabric to block 97% of UV rays

100% Polyester Pin Mesh, 150g
100% Polyester Mesh 124g
Orange S-4XL

BIO MOTION | DAY & NIGHT | 4XL

NATURALLY BREATHABLE WOOL JACKET - LINED

NATURALLY BREATHABLE AND INCREDIBLY SOFT

MW028
WOOL BLEND BLUEY JACKET

10 | 4 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 4 pockets for ample storage
- Antistatic
- Front zip opening
- Print access for corporate branding
- Touch tape cuffs for a secure fit
- 50+ UPF rated fabric to block 98% of UV rays

70% Wool, 30% Viscose, 420g
100% Cotton, 135g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY & NIGHT

5XL

4-IN-1 100% COTTON DRILL - LINED JACKET

100% COTTON FOR COMFORT AND DURABILITY

2

MJ998 98

3

MV278 72

4

MJ777

HUME 100% COTTON 4-IN-1 JACKET

5 | 7 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 7 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Two-way zip for quick and easy access
- Detachable inner reversible bodywarmer vest
- Print access for corporate branding
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, 310g
100% Cotton, 150g
Orange/Navy XS-5XL, Yellow/Navy XS-5XL

DAY & NIGHT | 4IN1 | 5XL XS

100% COTTON DRILL LINED JACKETS

MJ998
HUME 100% COTTON DRILL JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 3 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Print access for corporate branding
- Interactive inner jacket
- Front zip opening
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, 310g
100% Cotton, 150g
Orange/Navy XS-5XL, Yellow/Navy XS-5XL

DAY & NIGHT

5XL XS

MJ987
QUILT PADDED COTTON DRILL JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 3 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Quilt lined for thermal insulation
- Contrast panels for protection against dirt
- Print access for corporate branding
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, 310g
100% Cotton, 150g
100% Cotton, 220g
Orange/Navy XS-5XL, Yellow/Navy XS-5XL

DAY & NIGHT

5XL XS

2-IN-1 REVERSIBLE DAY OR NIGHT JACKET

NIGHT

REVERSIBLE NIGHT VIS WITH TAPE

DAY

REVERSED
Night Compliant

Day Compliant

MJ288

100% COTTON DRILL JACKET WITH STAIN REPELLENT FINISH

AS 4602.1 CLASS D ORANGE AND YELLOW
AS 4602.1 CLASS N REVERSED INTO NAVY
AS/NZS 1906.4
AS 4399 UPF 50+

- 5 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Premium stain resistant finish repels oil, water and grime
- Reversible garment for multi use
- Print access for corporate branding
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, 220g
Orange S-5XL, Yellow S-5XL

NIGHT + DAY

TEXPEL SPLASH OIL•STAIN

5XL

100% COTTON DRILL COVERALLS

310g

MA931
REGULAR WEIGHT COMBINATION COVERALLS WITH TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 8 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Premium reflective tape for increased visibility
- Concealed stud front for easy access

100% Cotton Drill, 310g
Orange/Navy, Yellow/Navy
77R-117R, 87ST-137ST

DAY & NIGHT

MW931
REGULAR WEIGHT COMBINATION COVERALLS

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50+

- 8 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Contrast panels for protection against dirt
- Concealed stud front for easy access

100% Cotton Drill, 310g

Orange/Navy	Yellow/Navy
77R-112R	77R-97R
87ST-137ST	87ST-137ST
79L-94L	79L-94L

DAY

100% COTTON FOR COMFORT AND DURABILITY

220g

MA922
LIGHTWEIGHT ORANGE COVERALLS WITH TAPE

10 8 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- 8 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Premium reflective tape for increased visibility
- Reinforced seams for extra durability and strength

100% Cotton Drill, 220g
Orange
77R-137R
87ST-137ST
79L-94L

DAY & NIGHT

MW922
LIGHTWEIGHT ORANGE COVERALLS

10 8 50+ UPF

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF 50+

- 8 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Lightweight and comfortable
- Bartacked at all stress points

100% Cotton Drill, 220g
Orange
77R-112R
87ST-137ST
79L-94L

DAY

PW3

WATERPROOF BREATHABLE WINDPROOF

HIGH VISIBILITY SOFTSHELL

SUPERIOR FREEDOM OF MOVEMENT

T404

PW3 HI-VIS CONTRAST SOFTSHELL (3L)

24 CE 6 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+

- Breathable, windproof and water resistant
- 6 pockets for ample storage
- Side zip pockets
- Quick dry elastic bound cuff
- Drawcord adjustable hem
- Curved back hem for added protection

94% Polyester, 6% Elastane, 160g laminated to 100% Polyester Micro Polar Fleece, 150g, 310g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY & NIGHT BIO MOTION TEXPEL SPLASH 5XL

POLAR FLEECE JACKETS

250g

NEW.

F250
HI-VIS ESSENTIAL POLAR FLEECE

AS 4602.1 CLASS D/N
EN ISO 20471 CLASS 3
AS/NZS 1906.4
AS 4399 UPF50+

- Premium reflective tape for increased visibility
- 50+ UPF rated fabric to block 98% of UV rays
- Anti-pill durable fleece fabric
- Elasticated cuffs for a secure fit
- Elastic waist with toggle for a secure and comfortable fit
- 2 side zip pockets for secure storage

100% Polyester, Anti-Pill finish Fleece, 250g
Unlined
Orange S-3XL, Yellow S-3XL

DAY & NIGHT BIO MOTION

OUTSTANDING VALUE

300g

F301
POLAR FLEECE JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF50+
EN ISO 20471 CLASS 3

- Anti-pill durable fleece fabric
- Contrast panels for protection against dirt
- Lined for added warmth and comfort
- Bio motion tape pattern to improve recognition of human shape at distance
- 3 pockets for ample storage
- Designed with a comfortable fit

100% Polyester, Anti-Pill finish Fleece, 300g
Body: 100% Polyester Mesh 60g
Sleeve: 100% Polyester Taffeta 60g
Orange/Navy XS-3XL, Yellow/Navy XS-4XL

DAY & NIGHT BIO MOTION 4XL

POLAR FLEECE JUMPERS

MF215
POLAR FLEECE JUMPER WITH TAPE

10 | 2 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF50+

- Anti-pill durable fleece fabric
- Contrast panels for protection against dirt
- Side zip pockets
- Drawcord adjustable hem
- Premium reflective tape for increased visibility
- 50+ UPF rated fabric to block 98% of UV rays

100% Polyester, 285g
Orange/Navy S-5XL, Yellow/Green S-5XL, Yellow/Navy S-5XL

DAY & NIGHT | 5XL

MF115
POLAR FLEECE JUMPER

10 | 2 | 50+ UPF

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF50+

- Anti-pill durable fleece fabric
- Contrast panels for protection against dirt
- Side zip pockets
- Drawcord adjustable hem
- 50+ UPF rated fabric to block 98% of UV rays
- 2 pockets for secure storage

100% Polyester, 285g
Orange/Navy S-5XL, Yellow/Green S-5XL, Yellow/Navy S-5XL,8XL

DAY | 8XL

MF116
CROSS BACK POLAR FLEECE JUMPER

18 | 2 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
NSW RAIL COMPLIANT
AS 7471 RAIL COMPLIANT
AS 4399 UPF50+

- Anti-pill durable fleece fabric
- X Back tape pattern provides additional wearer visibility
- Bio motion tape pattern to improve recognition of human shape at distance
- 2 side zip pockets for secure storage
- Elasticated cuffs for a secure fit
- 50+ UPF rated fabric to block 98% of UV rays

100% Polyester, Anti-Pill finish Fleece, 300g
Orange S-5XL

DAY & NIGHT | BIO MOTION | 5XL

WATER REPELLENT BRUSH FLEECE JACKETS

MA315
WATER REPELLENT BRUSH FLEECE JACKET WITH TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF50+

- Anti-pill durable fleece fabric
- Premium water resistant fabric
- Contrast panels for protection against dirt
- 3 pockets for ample storage
- Designed with a comfortable fit
- Premium reflective tape for increased visibility

100% Polyester, 320g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY & NIGHT | TEXPEL SPLASH | 5XL

MH317
WATER REPELLENT BRUSH FLEECE HOODIE

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF50+

- Anti-pill durable fleece fabric
- Premium water resistant fabric
- Contrast panels for protection against dirt
- Front zip opening
- Hood for added protection against the elements
- 3 pockets for ample storage

100% Polyester, 320g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY | TEXPEL SPLASH | 5XL

MH315
WATER REPELLENT BRUSH FLEECE JACKET

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF50+

- Anti-pill durable fleece fabric
- Premium water resistant fabric
- Contrast panels for protection against dirt
- Front zip opening
- 3 pockets for ample storage
- Drawcord adjustable hem

100% Polyester, 320g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY | TEXPEL SPLASH | 5XL

BRUSH FLEECE JUMPERS

B304
BRUSH FLEECE HOODIE WITH TAPE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF50+
EN ISO 20471 CLASS 3

- Designed with a comfortable fit
- Knitted fabric with brushed backing
- Premium reflective tape for increased visibility
- Bio motion tape pattern to improve recognition of human shape at distance
- 50+ UPF rated fabric to block 98% of UV rays
- 1 pocket for secure storage

65% Polyester, 35% Cotton, 300g
Yellow S-4XL

BIO MOTION DAY & NIGHT 4XL

BRUSHED BACK FABRIC

B317
TWO-TONE ZIP FRONT HOODIE

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF50+
EN ISO 20471 CLASS 3

- Designed with a comfortable fit
- Knitted fabric with brushed backing
- Premium reflective tape for increased visibility
- 50+ UPF rated fabric to block 98% of UV rays
- 2 pockets for secure storage
- Bio motion tape pattern to improve recognition of human shape at distance

65% Polyester, 35% Cotton, 300g
Orange/Navy S-3XL, Yellow/Navy S-3XL

BIO MOTION DAY & NIGHT

COTTON BRUSH FLEECE JUMPERS

MF615
COTTON BRUSH FLEECE JUMPER WITH TAPE

15 | 2 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF50+

- 100% Cotton fabric for added comfort and breathability
- Contrast panels for protection against dirt
- Side zip pockets
- Premium reflective tape for increased visibility
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, 300g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY & NIGHT | 5XL

NEXT LEVEL COMFORT

MF515
COTTON BRUSH FLEECE JUMPER

15 | 2 | 50+ UPF

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF50+

- 100% Cotton fabric for added comfort and breathability
- Contrast panels for protection against dirt
- Side zip pockets
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, 300g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY | 5XL

SUBLIMATION HIGH VISIBILITY DAY POLOS

NEW

MP514
SUBLIMATION POLO S/S

48 | 30 UPF

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF30

- Moisture wicking fabric helping to keep the body cool and dry
- Designed with a comfortable fit
- Ribbed collar
- 30 UPF rated fabric to block 97% of UV rays

100% Polyester Pin Mesh, 150g
Yellow S-3XL

DAY

HIGHLY BREATHABLE
and designed with a comfortable fit, these Sublimation Hi Vis Polos are the perfect choice when working in warm weather conditions, comprised of 30+ UPF rated fabric.

NEW

MP515
SUBLIMATION POLO L/S

48 | 30 UPF

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF30

- Moisture wicking fabric helping to keep the body cool and dry
- Designed with a comfortable fit
- Ribbed collar
- Ribbed cuffs for added comfort
- 30 UPF rated fabric to block 97% of UV rays

100% Polyester Pin Mesh, 150g
Yellow S-3XL

DAY

PORTWEST®

IDEAL CHOICE FOR WARM WEATHER CONDITIONS

COMPLETE COMFORT AND BREATHABILITY

HIGH VISIBILITY DAY/ NIGHT POLO

PW3

T182
PW3 HI-VIS POLO SHIRT S/S

48 HEAT SET 1 30 UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Heat applied segmented reflective tape for added visibility
- Contrast panels for protection against dirt
- Chest pocket
- Loop at placket ideal for attaching glasses/pens

53% Cotton, 47% Polyester, 144g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY & NIGHT COTTON COMFORT 5XL

HIGH VISIBILITY DAY/ NIGHT POLOS

MP310
SHORT SLEEVE COTTON COMFORT POLO WITH TAPE

20 | 1 | 30 UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast panels for protection against dirt
- Chest pocket
- Premium reflective tape for increased visibility
- Available in sizes up to 5XL

53% Cotton, 47% Polyester, 144g
Yellow/Navy, Yellow/Green, Orange/ Navy S-5XL

DAY & NIGHT | COTTON COMFORT | 5XL

MP510
SHORT SLEEVE MICRO MESH POLO WITH TAPE

25 | 1 | 30 UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast panels for protection against dirt
- Chest pocket
- Superior styling with contrast piping
- Premium reflective tape for increased visibility

100% Polyester Micro Mesh, 134g
Orange/Navy S-5XL, Yellow/Green S-5XL, Yellow/Navy S-5XL

DAY & NIGHT | TEXPEL WICKING | 5XL

HIGH VISIBILITY - DAY POLOS

20
1
30 UPF

MP210
SHORT SLEEVE COTTON COMFORT POLO

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast panels for protection against dirt
- Chest pocket

53% Cotton, 47% Polyester, 144g
Orange/Navy S-5XL, Yellow/Navy S-5XL

DAY 5XL

COTTON COMFORT

25
1
30 UPF

MP110
SHORT SLEEVE MICRO MESH

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast panels for protection against dirt
- Chest pocket

100% Polyester Micro Mesh, 134g
Orange/Navy S-5XL,7XL,9XL, Yellow/Navy S-5XL,7XL,9XL

DAY 9XL

TEXPEL WICKING

20
1
50+ UPF

MD618
SHORT SLEEVE COTTON PIQUE POLO

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF50+

- 100% Cotton fabric for added comfort and breathability
- Contrast panels for protection against dirt
- Chest pocket
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, Pique Knit, 220g
Yellow/Navy XS-5XL

DAY 5XL

20
30 UPF

MF210
SHORT SLEEVE FOOD INDUSTRY COTTON COMFORT POLO

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast panels for protection against dirt
- 30 UPF rated fabric to block 97% of UV rays

53% Cotton, 47% Polyester, 144g
Orange/Navy XS-5XL, Yellow/Navy XS-5XL

DAY 5XL

COTTON COMFORT

HIGH VISIBILITY DAY/NIGHT POLO

NEW

PW3

T186
PW3 HI-VIS POLO SHIRT L/S

48 HEAT SET 30 UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30

- Lightweight and comfortable
- Mesh panels for extra ventilation
- Heat applied segmented reflective tape for added visibility
- 30 UPF rated fabric to block 97% of UV rays
- Ribbed cuffs for added comfort
- Bio motion tape pattern to improve recognition of human shape at distance

53% Cotton, 47% Polyester, 144g
100% Polyester Mesh 125g
Orange/Navy S-3XL, Yellow/Navy S-3XL

SIDE MESH PANELS

Underarm cool flow mesh panel for ventilation



BIO MOTION

DAY & NIGHT

COTTON COMFORT

HIGH VISIBILITY - DAY/NIGHT LONG SLEEVE POLOS

S277
HI-VIS LONG SLEEVED POLO
AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30
EN ISO 20471 CLASS 3

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Superior styling with a contrast collar and fluorescent stripe
- Ribbed cuffs for added comfort

100% Polyester Micro Mesh (Bird Eye), 175g
Orange S-4XL, Yellow S-4XL

4XL
DAY & NIGHT
TEXPEL WICKING

MP713
X BACK L/S POLO
AS 4602.1 CLASS D/N
AS/NZS 1906.4
NSW RAIL COMPLIANT
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- X Back tape pattern provides additional wearer visibility
- Ribbed cuffs for added comfort

100% Polyester Micro Mesh (Bird Eye), 175g
Orange S-5XL

5XL
DAY & NIGHT
TEXPEL WICKING

MP511
TWO-TONED BIOMOTION POLO SHIRT
AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Chest pocket

100% Polyester Micro Mesh, 175g
Yellow/Orange S-5XL

5XL
DAY & NIGHT
TEXPEL WICKING

MP313
LONG SLEEVE COTTON COMFORT POLO WITH TAPE
AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast panels for protection against dirt
- Chest pocket

53% Cotton, 47% Polyester, 144g
Orange/Navy S-5XL, Yellow/Green S-5XL, Yellow/Navy S-5XL

5XL
DAY & NIGHT
COTTON COMFORT

HIGH VISIBILITY POLOS

MP513
LONG SLEEVE MICRO MESH POLO WITH TAPE

25 | 1 | 30 UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast panels for protection against dirt
- Chest pocket
- Superior styling with contrast piping
- Premium reflective tape for increased visibility

100% Polyester Micro Mesh (Bird Eye), 134g
Orange/Navy S-5XL, Yellow/Green S-5XL, Yellow/Navy S-5XL

DAY & NIGHT | TEXPEL WICKING | 5XL

MP512
AIRMESH LONG SLEEVE POLO

NEW.

48 | 30 UPF

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF30

- Moisture wicking fabric helping to keep the body cool and dry
- Ribbed cuffs for added comfort
- Mesh panels for extra ventilation
- 30 UPF rated fabric to block 97% of UV rays

100% Polyester Pin Mesh, 150g
100% Polyester Mesh 125g
Yellow S-3XL

DAY

UNDERARM COOL FLOW MESH

HIGH VISIBILITY - DAY LONG SLEEVE POLOS

MF213
LONG SLEEVE FOOD INDUSTRY COTTON COMFORT POLO

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast panels for protection against dirt
- 30 UPF rated fabric to block 97% of UV rays

53% Cotton, 47% Polyester, 144g
Orange/Navy XS-5XL, Yellow/Navy XS-5XL

COTTON COMFORT

5XL XS

MP213
LONG SLEEVE COTTON COMFORT POLO

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast panels for protection against dirt
- Chest pocket
- 30 UPF rated fabric to block 97% of UV rays

53% Cotton, 47% Polyester, 144g
Orange/Navy S-5XL, Yellow/Navy S-5XL

COTTON COMFORT

5XL

MP113
LONG SLEEVE MICRO MESH POLO

AS 4602.1 CLASS D
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Contrast colouring for added style
- Chest pocket
- 30 UPF rated fabric to block 97% of UV rays

100% Polyester Micro Mesh, 134g
Orange/Navy S-5XL,7XL,9XL, Yellow/Navy S-5XL,7XL,9XL

TEXPEL WICKING

9XL

DAY/NIGHT T-SHIRTS

DEDICATED TO KEEPING THE WEARER COOL

PW3

T183
PW3 HI-VIS T-SHIRT S/S

48 | HEAT SET | 1 | 30 UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Heat applied segmented reflective tape for added visibility
- Flexible breathable segmented reflective tape for increased visibility
- Contrast panels for protection against dirt
- Chest pocket

53% Cotton, 47% Polyester, 144g
Orange/Navy S-5XL, Yellow/Navy S-5XL

COTTON COMFORT | DAY & NIGHT | 5XL

S478
RT23
HI-VIS T-SHIRT

48 | CE | 30 UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF30
EN ISO 20471 CLASS 2

- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Premium reflective tape for increased visibility
- Generous fit for wearer comfort
- Available in sizes up to 5XL
- 30 UPF rated fabric to block 97% of UV rays

100% Polyester Micro Mesh (Bird Eye), 150g
S478: Yellow XS-5XL
RT23: Orange: XS-5XL

DAY & NIGHT | TEXPEL WICKING | 5XL XS

VEST RANGE

ENSURE TOTAL VISIBILITY WITH THE PORTWEST RANGE OF SAFETY VESTS.

Developed with lightweight fabrics, these vests are highly breathable whilst also offering unique and practical features.

F474
IONA VEST

100
10

- Lightweight and comfortable
- Touch tape closure for easy access
- Generous fit for wearer comfort
- Available in an excellent choice of corporate colours
- Premium reflective tape for increased visibility

100% Polyester, Warp Knit, 125g
Navy S/M-XXL/3XL, Red S/M-XXL/3XL, Royal Blue S/M-XXL/3XL

COLOUR CODE YOUR WORKPLACE

HIGH VISIBILITY VESTS

NEW

C473
HI-VIS TWO BAND & BRACE JACKET

75 / 15 | CE | x50

AS 4602.1 CLASS D/N
AS/NZS 1906.4
EN ISO 20471 CLASS 3

- Premium reflective tape for increased visibility
- Touch tape closure for easy access
- Lightweight and comfortable
- Generous fit for wearer comfort
- CE certified
- Certified to EN ISO 20471 after 50x washes

100% Polyester, Warp Knit, 125g
Orange S/M-XXL/3XL, Yellow S/M-XXL/3XL

DAY & NIGHT

NEW

MV476
HI-VIS EXECUTIVE VEST

60 / 10 | 7

AS 4602.1 CLASS D/N
AS/NZS 1906.4

- Front zip opening
- Premium reflective tape for increased visibility
- Two lower patch pockets
- D-ring for keys or ID cards
- Dual ID holder allows use of both portrait and landscape ID card display
- Smart phone pocket

100% Polyester Warp Knit, 125g
Orange S-3XL, Yellow S-3XL

DAY & NIGHT

SUPERIOR SAFETY VESTS

HIGH VISIBILITY VESTS

MV188
DAY/NIGHT CROSS BACK VEST

50

AS 4602.1 CLASS D/N
AS/NZS 1906.4

- Lightweight and comfortable
- X Back tape pattern provides additional wearer visibility
- Front zip opening
- Dipped back hem for better coverage
- Premium reflective tape for increased visibility

100% Polyester, 120g
Orange S-5XL, Yellow S-5XL

DAY & NIGHT

5XL

MZ103
Orange S-5XL
Yellow S-5XL

MZ106
Orange S-5XL
Yellow S-5XL

MZ104
Orange S-5XL
Yellow S-5XL

MZ107
Orange S-5XL
Yellow S-5XL

MZ105
Orange S-5XL
Yellow S-5XL

MZ108
Orange S-5XL
Yellow S-5XL

MZ102
HI-VIS ZIP VEST D/N

50

AS 4602.1 CLASS D/N
AS/NZS 1906.4

- Lightweight and comfortable
- Front zip opening
- Premium reflective tape for increased visibility

100% Polyester, 120g
Orange S-5XL, Yellow S-5XL

DAY & NIGHT

5XL

MV117
Orange S-5XL
Yellow S-5XL

MV120
Orange S-5XL
Yellow S-5XL

MV118
Orange S-5XL
Yellow S-5XL

MV121
Orange S-5XL
Yellow S-5XL

MV119
Orange S-5XL
Yellow S-5XL

MV122
Orange S-5XL
Yellow S-5XL

MV116
HI-VIS VEST CLASS D

50

AS 4602.1 CLASS D
AS/NZS 1906.4

- Lightweight and comfortable
- Touch tape closure for easy access

100% Polyester, 120g
Orange S-5XL, Yellow S-5XL

DAY

5XL

HIGH VISIBILITY VESTS

C470
HI-VIS TWO BAND & BRACE VEST
AS 4602.1 CLASS D/N
AS/NZS 1906.4
EN ISO 20471 CLASS 2

- Lightweight and comfortable
- Touch tape closure for easy access
- Generous fit for wearer comfort
- Premium reflective tape for increased visibility

100% Polyester, Warp Knit, 125g
Yellow, Orange S/M-6XL/7XL

100 / 10 | x50 | DAY & NIGHT | 7XL

NEW

C375
HI-VIS ZIPPED BAND & BRACE VEST
AS 4602.1 CLASS D/N
AS/NZS 1906.4
EN ISO 20471 CLASS 2

- Premium reflective tape for increased visibility
- Front zip opening
- Lightweight and comfortable
- Designed with a comfortable fit

100% Polyester, Warp Knit, 125g
Orange S-3XL, Yellow S-3XL

60 / 10 | x50 | DAY & NIGHT

MV102
DAY/NIGHT VEST
AS 4602.1 CLASS D/N
AS/NZS 1906.4

- Lightweight and comfortable
- Touch tape closure for easy access
- Premium reflective tape for increased visibility

100% Polyester, 120g
Orange S-5XL, Yellow S-5XL

50 | DAY & NIGHT | 5XL

MW338
100% COTTON DAY/NIGHT VEST

50

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT ORANGE ONLY

- Front zip opening
- Lightweight and comfortable
- Dipped back hem for better coverage
- Premium reflective tape for increased visibility

100% Cotton, 185g
Orange S-6XL, Yellow S-5XL

DAY & NIGHT | 6XL

MV338
VIC ROADS STYLE VEST

50

AS 4602.1 CLASS D/N
AS/NZS 1906.4
VIC ROADS STYLE

- Lightweight and comfortable
- High intensity micro prism reflective tape
- Front zip opening
- Dipped back hem for better coverage

100% Polyester, 120g
Red S-5XL

DAY & NIGHT | 5XL

FLAME RESISTANT

INNOVATIVE FABRICS OFFER MAXIMUM PROTECTION

K8154: Flash Jacket
PS55: Endurance Helmet
PS47: Endurance HV Clip-on Ear Protector

This industry leading flame resistant range provides multi standard protection for hazardous environments. These state of the art products are the result of years of experience combined with advanced technology and market research. Commitment to the health, safety and comfort of the wearer can be seen in the wide range of products suitable for all climates and end uses.

This inherently flame resistant fabric offers luxurious comfort and is ideal for hot climates. The special viscose blend provides outstanding ARC protection rarely achieved on lightweight fabrics. Constructed using 65% viscose, 33% aramid, 2 % anti-static, **Portflame™** is available in 185g.

Bizflame® is a proprietary flame resistant finish which, when applied to fabric, gives excellent flame resistance. All of the Bizflame fabrics use the highest quality raw materials, ensuring the perfect balance of comfort and strength.

Bizweld®: 100% cotton fabric is completely flame resistant. All Bizweld garments offer excellent flame and molten splash protection for welding, foundries and allied industries.

Modacrylic fibres provide inherent flame resistance, excellent dimensional stability and high elastic properties which allow garments to retain their shape. High cotton content gives the fabric comfort, warmth and a soft handle. Carbon fibre woven into the fabric gives inherent anti static properties.

PrimeTech™ FR Fabric: is exclusive to Prime Mover offering powerful flame resistant protection in 100% cotton fabrics. PrimeTech FR clothing will keep the wearer cool and comfortable whilst offering outstanding protection against flame spread.

BIZFLAME, BIZWELD AND MODAFLAME ARE REGISTERED TRADEMARKS OF THE PORTWEST GROUP.
PORTFLAME AND PRIMETECH ARE TRADEMARKS OF THE PORTWEST GROUP.

FLAME RESISTANT - EN STANDARDS

EUROPEAN EN STANDARDS

IEC 61482-2:2009

IEC 61482-2
ATPV or E_{BTSO} = xxx cal/cm²
or
Class 1 or Class 2

or

IEC 61482-2
ATPV or E_{BTSO} = xxx cal/cm²
and
Class 1 or Class 2

This standard specifies requirements and test methods applicable to materials and garments for protective clothing against the thermal effects of an electric arc event. An electric arc is a continuous electric discharge of high current between conductors generating very bright light and intensive heat. Two international test methods have been developed to provide information on the resistance of clothing to the thermal effects of electric arcs. Each method gives different information. To comply with the standard either or both tests must be carried out.

Box Test Method IEC 61482-1-2

The fabric/garment is exposed to an electric arc confined in a specific box with a specific electrode arrangement for 0.5 seconds. Class 1 is to a current of 4kA arc, Class 2 is to a current of 7 kA arc. Test conditions for Class 1 & 2 try to stimulate typical exposure conditions for a short circuit current of 4kA and 7kA respectively.

Open Arc Method IEC 61482-1-1.

This test method aims to establish the ATPV (Arc Thermal Performance Value) or Ebt (Energy Breakopen Threshold) of a fabric. The ATPV is the amount of energy required to cause a 2nd degree burn through the material prior to break-open (50% probability). The Ebt is the amount of energy where the material breaks-open (50% probability). This is normally the upper thermal limit of the fabric where the fibres are damaged and the material loses mechanical strength. Both ATPV and Ebt are expressed in calories per cm2. EN 61482-1-1 tests the fabric with an 8kA arc for various incident durations. Workers are assumed to be safe if the arc rating of their clothes exceeds the electric arc incident energy calculated in the worst case scenario of a risk assessment. Garments can be layered to achieve an overall ATPV or Ebt Rating. For example a thermal layer may achieve an Ebt of 4.3 Cal/m2, and an outer coverall may achieve an ATPV of 13.6Cal/cm2. However the combination ATPV/Ebt ratings will be greater than the sum of the two single layers, as the air gap between the two layers affords the wearer additional protection. Another parameter measured during the open arc test is the HAF value (Heat Attenuation Factor) - this describes the amount of heat blocked by the fabric.

ASTM F1959/F1959M-14

FABRIC ONLY TEST. This test method is the same as outlined above under EN 61482-1-1. Pre treatment may vary.

ASTM® F1959/F1959M-12: 2013

Standard Test Method for Determining the ARC Rating of Materials for Clothing

FABRIC ONLY TEST. This test method is the same as outlined under EN 61482-1-1. Pre treatment may vary.

* Note the term HRC has been replaced by ARC.

EN ISO 11612: 2015

The performance requirements set out in this international standard are applicable to garments, which could be worn for a wide range of end uses, where there is a need for clothing with limited flame spread properties and where the user can be exposed to radiant, convective or contact heat or molten metal splashes.

This test uses standard methods and conditions to predict the performance of fabric/garments in the event of contact with heat or flames. Garment features such as seams, closures and logos must be tested as well as the fabric. Tests must be carried out on pre-treated components according to the manufacturers care label.

Specific testing is listed below:
Dimensional change
Limited flame spread (A1+A2)*
Convective heat (B) - 3 levels
Radiant heat (C) - 4 levels
Molten aluminium splash (D) – 3 levels
Molten iron splash (E) – 3 levels
Contact heat (F) – 3 levels (temperature 250 degrees Celsius)
Heat resistance at a temperature of 180 degrees Celsius.
Tensile strength (must meet a minimum of 300N)
Tear strength (must meet a minimum of 10N)
Bursting strength
Seam strength

Garment design requires that coverage must be provided from the neck to the wrists and to the ankles.

Optional testing includes water vapour resistance and manikin testing for overall burn prediction.

*This test must be carried out on fabric and seams.

EN ISO 11611: 2015

This international standard specifies minimum basic safety requirements and test methods for protective clothing for use in welding and allied processes (excluding hand protection). The international standard specifies two classes with specific performance requirements.

Class 1 is protection against less hazardous welding techniques and situations causing lower levels of spatter and radiant heat.

Class 2 is protection against more hazardous welding techniques and situations causing higher levels of spatter and radiant heat.

The following is a summary of the testing required:
Tensile strength (must meet a minimum of 400 N)
Tear strength (must meet a minimum of 15N for class 1 and 20N for class 2)
Bursting strength
Seam strength
Dimensional change
Requirements of leather
Limited flame spread (A1+A2)*
Molten droplets
Heat transfer (radiation)
Electrical resistance

*This test must be carried out on fabric and seams.

EN ISO 14116: 2015

This standard specifies the performance requirements for the limited flame spread properties of materials, material assemblies and protective clothing in order to reduce the possibility of the clothing burning and thereby itself constituting a hazard. Additional requirements for clothing are also specified.

Protective clothing complying with this standard is intended to protect workers against occasional and brief contact with small igniting flames in circumstances where there is no significant flame hazard and without the presence of another type of heat.

EN ISO 14116 has three different categories for flame spread, Index 1, 2 and 3 as detailed in the table below:

Note:
Index 1 garments should not be worn next to the skin. They must be worn over Index 2 or 3 garments.

Index 2 or 3 garments can be worn next to the skin.

Testing must be carried out on pre-treated components according to the manufacturers care label.

Testing required is as follows:
Limited flame spread
Tensile strength
Tear strength
Seam strength

INDEX	REQUIREMENTS
1	No flame spread
	No flaming debris
	No afterglow shall spread
2	No flame spread
	No flaming debris
	No afterglow shall spread
	No hole shall form
3	No flame spread
	No flaming debris
	No afterglow shall spread
	No hole shall form
	The afterflame must last no longer than 2 seconds

EN 1149: 2018

Protective Clothing - Electrostatic Properties - Part 5. Material Performance and Design Requirements.

This is the harmonized European standard for protective clothing- protection against the danger caused by static electricity. This standard is not applicable for protection against mains voltages.

EN1149-1 Test method for surface conducting fabrics.

EN1149-3 Charge decay test method for all fabrics

EN1149-5 Performance requirements.

FLAME RESISTANT - EN STANDARDS

ATEX Directive

The ATEX Directive defines what equipment is permitted in an environment where an explosive atmosphere may exist. Portwest recommends using garments certified to EN 1149 for added protection in an ATEX environment. Portwest garments have not been assessed under the ATEX directive which currently excludes PPE.

EN 13034: 2009

Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals (Type 6 and Type PB [6] equipment). This standard specifies the minimum requirements for limited use and re-usable limited performance chemical protective clothing. Limited performance chemical protective clothing is intended for use in cases of a potential exposure to a light spray, liquid aerosols or low pressure, low volume splashes, against which a complete liquid permeation barrier (at a molecular level) is not required.

The standard covers both chemical protective suits (Type 6) and partial body protection (Type PB[6]).

Type 6 suits are tested using a mist or fine spray of water with a dye added to aid the assessment of leakage. The test subject wears an absorbent suit underneath the one to be tested, which absorbs any leaks and is stained by the dye. Success or failure is determined by measuring the total area of any stains on three suits and comparing this with the requirement. A range of other tests is specified, including resistance to abrasion, tear strength, tensile strength, resistance to puncture, resistance to ignition, resistance to penetration by liquid chemicals and seam strength. In the test for liquid chemical repellency and resistance to penetration by liquid chemicals, a bank of four test chemicals is given in the standard although the requirement is that the suit material demonstrates adequate repellency and resistance to penetration against just one chemical from this list

EN 343: 2003

EN 343 is the harmonised European standard that applies to garments worn in adverse weather conditions. It specifies the characteristics of protective clothing against the influence of foul weather, wind and cool above -5°c. The standard provides for two performance parameters:

X = Waterproofness (4 levels)
Y = Breathable properties (4 levels)

AMERICAN STANDARDS

NFPA® 2112: 2018

This standard specifies the minimum performance requirements and test methods for flame resistant fabric and components and the design and certification requirements for garments for use in areas at risk from flash fires. Flame resistant fabrics must pass a comprehensive list of thermal tests, including the following:

·ASTM F2700 – Heat Transfer Performance (HTP) Test
This test is a measure of the unsteady state heat transfer properties of garment materials.

·ASTM D6413 – Vertical Flammability (Flame Resistance) Test
This test is used to determine how easily fabrics ignite and continue to burn once ignited.

·Thermal Shrinkage Resistance Test
This test measures a fabrics resistance to shrinkage when exposed to heat.

·Heat Resistance Test
This test measures how fabrics and components react to the high heat that could occur during a flash fire.

·ASTM F1930-11 – Thermal Manikin Test
This test provides an overall evaluation of how the fabric performs in a standardized coverall design after three-second thermal exposure.

·FTMS 191A – Thread melting resistance
Thread used in flame resistant garments must withstand temperatures of up to 500°F.

NFPA® 70E: 2015

This standard addresses electrical safety-related work practices for employee workplaces and requires employees working on or near energized parts and equipment to wear flame resistant clothing that meets the requirements of ASTM F1506

The NFPA 70E standard provides table 130.7(C)(16) as a guideline for the selection of protective apparel. This table lists the requirements for PPE based on arc flash PPE categories 1 through 4. This clothing and equipment shall be used when working within the arc flash boundary.

The table ranges from ARC 1 (which is low risk) up to ARC 4 (which is high risk and requires FR clothing with a minimum arc rating of 40). The higher the ARC rating value, the greater the protection.

ASTM F1959/F1959M-12 is the test method for determining the ARC rating of materials for clothing. This method is the same as outlined under IEC 61482-1-1, pre-treatment may vary.

Hazard / Risk Category	Clothing description	Required minimum Arc rating of PPE/ cal/cm2
1 ARC	1 ARC: Arc rated FR Shirt and FR pants or FR Coverall 4	4
2 ARC	2 ARC: Arc rated FR Shirt and FR pants or FR Coverall 8	8
3 ARC	3 ARC: Arc rated FR Shirt and FR pants or FR Coverall, and arc flash suit selected so that the system arc rating meets the required minimum 25	25
4 ARC	4 ARC: Arc rated FR Shirt and FR pants or FR Coverall and arc flash suit selected so that the system arc rating meets the required minimum 40	40

LAUNDERING OF FR FABRICS

The flame resistant finish is retained for the normal life cycle of the garment provided that the care instructions are adhered to.

Washing / Drying Procedure:

Pretreatment: If stains are difficult to remove, they can be treated before putting into the washing machine with a liquid detergent applied directly to stains and lightly rubbed. Heavier and stubborn stains should be pretreated with a commercial stain removal product at the earliest opportunity and sufficient time allowed for the pretreatment to penetrate and loosen the stain. Never use chlorine bleach or washing detergents containing bleach as these will reduce the flame resistance properties of the fabric. Fabric softeners, starches and other laundry additives are not recommended as they can mask the flame resistance performance and may also act as a fuel in case of combustion.

Washing:

Always wash contaminated workwear separately, do not mix with non workwear. Flame Resistant fabric can usually be washed at high temperatures however it is the components (ie. the reflective tape, badging, etc.) on a finished garment that dictates the maximum washing temperature that the garment can be washed at. Always follow the washing temperature on the garment label. Always wash and dry garments inside out to minimize surface abrasion and help maintain the surface appearance of the fabric. Zips should be closed during washing.

Load Size:

To ensure a more efficient, cleaner wash, avoid overloading the machine so the garments can move freely through the wash and rinse cycles.

Drying:

Tumble drying is not usually recommended as the temperature used is often too high and can cause garment shrinkage. It is vital that cotton or cotton mix garments are not over dried. Over drying is the main cause of excessive garment shrinkage. Do not hang in direct sunlight. This can cause fading.

FLAME RESISTANT COVERALLS

210g

NEW

ANTI-STATIC BIZFLAME FLAME-RESISTANT PLUS

LIGHTWEIGHT FLAME RESISTANT PROTECTION

Constructed from 99% cotton and interwoven with 1% carbon fibres, this fabric has flame resistant and anti-static properties. Comfort and durability are key features of this fabric.

9.1 Cal/Cm2

FR21
FLAME RESISTANT SUPER LIGHT WEIGHT ANTI-STATIC COVERALL 210G

18 | CE | FR,IW | 10 | 50+ UPF

AS 4399 UPF 50+
EN ISO 11612 A1+A2, B1, C1, E2, F1
EN ISO 11611 CLASS 1 A1+A2
EN 1149 -5
ASTM F1959/F1959M-14E1 ATPV 9.1 CAL/CM

- Fabric conforms to ARC2 = 9.1cal/cm²
- Protection against radiant, convective and contact heat
- Sew on flame resistant industrial wash tape
- Two tier knee pad pockets allowing two positioning options
- Two-way zip for quick and easy access
- Touch tape cuffs for a secure fit

99% Cotton, 1% Carbon Fibre, 210g
Navy S-3XL, Orange S-3XL

TRIPLE STITCHED FOR MAXIMUM STRENGTH

AS 4399 | EN ISO 11612 | EN ISO 11611 | EN 1149 | ASTM F1959/ F1959M-12

FLAME RESISTANT COVERALLS

220g

PrimeTech™ FLAME RESISTANT | 6.3 Cal/Cm2 | DAY & NIGHT

MF922
FLAME RESISTANT COVERALL WITH TAPE

10 | 8 | 50+ UPF | FR

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 14116 INDEX 3
ASTM F1959/F1959M-12 ATPV = 6.3CAL/CM² , HAF = 72%

- Fabric conforms to ARC1 = 6.3cal/cm²
- Premium sew on flame resistant reflective tape
- 8 pockets for ample storage
- Lightweight and comfortable
- Concealed stud front for easy access
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 220g
Orange
77R-117R, 87ST-137ST, 79L-94L

AS 4602 | AS/NZS 1906 | AS 4399 | EN ISO 14116 | ASTM F1959/ F1959M-12

330g

BIZWELD FLAME-RESISTANT | 11.2 Cal/Cm2

BIZ5
BIZWELD IONA COVERALL

15 | CE | 8 | FR | 50+ UPF

NEW COLOUR

AS 4399 UPF 50+
EN ISO 11612 A1+A2, B1, C1, E2, F1
EN ISO 11611 CLASS 1 A1+A2
ASTM F1959/F1959M-12 ATPV 11.2 CAL/CM² (HAF = 80.4%)

- Fabric conforms to ARC2 = 11.2cal/cm²
- Premium sew on flame resistant reflective tape
- Protection against radiant, convective and contact heat
- 8 pockets for ample storage
- Knee pad pockets to facilitate knee pads
- Concealed stud front for easy access

Bizweld: 100% Cotton, FR finish, 330g
Navy S-5XL, Orange S-5XL, Red S-3XL

5XL

CE CAT III | AS 4399 | EN ISO 11612 | EN ISO 11611 | ASTM F1959/ F1959M-12

INHERENTLY FLAME RESISTANT

ANTI-STATIC MODAFLAME® FLAME RESISTANT

280g

Inherently Permanent Flame Resistant Fabric.
This special blend combines 60% modacrylic fibre with 39% cotton and 1% carbon fibre. Modaflame is extremely comfortable, hardwearing and offers full anti static protection.

ANTI-STATIC MODAFLAME® FLAME RESISTANT 8.4 Cal/Cm2

MV25
HI-VIS MODAFLAME JACKET

24 | CE | FR,IW | 4 | 50+ UPF

AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 11612 A1+A2, B2, C1, F1
EN ISO 11611 CLASS 1 A1+A2
EN 1149 -5
EN ISO 20471 CLASS 2
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 ATPV=8.4 CAL/CM² (HAF=75.8%)

- Fabric conforms to ARC2 = 8.4cal/cm²
- Sew on flame resistant industrial wash tape
- Protection against radiant, convective and contact heat
- Inherent flame resistant qualities will not diminish with washing
- 4 pockets for ample storage
- Concealed stud and zip fastening

Modaflame: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 280g
Yellow/Navy S-3XL

ANTI-STATIC MODAFLAME® FLAME RESISTANT 8.4 Cal/Cm2

MV26
HI-VIS MODAFLAME PANTS

24 | CE | FR,IW | 9 | 50+ UPF

AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 11612 A1+A2, B2, C1, F1
EN ISO 11611 CLASS 1 A1+A2
EN 1149 -5
EN ISO 20471 CLASS 1
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 ATPV=8.4 CAL/CM² (HAF=75.8%)

- Fabric conforms to ARC2 = 8.4cal/cm²
- Protection against radiant, convective and contact heat
- 9 pockets for ample storage
- Two tier knee pad pockets allowing two positioning options
- Inherent flame resistant qualities will not diminish with washing
- 50+ UPF rated fabric to block 98% of UV rays

Modaflame: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 280g
Yellow/Navy S-3XL, Yellow/Navy Tall M-XXL

CE CAT III | AS/NZS 1906 | AS 4399 | EN ISO 11612 | EN ISO 11611 | EN 1149 | EN ISO 20471 | IEC 61482-2 | ASTM F1959/ F1959M-12

CE CAT III | AS/NZS 1906 | AS 4399 | EN ISO 11612 | EN ISO 11611 | EN 1149 | EN ISO 20471 | IEC 61482-2 | ASTM F1959/ F1959M-12

INHERENTLY FLAME RESISTANT

280g

OPTIMUM PROTECTION IN **MULTI-HAZARD ENVIRONMENTS**

ANTI-STATIC MODAFLAME® FLAME RESISTANT 8.4 Cal/Cm2

MV28

HI-VIS MODAFLAME COVERALL

15 CE FR,IW 8 50+ UPF

AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 11612 A1+A2, B2, C1, F1
EN ISO 11611 CLASS 1 A1+A2
EN 1149 -5
EN ISO 20471 CLASS 3
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 ATPV=8.4 CAL/CM² (HAF=75.8%)

- Fabric conforms to ARC2 = 8.4cal/cm²
- Sew on flame resistant industrial wash tape
- Protection against radiant, convective and contact heat
- 8 pockets for ample storage
- Two tier knee pad pockets allowing two positioning options
- Inherent flame resistant qualities will not diminish with washing

Modaflame: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 280g
Yellow/Navy S-3XL

CE CAT III | AS/NZS 1906 | AS 4399 | EN ISO 11612 | EN ISO 11611 | EN 1149 | EN ISO 20471 | IEC 61482-2 | ASTM F1959/ F1959M-12

FLAME RESISTANT WORKSHIRTS

185g

ANTI-STATIC PORTFLAME FLAME RESISTANT | 9.7 Cal/Cm2 | DAY & NIGHT | BIO MOTION

FR04
PORTFLAME SHIRT

30 | CE | 2 | 50+ UPF | FR

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 11612 A1, B1, C1
EN 1149 -5
NFPA® 2112
ASTM F1959/F1959M-12 ATPV 9.7 CAL/CM²

- Fabric conforms to ARC2 = 9.7cal/cm²
- Inherent flame resistant qualities will not diminish with washing
- Premium sew on flame resistant reflective tape
- Contrast panels for protection against dirt
- Button front closure
- Bio motion tape pattern to improve recognition of human shape at distance

Portflame: 65% Viscose, 33% Aramid, 2 % Anti-Static, 185g
Orange/Navy S-3XL, Yellow/Navy S-3XL

AS 4602 | AS/NZS 1906 | AS 4399 | EN ISO 11612 | EN 1149 | NFPA 2112 | ASTM F1959/ F1959M-12

185g

NEW

ANTI-STATIC PORTFLAME FLAME RESISTANT | 9.7 Cal/Cm2 | DAY & NIGHT

MF201
FLAME RESISTANT X BACK SHIRT

30 | 2 | 50+ UPF | FR

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 7471 RAIL COMPLIANT ORANGE ONLY
NSW RAIL COMPLIANT
AS 4399 UPF 50+
EN ISO 11612 A1, B1, C1
EN 1149 -5
ASTM F1959/F1959M-12 ATPV 9.7 CAL/CM²

- Fabric conforms to ARC2 = 9.7cal/cm²
- Inherent flame resistant qualities will not diminish with washing
- Premium sew on flame resistant reflective tape
- Button front closure
- Two chest pockets with button and flap closure
- 50+ UPF rated fabric to block 98% of UV rays

65% Viscose, 33% Aramid, 2 % Anti-Static, 185g
Orange S-3XL

AS 4602 | AS/NZS 1906 | AS 4399 | EN ISO 11612 | EN 1149 | ASTM F1959/ F1959M-12

FLAME RESISTANT WORKSHIRTS

PrimeTech FLAME RESISTANT 5.2 Cal/Cm2 DAY & NIGHT

185g

MF101
FLAME RESISTANT SHIRT

30 2 FR 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 14116 INDEX 3
ASTM F1959/F1959M-12 ATPV = 5.2CAL/CM², (HAF=70%)

- Fabric conforms to ARC1 = 5.2cal/cm²
- Premium sew on flame resistant reflective tape
- Contrast panels for protection against dirt
- 100% Cotton fabric for added comfort and breathability
- 2 pockets for secure storage
- Pen division

100% Cotton Drill, 185g
Orange/Navy S-5XL, Yellow/Navy S-5XL

AS 4602 | AS/NZS 1906 | AS 4399 | EN ISO 14116 | ASTM F1959/ F1959M-12

5XL

NEW

237g

BIZFLAME FLAME-RESISTANT 88/12 8.2 Cal/Cm2

FR89
BIZFLAME 88/12 SHIRT

24 CE 2 ARC 2 50+ UPF

AS 4399 UPF 50+
EN ISO 11612 A1+A2, B1, C1
NFPA® 70E
NFPA® 2112
ASTM F1506-10A
ASTM F1959/F1959M-12 ATPV 8.2 CAL/CM² (HAF 69.1%)

- ARC2
- Protects against radiant and convective heat
- Lightweight and comfortable
- Adjustable button cuffs
- 2 pockets for secure storage
- Shirt tail hem stays tucked in

Bizflame 88/12: 88% Cotton, 12% Nyl on, 237g
Navy S-3XL

CE CAT III | AS 4399 | EN ISO 11612 | NFPA 2112 | ASTM F1959/ F1959M-12

FLAME RESISTANT PANTS

THE BEST IN COMFORT AND INHERENT FLAME RESISTANT PROTECTION

280g

FR05
MODAFLAME PANTS

ANTI-STATIC MODAFLAME FLAME RESISTANT 8.4 Cal/Cm2

24 | CE | FR,IW | 6 | 50+ UPF

AS 4399 UPF 50+
EN ISO 11612 A1+A2,B2,C1,F1
EN ISO 11611 CLASS 1 A1+A2
EN 1149 -5
EN 13034 TYPE 6 PB
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 ATPV=8.4CAL/CM² (HAF=75.8%)

- Fabric conforms to ARC2 = 8.4cal/cm²
- Sew on flame resistant industrial wash tape
- Protection against radiant, convective and contact heat
- Adjustable hem to accommodate all leg lengths
- Inherent flame resistant qualities will not diminish with washing
- 6 pockets for ample storage

Modaflame: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 280g
Navy 77cm - 117cm Regular leg 79cm adjustable to Tall 84cm

CE CAT III | AS 4399 | EN ISO 11612 | EN ISO 11611 | EN 1149 | EN 13034 | IEC 61482-2 | ASTM F1959/ F1959M-12

FLAME RESISTANT PANTS

270g

100%
COTTON FOR
COMFORT AND
DURABILITY

MW701
FLAME RESISTANT CARGO PANTS WITH TAPE

PrimeTech™ FLAME RESISTANT 8.3 Cal/Cm2

20 6 FR 50+ UPF

AS 4399 UPF 50+
EN ISO 14116 INDEX 3
ASTM F1959/F1959M-12 ATPV = 8.3 CAL/CM², (HAF = 70%)

- Fabric conforms to ARC2 = 8.3cal/cm²
- Premium sew on flame resistant reflective tape
- 6 pockets for ample storage
- Adjustable waist for a perfect fit
- Easy access cargo pockets
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 270g
Navy
77R-117R
87ST-137ST,
79L-94L

AS 4399 EN ISO 14116 ASTM F1959/ F1959M-12

270g

MW700
FLAME RESISTANT CARGO PANTS

PrimeTech™ FLAME RESISTANT 8.3 Cal/Cm2

20 6 50+ UPF

AS 4399 UPF 50+
EN ISO 14116 INDEX 3
ASTM F1959/F1959M-12 ATPV = 8.3 CAL/CM², (HAF = 70%)

- Fabric conforms to ARC2 = 8.3cal/cm²
- 6 pockets for ample storage
- Adjustable waist for a perfect fit
- 50+ UPF rated fabric to block 98% of UV rays
- Flame resistant button and zip
- High cotton content for superior comfort

100% Cotton Drill, 270g
Navy
77R-112R
87ST-137ST
79L-94L

AS 4399 EN ISO 14116 ASTM F1959/ F1959M-12

FLAME RESISTANT BASELAYERS

The Power Of Layering

Wearing several layers of breathable flame resistant garments allows greater freedom of movement and enhanced wearer comfort, while offering maximum protection



ANTI-STATIC MODA FLAME FLAME RESISTANT KNIT 4.3 Cal/Cm2

NEW

FR11
FLAME RESISTANT ANTI-STATIC LONG SLEEVE T-SHIRT

48 CE 50+ UPF

AS 4399 UPF 50+
EN ISO 11612 A1, B1, C1, F1
EN 1149 -5
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 EBT = 4.3 CAL/CM² (HAF = 66%)

- Fabric conforms to ARC1 = 4.3cal/cm²
- Inherent flame resistant qualities will not diminish with washing
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Flame resistant ribbed cuff for added safety
- Outstanding colour fastness and shrinkage results
- Protection against radiant, convective and contact heat

Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 200g
Navy S-3XL

CE CAT III | AS 4399 | EN ISO 11612 | EN 1149 | IEC 61482-2 | ASTM F1959/ F1959M-12

ANTI-STATIC MODA FLAME FLAME RESISTANT KNIT 4.3 Cal/Cm2

NEW

FR14
FLAME RESISTANT ANTI-STATIC LEGGINGS

48 CE 50+ UPF

AS 4399 UPF 50+
EN ISO 11612 A1, B1, C1, F1
EN 1149 -5
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 EBT = 4.3 CAL/CM² (HAF = 66%)

- Fabric conforms to ARC1 = 4.3cal/cm²
- Inherent flame resistant qualities will not diminish with washing
- Protection against radiant, convective and contact heat
- Ribbed hem for a comfortable fit
- Fully elasticated waistband for ultimate wearer comfort
- Outstanding colour fastness and shrinkage results

Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 200g
Navy S-3XL

CE CAT III | AS 4399 | EN ISO 11612 | EN 1149 | IEC 61482-2 | ASTM F1959/ F1959M-12

FLAME RESISTANT FLEECE & POLO-SHIRT

ANTI-STATIC MODAFLAME FLAME RESISTANT KNIT 16 Cal/Cm2

300g

NEW

FR12
FLAME RESISTANT ANTI-STATIC LONG SLEEVE BRUSHED FLEECE

24 CE 50+ UPF

AS 4399 UPF 50+
EN ISO 11612 A1, B1, C1, F1
EN 1149 -5
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 ATPV=16 CAL/CM²
(HAF=86%)

- Fabric conforms to ARC2 = 16cal/cm²
- Inherent flame resistant qualities will not diminish with washing
- Protection against radiant, convective and contact heat
- Flame resistant ribbed cuff for added safety
- Ribbed hem for a comfortable fit
- High cotton content for superior comfort

Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 300g
X **Navy S-3XL**

CE CAT III | AS 4399 | EN ISO 11612 | EN 1149 | IEC 61482-2 | ASTM F1959/ F1959M-12

ANTI-STATIC MODAFLAME FLAME RESISTANT KNIT 4.3 Cal/Cm2

200g

NEW

FR10
FLAME RESISTANT ANTI-STATIC LONG SLEEVE POLO SHIRT

48 CE 50+ UPF

AS 4399 UPF 50+
EN ISO 11612 A1, B1, C1, F1
EN 1149 -5
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 EBT = 4.3 CAL/CM²
(HAF = 66%)

- Fabric conforms to ARC1 = 4.3cal/cm²
- Inherent flame resistant qualities will not diminish with washing
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Flame resistant ribbed cuff for added safety
- Outstanding colour fastness and shrinkage results
- 50+ UPF rated fabric to block 98% of UV rays

Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 200g
X **Navy S-3XL**

CE CAT III | AS 4399 | EN ISO 11612 | EN 1149 | IEC 61482-2 | ASTM F1959/ F1959M-12

FULL ANTI-STATIC PROTECTION

FLAME RESISTANT FLEECE

280g

ANTI-STATIC MODAFLAME FLAME RESISTANT KNIT

FR31
FLAME RESISTANT ANTI STATIC HI-VIS FLEECE

12 | CE | 2 | FR | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 11612 A1, B1, C2
EN 1149 -5
EN ISO 20471 CLASS 3
IEC 61482-2 IEC 61482-1-2 CLASS 1

- Inherent flame resistant qualities will not diminish with washing
- Protects against radiant and convective heat
- Premium sew on flame resistant reflective tape
- 2 pockets for secure storage
- Elasticated cuffs for a secure fit
- Contrast colouring for added style

Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 280g
Yellow S-3XL

DAY & NIGHT

BIO MOTION

CE CAT III | AS 4602 | AS/NZS 1906 | AS 4399 | EN ISO 11612 | EN 1149 | IEC 61482-2 | EN ISO 20471

300g

NEW.

ANTI-STATIC MODAFLAME FLAME RESISTANT KNIT 16 Cal/Cm2

MF202
FLAME RESISTANT HI-VIS BRUSHED FLEECE

24 | 2 | FR | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN ISO 11612 A1, B1, C1, F1
EN 1149 -5
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 ATPV 16CAL/CM2 (HAF=86%)

- Fabric conforms to ARC2 = 16cal/cm²
- Inherent flame resistant qualities will not diminish with washing
- Protection against radiant, convective and contact heat
- High cotton content for superior comfort
- Side zip pockets
- Contrast colouring for added style

Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre, 300g
Orange/Navy S-3XL, Yellow/Navy S-3XL

DAY & NIGHT

AS 4602 | AS/NZS 1906 | AS 4399 | EN ISO 11612 | EN 1149 | IEC 61482-2 | ASTM F1959/ F1959M-12

FLAME RESISTANT ACCESSORIES

400g

4.3 Cal/Cm2

ANTI-STATIC MODAFLAME FLAME RESISTANT KNIT

FR18
FLAME RESISTANT ANTI-STATIC BALACLAVA

100 10 | CE | X2 | 50+ UPF

AS 4399 UPF 50+
EN ISO 11612 A1, B1, C1, F1
EN 1149 -5
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 EBT = 4.3 CAL/CM² (HAF = 66%)

- Fabric conforms to ARC1 = 4.3cal/cm²
- Inherent flame resistant qualities will not diminish with washing
- Protection against radiant, convective and contact heat
- High cotton content for superior comfort
- Antistatic
- 2 layer

Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre x 2 layer, 400g
Black One Size, Navy One Size

CE CAT III | AS 4399 | EN ISO 11612 | EN 1149 | IEC 61482-2 | ASTM F1959/ F1959M-12

400g

NEW.

4.3 Cal/Cm2

ANTI-STATIC MODAFLAME FLAME RESISTANT KNIT

FR19
FLAME RESISTANT ANTI-STATIC NECK TUBE

100 10 | CE | X2 | 50+ UPF

AS 4399 UPF 50+
EN ISO 11612 A1, B1, C1, F1
EN 1149 -5
IEC 61482-2 IEC 61482-1-2 CLASS 1
ASTM F1959/F1959M-12 ATPV 4.3 CAL/CM2 (HAF 66%)

- Fabric conforms to ARC1 = 4.3cal/cm²
- Inherent flame resistant qualities will not diminish with washing
- 2 layer
- High cotton content for superior comfort
- 50+ UPF rated fabric to block 98% of UV rays
- Antistatic

Modaflame Knit: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre x 2 layer, 400g
Navy One Size

CE CAT III | AS 4399 | EN ISO 11612 | EN 1149 | IEC 61482-2 | ASTM F1959/ F1959M-12

ANTI-STATIC BIZFLAME FLAME-RESISTANT WORK

FR71
HI-VIS ANTI STATIC VEST - FLAME RESISTANT

60 10 | CE | FR

AS 4602.1 CLASS D/N
AS/NZS 1906.4
EN ISO 14116 INDEX 1
EN 1149 -5
EN ISO 20471 CLASS 2

- Premium sew on flame resistant reflective tape
- Antistatic
- Lightweight and comfortable
- Touch tape closure for easy access
- Generous fit for wearer comfort
- CE certified

Bizflame Work Antistatic: 98% Polyester 2% Carbon Fibre, Warp Knitted, 120g
Yellow S/M - 4XL/5XL
Orange S/M - XXL/3XL

AS 4602 | AS/NZS 1906 | EN ISO 14116 | EN 1149 | EN ISO 20471 | DAY & NIGHT

120g

5XL

FLAME RESISTANT RAINWEAR

420g

ANTI-STATIC BIZFLAME FLAME-RESISTANT RAIN

BREATHABLE PROTECTION

This industry leading flame resistant range provides multi standard protection for hazardous environments. Combining a 98% polyester and 2% anti-static carbon fibre 250g, this breathable fabric offers maximum protection to a range of International standards.

S774
BIZFLAME RAIN HI-VIS MULTI LITE JACKET

FR

AS 4602.1 CLASS D/N
AS/NZS 1906.4
EN ISO 14116 INDEX 3
EN 1149 -5
EN ISO 20471 CLASS 3
EN 13034 (TYPE 6)
EN 343 CLASS 3:3 X

- Premium sew on flame resistant reflective tape
- Taped seams to provide additional protection
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Pack away hood for added functionality
- Bio motion tape pattern to improve recognition of human shape at distance
- Lightweight and comfortable

Bizflame Rain: 98% Polyester, 2% Antistatic Carbon Fibre, Breathable, PU Coated, 250g
100% Cotton Flame Resistant Lining, 170g
Orange S-3XL, Yellow S-3XL

BREATHABLE CLASS 3:3

CE CAT III · AS 4602 · AS/NZS 1906 · EN ISO 14116 · EN 1149 · EN ISO 20471 · EN 13034 · EN 343 · BIO MOTION · DAY & NIGHT

FLAME RESISTANT ANTI-STATIC PANTS

250g

S780
BIZFLAME RAIN UNLINED - HI-VIS ANTISTATIC FR PANTS

24 CE FR

AS/NZS 1906.4
EN ISO 14116 INDEX 1
EN 1149 -5
EN ISO 20471 CLASS 1
EN 13034 (TYPE 6)
EN 343 CLASS 3:3 X

- Premium sew on flame resistant reflective tape
- Taped seams to provide additional protection
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Zipped ankles for easy access
- Flame resistant treated waterproof fabric prevents water penetration
- Ergonomic quick release buckle

Bizflame Rain: 98% Polyester, 2% Antistatic Carbon Fibre, Breathable, PU Coated, 250g
Orange S-3XL, Yellow S-4XL

CE CAT III | AS/NZS 1906 | EN ISO 14116 | EN 1149 | EN ISO 20471 | EN 13034 | EN 343 | 4XL

ANTI-STATIC SHELL JACKET

190g

MULTI HAZARD PROTECTION

QUALITY FABRIC, MODERN DESIGN

EN1149 STANDARD FOR ELECTROSTATIC PROPERTIES OF PROTECTIVE CLOTHING

EN 1149

This standard is part of a series of standards for test methods and requirements for electrostatic properties of protective clothing. The standard specifies material and design requirements for garments used as part of a total earthed system, to avoid incendiary discharges.

Makes a 4-in-1 set
when combined with style MA230* *Style sold separately
141

POWERFUL PROTECTION FROM ELECTROSTATIC HAZARDS

MJ370
MACKAY ANTI-STATIC JACKET

10 | 3 | 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN 1149 -1

98% Polyester, 2% Antistatic carbon fibre, 300D Oxford Weave, 190g
Yellow/Navy S-5XL

- 3 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Print access for corporate branding
- Combination zip for added functionality

AS 4602 | AS/NZS 1906 | AS 4399 | EN 1149 | DAY & NIGHT | 5XL

ANTI-STATIC JACKET AND VEST

535g

MJ887
MACKAY ANTI-STATIC 4-IN-1 JACKET

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50+
EN 1149 -1

- 7 pockets for ample storage
- Two-way zip for quick and easy access
- Pack away detachable hood for convenience
- Taped seams to provide additional protection
- Detachable inner reversible bodywarmer vest
- Print access for corporate branding

98% Polyester, 2% Antistatic Carbon Fibre, 300D Oxford Weave, 190g
Inner Vest: 100% Cotton, 155g
Yellow/Navy S-5XL

1

2

3

4

EXTREMELY VERSATILE ALL SEASON STYLE

MJ887 = MJ370 JACKET pg 140 + **MA230 VEST** pg 141. Styles also available sold separately

345g

MA230
ANTISTATIC REVERSIBLE VEST

AS 4602.1 CLASS D/N
AS/NZS 1906.4
EN 1149 -1

- 4 pockets for ample storage
- Combination zip for added functionality
- Internal embroidery pocket with touch tape closure
- Lined for added warmth and comfort
- Premium reflective tape for increased visibility
- Reversible garment for multi use

98% Polyester, 2% Antistatic carbon fibre, 300D Oxford Weave, 190g
100% Cotton, 155g
Yellow S-5XL

Makes a 4-in-1 set when combined with style MJ370 *Style sold separately
140

RAIN WEAR

RAINWEAR TO SURPASS INDUSTRY EXPECTATIONS

S601 - Portwest X3 Reflective Jacket
A722 - Anti Impact Cut Resistant Glove
B028 - Rechargeable Twin LED Beanie

PORTWEST *rainwear is engineered with exceptional fabrics and designs, allowing these garments to transition between work and leisure. The best quality materials and high technology construction techniques are used throughout, guaranteeing the ultimate in all-weather protection. Tested to withstand the rigours of everyday wear, each garment has been designed and manufactured with care to ensure total satisfaction wear after wear.*

Engineered with exceptional fabric and designs, the new **Portwest X3™** rainwear collection allows for optimal outdoor performance. Designed with a modern slim cut, each style offers multiple performance enhancing features. The highly waterproof and breathable fabrics used in this collection offer maximum protection against harsh weather conditions.

The **PORTWEST PWR™** collection is constructed from Portwest Extreme, a premium high performance waterproof and breathable fabric. Using state-of-the-art technology, the base fabric has been engineered to provide a technical barrier against the elements. This provides the maximum waterproof, breathable and windproof protection, which far exceed the current highest requirements.

Technical and innovative, the **TK2™** rainwear collection is engineered for maximum waterproof, windproof and breathable performance. Designed to be worn in adverse weather conditions, the collection incorporates clever styling with shaped panels for a comfortable and generous fit. Additionally this sophisticated collection is ideal for overbranding.

Texpel™ Splash is an extremely water resistant fabric finish which ensures water beads up and rolls off the fabric surface. This premium finish also repels dirt and helps prevent stains to keep your garment looking cleaner for longer.

Texpel™ Micro is a unique technology which inhibits the spread and growth of harmful microbes such as bacteria, fungi, spores and viruses. This permanent treatment has been independently tested and proven to provide 99.9% of antimicrobial properties even after 50 washes.

PORTWEST X3, PWR, TK2 AND TEXPEL ARE TRADEMARKS OF THE PORTWEST GROUP.

OUTDOOR PERFORMANCE RAINWEAR

Engineered with exceptional fabric and designs, the new Portwest X3™ rainwear collection allows for optimal outdoor performance. Designed with a modern slim cut, each style offers multiple performance enhancing features. The highly waterproof and breathable fabrics used in this collection offer maximum protection against harsh weather conditions.

ZIPPED VENTS AT UNDERARM

S600
PORTWEST X3 SHELL JACKET

EN 343 CLASS 3:3 X

- Waterproof and breathable with taped seams to prevent water penetration
- Contemporary design with clean cut lines
- Grown on hood is stylish and practical
- Zipped vents at underarm for extra breathability
- Drawcord adjustable hem
- Pre-bent sleeves allow for increased freedom of movement

100% Polyester TPU, 140g
Body and Hood: 100% Polyester Mesh 65g
Sleeves: 100% Polyester Taffeta 60g
Black S-3XL, Navy S-3XL

TEXPEL SPLASH

UNRIVALLED MIX OF WATERPROOF AND BREATHABLE PROTECTION

PORTWEST X3 RAINWEAR



REFLECTIVE PRINT
for Increased
Visibility and Safety

REFLECTIVE PRINT
SHOWN WITHOUT
LIGHT SOURCE

S601
PORTWEST X3 REFLECTIVE JACKET

EN 343 CLASS 3:3 X

- Waterproof and breathable with taped seams to prevent water penetration
- Reflective print for increased visibility and safety
- Grown on hood is stylish and practical
- Zipped vents at underarm for extra breathability
- Drawcord adjustable hem
- Pre-bent sleeves allow for increased freedom of movement

100% Polyester TPU, 140g
Body and Hood: 100% Polyester Mesh 65g
Sleeves: 100% Polyester Taffeta 60g
Black/Grey S-3XL

TEXPEL SPLASH

EXCEPTIONAL RAINWEAR FOR OUTDOOR PERFORMANCE

S602
PORTWEST X3 TWO-TONE JACKET

EN 343 CLASS 3:3 X

- Waterproof and breathable with taped seams to prevent water penetration
- Contrast panels for protection against dirt
- Grown on hood is stylish and practical
- Zipped vents at underarm for extra breathability
- Drawcord adjustable hem
- Pre-bent sleeves allow for increased freedom of movement

100% Polyester TPU, 140g
Body and Hood: 100% Polyester Mesh 65g
Sleeves: 100% Taffeta 60g
Blue/Black S-3XL, Navy/Grey S-3XL

TEXPEL SPLASH

Constructed using innovative carbon fibre technology, this heated jacket features three panels on critical points of the body. Each jacket includes a 10,000MA USB rechargeable battery that powers the heat technology (3-4 hours charging required). The built in controls allow the wearer to switch between three settings of heat: high, medium, low. The heated panels will give temperatures between 25-45C and can last up to 10 hours, depending on setting.

OUTDOOR PERFORMANCE RAINWEAR

HEATED JACKET

Battery powered **carbon fibre heated panels** heat for up to **10 hours**.

WATER RESISTANT

NEW

THE LATEST INNOVATION IN HEAT TECHNOLOGY

RoHS COMPLIANT

RoHS – Restriction Of Hazardous Substances
The 'Restriction of Hazardous Substances' directive is put in place to ensure all components of our electrical production will not endanger the user. The S547 jacket and battery are compliant to this standard.

S547
ULTRASONIC HEATED TUNNEL JACKET

18 | 3

- Fully lined and padded to trap the heat and increase warmth
- Inner soft Insulatex lining offering warmth and comfort
- Premium water resistant fabric
- Drawcord adjustable hem
- Concealed mobile phone pocket
- 3 pockets for ample storage

100% Polyester, 65g
100% Polyester, 55g
Insulatex Lining, 260g
Black S-3XL

INSULATEX™ THERMAL INSULATION

TK2 LIGHTWEIGHT BAFFLE JACKETS

S543
ASPEN MENS BAFFLE JACKET

18 | 3

SHOWERPROOF

- Extremely water resistant fabric finish, water beads away from fabric surface
- Inner soft Insulatex lining traps heat fast keeping the wearer warm and protected from the elements
- Designed with a comfortable fit
- Elasticated cuffs for a secure fit
- Drawcord adjustable hem
- Secure zip pocket for added security

100% Nylon, 40g
100% Nylon, 55g
Insulatex Lining, 300g
Black S-3XL, Navy S-3XL

INSULATEX™ THERMAL INSULATION

TEXPEL™ SPLASH

Insulated with Insulatex lining

Constructed using hollow fibre technology, Insulatex™ provides a lighter and warmer thermal lining. The unique fabric technology locks in the body's warmth to create a thermal barrier with the high performance material offering superior lightweight comfort to the wearer without adding bulk.

LADIES STYLE AVAILABLE

S545 193

KX3

T832
KX3 BAFFLE JACKET

24 | 4

- Contemporary design with clean cut lines
- Knitted fabric with brushed backing
- Body-mapped design helps balance insulation and increase freedom of movement
- Reinforced panels in high wear areas for maximum durability
- Elastic bound hem and cuffs for comfort and warmth
- Interchangeable zip pullers in blue, red and lime green are supplied for easy integration of corporate colours

100% Nylon, 60g
100% Polyester Weft Knit with Brushed Back 310g
Insulatex Lining, 120g
Grey Marl S-3XL

INSULATEX™ THERMAL INSULATION

INTERCHANGEABLE ZIP PULLERS

EXTREME BREATHABLE RAINWEAR

PWR™ is constructed from state-of-the-art high performance waterproof and breathable textiles. Using innovative technology, the base fabric has been engineered to provide a technical barrier against the elements providing the maximum waterproof, breathable and windproof protection.



1. DURABLE WATER REPELLENT TREATED OUTER FABRIC
2. WATERPROOF AND BREATHABLE COATING OR MEMBRANE
3. BREATHABLE INNER FABRIC OR LINING

Back of Jacket

S555
OUTCOACH JACKET

EN 343 CLASS 3:3 X WP 10,000MM, MVP 15,000G/M2/24HR

- Abrasion resistant Oxford polyester
- Wind resistant fabric to protect against wind chill
- Waterproof and breathable with taped seams to prevent water penetration
- Lined for added warmth and comfort
- Front zip opening
- Storm flap front to protect against the elements

100% Polyester Oxford 600D, 230g
Body Lining: 100% Polyester Mesh, 65g, Sleeve Lining: 100% Polyester 190T Taffeta, 60g
Black S-3XL

BREATHABILITY
over 15,000mg/m2/24hrs

WORK HARD IN COMFORT

The higher the g/m2/24 hours the more breathable the fabric is. (JIS L1099:2012 Method B1 Water vapour permeability). Portwest Extreme achieves the highest rated breathability levels.

WATERPROOF
over 10,000mm

EXTREME WATERPROOFNESS

Portwest Extreme achieves over 10,000mm Hydrostatic head, equivalent to over 10 metres of water column. (ISO 811:2018 Determination of resistance to water penetration. Hydrostatic pressure test).

HIGH PERFORMANCE RAINWEAR

PWR

S555 OUTCOACH JACKET

ACHIEVES

10,000mm

OFFERING

EXCEPTIONAL WATERPROOF PERFORMANCE

STANDARD WATERPROOF

PWR

S555 OUTCOACH JACKET

ACHIEVES

15,000g/m2 /24hrs

OFFERING

EXCEPTIONAL BREATHABLE PERFORMANCE

STANDARD BREATHABLE

CLASSIC WET WEATHER GEAR

S440
CLASSIC RAIN JACKET

EN 343 CLASS 3:1 X

- Waterproof keeping the wearer dry and protected from the elements
- Taped seams to provide additional protection
- Pack away hood for added functionality
- Vented back yoke and eyelets for added breathability and comfort
- Retail bag which aids presentation for retail sales
- 2 pockets for secure storage

100% Polyester, PVC Coated, 210g
Navy XS-4XL
Orange S-3XL, Yellow S-4XL

THE BEST VALUE WATERPROOF SOLUTION

4XL
XS

S441
CLASSIC RAIN PANTS

EN 343 CLASS 3:1 X

- Waterproof keeping the wearer dry and protected from the elements
- Taped seams to provide additional protection
- Fully elasticated waistband for ultimate wearer comfort
- Stud adjustable hems for a secure fit
- Side access pockets
- Retail bag which aids presentation for retail sales

100% Polyester, PVC Coated, 210g
Navy XS-6XL
Orange S-3XL, Yellow S-6XL

6XL
XS

CLASSIC WET WEATHER GEAR

AFFORDABLE AND PRACTICAL RAINWEAR SOLUTIONS

MP205
WET WEATHER PANTS

25 | 50+ UPF

- Waterproof with taped seams to prevent water penetration
- Drawcord adjustable waist for a secure and comfortable fit
- Side zip leg opening for easy access
- Stud adjustable hems for a secure fit
- 50+ UPF rated fabric to block 98% of UV rays
- Retail bag which aids presentation for retail sales

100% Polyester, 200D, 125g
Navy, Black, Green XXS/XS-8XL/9XL

9XL XXS

MS939
WET WEATHER SUIT

10 | 4 | 50+ UPF

AS 4602.1 CLASS D

- Waterproof with taped seams to prevent water penetration
- Stud front opening for easy access
- Deep storage pockets
- Drawcord adjustable waist for a secure and comfortable fit
- Stud adjustable hems for a secure fit
- Retail bag which aids presentation for retail sales

100% Polyester, 190T, PVC coated, 205g
Yellow XS-5XL

5XL XS

MESH LINED JACKET

QUALITY RAINWEAR DESIGNED FOR MULTIPLE END USES

MESH LINED



MR206
CAREY JACKET

- Waterproof with taped seams to prevent water penetration
- Front zip opening
- Storm flap front to protect against the elements
- Deep storage pockets
- Touch tape cuffs for a secure fit
- Combination zip for added functionality

100% Polyester, Oxford 200D, 125g
100% Polyester Mesh, 60g
Black XXS-5XL,7XL,9XL,
Bottle Green XXS-5XL,
Navy XXS-5XL,7XL,9XL

9XL
XXS

EXCEPTIONAL WATERPROOF PERFORMANCE

SUPERB WORKMANSHIP, UNRIVALLED FUNCTION

2

MR206 152

3

MF315 157

1

Outer Jacket with Inner Jacket

EXTREMELY VERSATILE ALL SEASON STYLE

MJ995
CAREY 3-IN-1 LEISURE JACKET

5 | 6 | 50+ UPF

- Jacket can be worn three ways for multi use
- Waterproof with taped seams to prevent water penetration
- Combination zip for added functionality
- Front zip opening
- Storm flap front to protect against the elements
- Deep storage pockets

100% Polyester, Oxford 200D, 125g
100% Polyester Mesh, 60g
100% Polyester Fleece, 320g
Navy S-5XL

5XL

LINED BOMBERS AND VESTS

MR304
BOMBER JACKET

10 | 4 | 50+ UPF

- Waterproof with taped seams to prevent water penetration
- Front zip opening
- Quilt lined for thermal insulation
- Two lower pockets with stud closure
- Pack away hood for added functionality
- Internal pockets for safe storage

100% Polyester, 200D, 125g
100% Polyester Taffetta 190T, 60g
Black S-5XL,7XL,9XL,
Navy S-5XL,7XL,9XL

9XL

WATERPROOF
WINDPROOF
BREATHABLE

NEW

TEXPEL SPLASH

NEW

SHOWERPROOF

TEXPEL SPLASH

TK51
SOFTSHELL BODYWARMER (3L)

24 | X3 | 6

- Micro polar fleece lined and bonded with shell
- Breathable, windproof and water resistant
- Extremely water resistant fabric finish, water beads away from fabric surface
- Waterproof zips to prevent water penetration
- Chin guard for added comfort and stability
- Zipped pockets

94% Polyester, 6% Elastane, 160g laminated to 100% Polyester Micro Polar Fleece, 150g, Total weight 310g
Black S-XXL

S544
ASPEN BAFFLE GILET

18 | 3

- Extremely water resistant fabric finish, water beads away from fabric surface
- Inner soft Insulatex lining traps heat fast keeping the wearer warm and protected from the elements
- Lightweight and comfortable
- Designed with a comfortable fit
- Secure zip pocket for added security
- Drawcord adjustable hem

100% Nylon, 40g
100% Nylon, 55g
Insulatex Lining, 300g
Black S-3XL, Navy S-3XL

INSULATEX™ THERMAL INSULATION

SOFTSHELL JACKETS

WATERPROOF WINDPROOF BREATHABLE

TK50
SOFTSHELL JACKET (3L)

24 X3 6 50+ UPF

- 3 layer
- Breathable, windproof and water resistant
- Micro polar fleece lined and bonded with shell
- Waterproof zips to prevent water penetration
- Touch tape cuffs for a secure fit
- 6 pockets for ample storage

94% Polyester, 6% Elastane, 160g laminated to 100% Polyester Micro Polar Fleece, 150g, Total weight 310g

Black S-5XL, Navy XS-5XL

TEXPEL SPLASH

5XL XS

TK40
OREGON SOFTSHELL JACKET (2L)

24 X2 5 50+ UPF

- 2 layer
- Breathable, windproof and water resistant
- Extremely water resistant fabric finish, water beads away from fabric surface
- Micro polar fleece lined and bonded with shell
- 5 pockets for ample storage
- Touch tape cuffs for a secure fit

94% Polyester, 6% Elastane, with 100% Polyester Micro Polar Fleece Softshell, 320g

Black S-3XL, Navy S-3XL

TEXPEL SPLASH

LADIES STYLE AVAILABLE **TK41** 193

KX3 FLEECE

T830
KX3 PERFORMANCE FLEECE

24 | 5

- Contemporary design with clean cut lines
- Knitted fabric with brushed backing
- Reinforced panels in high wear areas for maximum durability
- Chin guard for added comfort and stability
- Dipped back hem for better coverage
- Interchangeable zip pullers in blue, red and lime green are supplied for easy integration of corporate colours

100% Polyester Weft Knit with Brushed Back, 310g
94% Polyester, 6% Elastane 300g Grey Marl S-3XL, Olive Green S-3XL, Persian Blue S-3XL
**Registered European Community Design*

INTERCHANGEABLE ZIP PULLERS

T831
KX3 TECHNICAL FLEECE

24 | 2

- Contemporary design with clean cut lines
- Moisture wicking fabric helping to keep the body warm, cool and dry
- Dynamic inner contrasting fabric
- Hood for added protection against the elements
- Interchangeable zip pullers in blue, red and lime green are supplied for easy integration of corporate colours
- 2 pockets for secure storage

80% Polyester, 20% Rayon, 330g Black S-3XL, Grey S-3XL
**Registered European Community Design*

LOW PROFILE SEAMS AND GARMENT CONSTRUCTION FOR REDUCED FRICTION

FLEECE JUMPERS

F205
ARAN FLEECE JUMPER

18 | 2 | 50+ UPF

EN 14058 CLASS 1

- Middle weight polar fleece with anti-pill finish for added warmth and comfort
- Elasticated cuffs for a secure fit
- Drawcord adjustable hem
- Zipped pockets
- Generous fit for wearer comfort
- 2 pockets for secure storage

100% Polyester, Anti-Pill finish Fleece, 280g
Black XS-3XL, Navy XS-3XL

LUXURIOUS WARMTH AND COMFORT

MF315
WATER REPELLENT FLEECE JUMPER

10 | 3 | 50+ UPF

- Extremely water resistant fabric finish, water beads away from fabric surface
- Anti-pill durable fleece fabric
- Combination zip for added functionality
- 3 pockets for ample storage
- Front zip opening
- Drawcord adjustable hem

100% Polyester, 320g
Black S-5XL, Navy S-5XL

INTERACTIVE

Can be combined with MR206* Rain Jacket
*** Style sold separately** 152

TEXPEL SPLASH | 5XL

ACCESSORIES

B013
KNIT BEANIE INSULATEX LINED

INSULATEX™ THERMAL INSULATION

144 / 12 · 9

- Outer acrylic knit fabric
- Inner soft Insulatex lining offering warmth and comfort
- Available in an excellent choice of corporate colours
- Knit gauge 9

100% Acrylic, Knit,
Insulatex Lining, 40g
X Black, Navy One Size
Y Orange, Yellow One Size

NEW COLOUR

HA10
POLAR FLEECE HAT INSULATEX LINED

INSULATEX™ THERMAL INSULATION

96 / 12

- Anti-pill durable fleece fabric
- Inner soft Insulatex lining traps heat fast keeping the wearer warm and protected from the elements
- Darts for additional shaping
- Available in an excellent choice of corporate colours

100% Polyester, Anti-Pill finish Fleece, 280g
Insulatex Lining, 40g
X Black, Navy, Orange, Yellow One Size

NEW COLOUR

B026
REFLECTIVE KNIT CAP INSULATEX LINED

INSULATEX™ THERMAL INSULATION

144 / 12 · 9

- Reflective trim for increased visibility
- Inner soft Insulatex lining offering warmth and comfort
- Outer acrylic knit fabric
- Knit gauge 9

100% Acrylic, Knit
Insulatex Lining, 40g
X Black, Navy One Size

GL13
KNIT GLOVE INSULATEX LINED

INSULATEX™ THERMAL INSULATION

144 / 12 · 9

- Outer acrylic knit fabric
- Inner soft Insulatex lining offering warmth and comfort
- Knitted cuff for comfort and warmth
- Knit gauge 9

100% Acrylic, Knit
Insulatex Lining, 40g
X Black One Size

MORE HATS WITH LED LIGHTS AVAILABLE ON PAGE 283

ACCESSORIES

NEW

B010
SIX PANEL BASEBALL CAP

96
12

- Durable polycotton fabric for high performance and maximum wearer comfort
- Adjustable straps for a secure fit
- Eyelets for added breathability
- Ideal for corporate wear and custom finishes

65% Polyester, 35% Cotton, 190g
Black, Navy Adjustable Size

MC601
WIDE BRIM HAT

96
50+ UPF

- Back legionnaires flap for added sun protection
- Eyelets for added breathability
- Adjustable cord and toggles for a secure fit
- 100% Cotton fabric for added comfort and breathability
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, 285g
Green, Navy, Orange, Yellow S/M-XXL/3XL

NEW

NEW

HIGHLY COMFORTABLE AND BREATHABLE

TEXPEL MICRO

CS23
MULTIWAY BALACLAVA

240
20

- 4-way stretch fabric for ease of movement and added comfort
- This product is highly versatile and can be worn in a number of different ways
- Perforated holes at breathable mouthguard allows for a comfortable wear

92% Polyester 8% Elastane, 260g
100% Polyester 300g
Black One Size

CS25
ANTI-MICROBIAL MULTIWAY SCARF

240
20

- Anti-microbial finish, kills 99.9% of bacteria
- 4-way stretch fabric for ease of movement and added comfort
- Retail box which aids presentation for retail sales
- Controls numerous odour-causing microorganisms that can accumulate in fibres from skin contact and laundering
- This product is highly versatile and can be worn in a number of different ways
- Reusable and machine washable at 60 degrees

98% Cotton, 2% Elastane with Texpel Micro, 180g
Black One Size, Cobalt Blue One Size, Yellow One Size

WORK WEAR

OVER 100 YEARS OF WORKWEAR INNOVATION

S547 - Ultrasonic Heated Tunnel Jacket
T602 - PW3 Holster Work Pants
FC31 - Bunbury Safety Boot
AP02 - Thermo Pro Ultra

The **PORTWEST** *Workwear Collection offers a range of designs and features suitable for many end uses. The best quality fabrics and construction techniques are used, guaranteeing comfort and safety. Tested to withstand the rigours of everyday wear, each garment has been carefully designed and manufactured to ensure optimum quality at the best price.*

Kingsmill™ Cotton Stretch is a premium cotton stretch fabric. This twill weave blend of 98% cotton and 2% elastane provides the ultimate in comfort and flexibility. The high cotton content gives an ultra soft handle, and the added elastane delivers ease of movement. This fabric has a UPF rating of 50+ to block 98% of UV rays.

Portwest cutting edge **Kingsmill™ Polyester Stretch** is a four-way stretch fabric made from 93% polyester, 7% elastane 270g. This blend provides ease of movement and effortless comfort in active use. The fabric delivers technical superiority with high breathability, moisture wicking and fast drying properties.

Portwest's innovative two-way **Kingsmill™ Polycotton Stretch** fabric is constructed from 65% polyester, 35% cotton. This premium workwear fabric offers excellent abrasion and tear resistant properties whilst the mechanical stretch function ensures full ease of movement for the wearer. A UPF rating of 50+ on this fabric blocks 98% of the UV rays.

Constructed from 65% Polyester, 35% Cotton, **Kingsmill™** fabric guarantees high performance and maximum comfort. The yarns are all ring spun with long staple combed cotton providing a smooth handle and excellent pilling resistance. The material is fully pre-shrunk and has superior dye retention. A UPF rating of 50+ will block 98% of UV rays.

QUALITY FABRICS ENGINEERED FOR ENDURANCE

KINGSMILL IS A TRADEMARK OF THE PORTWEST GROUP.

KX3
TM
ACTIVE STREET WORKWEAR

ACTIVE **STREET** WORKWEAR

Portwest KX3™ is a superior line of trend-led apparel combining quality construction to the highest standards and technical fabrics. Key characteristics within this collection include abrasion resistance, moisture management and stretch fabrics for sustained agility and effortless movement. All KX3 garments have been designed to fully complement each other to allow a personal layering system to be built. A perfect solution for modern workwear.

T830 156 KX3 Performance Fleece

T831 156 KX3 Technical Fleece

T832 147 KX3 Baffle Jacket

T820 182 KX3 Polo Shirt

KX340 177 KX3 Ripstop Shorts

T803 171 KX3 Flexi Pants

T802 170 KX3 Ripstop Pants

T801 170 KX3 Cargo Pants

KX3 IS A TRADEMARK OF THE PORTWEST GROUP.

STRETCH SLIM FIT

PORTWEST®

2X Stretch

FLEXIBILITY WITH ADDED STRETCH

STRETCH FABRIC ALLOWS FREEDOM OF MOVEMENT

STRETCH SLIM FIT

280g

NEW

NEW

280g

MP702
DENIM SLIM FIT STRETCH WORK PANTS

KINGSMILL 280 COTTON STRETCH

24 | 6 | 50+ UPF

- 6 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Drawcord adjustable waist for a secure and comfortable fit
- Rule pocket
- Slim fit design for exceptional comfort
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 280g
Indigo 72R - 112R

MP708
SLIM FIT STRETCH WORK PANTS

KINGSMILL 280 COTTON STRETCH

24 | 6 | 50+ UPF

- 6 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Drawcord adjustable waist for a secure and comfortable fit
- Slim fit design for exceptional comfort
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 280g
Black, Dark Navy, Sand 72R - 112R with adjustable hem to long leg

LADIES STYLE AVAILABLE

LP401 194

STRETCH SLIM FIT

2x Stretch

NEW

280g

MP703
CUFFED SLIM FIT STRETCH WORK PANTS

KINGSMILL 280 COTTON STRETCH

24 | 10 | 50+ UPF

- 10 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Slim fit cuffed pants
- Drawcord adjustable waist for a secure and comfortable fit
- Hammer loop for secure storage of work tools

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 280g
Black, Dark Navy, Sand 72R - 112R

STRETCH SLIM FIT

280g

NEW

2x Stretch

280g

NEW

MP705
SLIM FIT STRETCH BIO MOTION PANTS

KINGSMILL 280 COTTON STRETCH

24 | 10 | 50+ UPF

- 10 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Bio motion tape pattern to improve recognition of human shape at distance
- Drawcord adjustable waist for a secure and comfortable fit
- Slim fit design for exceptional comfort

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 280g
Dark Navy 72R - 112R with adjustable hem to long leg

BIO MOTION

MP707
SLIM FIT STRETCH TRADE PANTS

KINGSMILL 280 COTTON STRETCH

24 | 12 | 50+ UPF

- 12 Pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Hammer loop for secure storage of work tools
- Reinforced panels in high wear areas for maximum durability
- Two tier knee pad pockets allowing two positioning options
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 280g
100% Polyester 600D Fabric 210g
Black, Dark Navy, Sand 72R - 112R with adjustable hem to long leg

LADIES STYLE AVAILABLE

LP402 194

COTTON STRETCH PANTS

255g

SLIM FIT LEG

255g

S231
STRETCH CARGO COMBAT PANTS

36 | 6 | 50+ UPF

- 6 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Easy access cargo pockets
- Twin-stitched seams for extra durability
- Hook and bar closure
- Reflective trim on inner hem for increased visibility

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 255g
Black, Dark Navy 72R - 102R (28-40)

KINGSMILL 255 COTTON STRETCH

S232
STRETCH SLIM CHINO PANTS

36 | 3 | 50+ UPF

- 3 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Hook and bar closure
- Bartacked at all stress points
- Reflective trim on inner hem for increased visibility
- Outstanding colour fastness and shrinkage results

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 255g
Black, Dark Navy 72R - 102R (28-40)

KINGSMILL 255 COTTON STRETCH

PW3 WORKWEAR PANTS

255g

300g

PW341

PW3 CARGO STRETCH PANTS

KINGSMILL 255 COTTON STRETCH

24 | 8 | 50+ UPF

- 8 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Flexible breathable segmented reflective tape for increased visibility
- High rise back waistband ensures protection in all working positions
- Pre-bent knees allow for increased freedom of movement
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 255g
Navy 77R - 112R

T602

PW3 HOLSTER WORK PANTS

KINGSMILL 300 POLY-COTTON

18 | 12 | 50+ UPF

EN 14404:2004+A1:2010 TYPE 2 LEVEL 0 (WHEN USED IN COMBINATION WITH S156)

- 12 Pockets for ample storage
- Adjustable hem to accommodate all leg lengths
- Top-loading knee pad pockets for quick and easy access
- Free pair of kneepads included with this trouser
- Durable polycotton fabric for high performance and maximum wearer comfort
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill: 65% Polyester, 35% Cotton, 300g
100% Polyester Oxford 600D 210g
Black, Zoom Grey/Black 77R - 112R (30-44) adjustable to long leg

S156 281

FREE PAIR OF KNEEPADS INCLUDED WITH PW3 HOLSTER PANTS

KX3™ CARGO PANTS

255g

2x Stretch

230g

NEW.

SLIM FIT LEG

NEW.

T801
KX3 CARGO PANTS

KINGSMILL 255 COTTON STRETCH

24 | 8 | 50+ UPF

- 8 pockets for ample storage
- Adjustable hem to accommodate all leg lengths
- Contemporary design with an ergonomic cut
- Smart phone pocket
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 255g
Black, Dark Navy, Metal Grey 72R - 122R (28-48) adjustable to long leg

T802
KX3 RIPSTOP PANTS

KINGSMILL 230 POLY-COTTON STRETCH

24 | 14 | 50+ UPF

- 14 pockets for ample storage
- Stretch ripstop provides superior comfort and increased freedom of movement
- Contemporary design with an ergonomic cut
- Triple-stitched seams for extra durability
- Two tier knee pad pockets allowing two positioning options
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Poly-cotton Stretch: 65% Polyester, 35% Cotton Ripstop Weft Stretch, 230g
Black, Dark Navy, Sand 72R - 122R (30-48) adjustable to long leg

270g

4x Stretch

FLEXI PANTS SLIM FIT LEG

NEW.

T803
KX3 FLEXI PANTS

KINGSMILL 270 POLYESTER STRETCH

24 5

- 5 pockets for ample storage
- Slim fit cuffed pants
- Contemporary design with clean cut lines
- Double-layer reinforced knee protection for extra strength and durability
- 4-way stretch fabric for ease of movement and added comfort
- Pre-bent knees allow for increased freedom of movement

Kingsmill Polyester Stretch: 93% Polyester, 7% Elastane, 270g
Black S-3XL, Metal Grey S-3XL

270g

STRAIGHT LEG PANTS

MW703
STRAIGHT LEG PANTS

20 5 50+ UPF

- 5 pockets for ample storage
- Adjustable waist for a perfect fit
- Reinforced seams for extra durability and strength
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 270g
Navy 77R - 117R, 82ST - 137ST, 79L - 94L

100% COTTON - TAPED - CARGO PANTS

310g

310g

CARGO DOUBLE TAPE

CARGO SINGLE TAPE

INCREASES WORKERS VISIBILITY

MD701
CARGO PANTS WITH DOUBLE TAPE

20 | 7 | 50+ UPF

- 7 pockets for ample storage
- Cargo pocket on side leg
- Rule pocket
- Adjustable waist for a perfect fit
- Reinforced seams for extra durability and strength
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 310g
Navy 67R - 117R, 87ST - 137ST, 79L - 94L

MP701
CARGO PANTS WITH TAPE

20 | 7 | 50+ UPF

- 7 pockets for ample storage
- Cargo pocket on side leg
- Rule pocket
- Reinforced seams for extra durability and strength
- Durable, strong and long lasting brass zip
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 310g
Navy 67R - 117R, 87ST - 137ST, 79L - 94L

BIO MOTION

100% COTTON - TAPED LIGHTWEIGHT PANTS

270g

270g

CARGO

MW71E
LIGHTWEIGHT CARGO PANTS WITH TAPE

20 | 7 | 50+ UPF

- 7 pockets for ample storage
- Easy access cargo pockets
- Wider belt loops for wider belts
- Eyelets for added breathability
- Lightweight and comfortable
- Reinforced seams for extra durability and strength

100% Cotton Drill, 270g
Navy 77R - 117R, 87ST - 137ST, 79L - 94L

STRAIGHT LEG PANTS

MW705
STRAIGHT LEG PANTS WITH TAPE

20 | 5 | 50+ UPF

- 5 pockets for ample storage
- Adjustable waist for a perfect fit
- Reinforced seams for extra durability and strength
- Lightweight plastic zip and button
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 270g
Navy 77R-117R, 87ST-137ST, 79L-94L

CARGO PANTS

270g 280g 310g

SUPERB DYNAMIC PERFORMANCE

COTTON

MW70E
LIGHTWEIGHT CARGO PANTS

- 7 pockets for ample storage
- Easy access cargo pockets
- Wider belt loops for wider belts
- Eyelets for added breathability
- Lightweight and comfortable
- Reinforced seams for extra durability and strength

100% Cotton Drill, 270g
Black, Navy 77R - 117R
Black, Navy 87ST - 137ST
Black, Navy 79L - 94L

POLYESTER/COTTON

MW600
APATCHI PANTS

- 8 pockets for ample storage
- Zipped pockets
- Double-layer reinforced knee protection for extra strength and durability
- Easy access cargo pockets
- Rule pocket
- Phone pocket

65% Polyester, 35% Cotton, 280g
Navy 77R - 117R, 87ST - 137ST, 79L - 94L

COTTON

MP700
CARGO PANTS

- 7 pockets for ample storage
- Easy access cargo pockets
- Rule pocket
- Adjustable waist for a perfect fit
- Reinforced seams for extra durability and strength
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 310g
Khaki 77R - 117R **Navy 67R - 117R**
Khaki 87ST - 137ST **Navy 77ST - 137ST**
Khaki 79L - 94L **Navy 79L - 94L**

DENIM PANTS

470g

470g

CLASSIC WORK PANTS

WITH TAPE

MW169
DENIM PANTS WITH TAPE

20 5 50+ UPF

- 5 pockets for ample storage
- Contrast colour stitching for added style
- Non shrinking to ensure that this style maintains its shape wash after wash
- Durable, strong and long lasting brass zip
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, 470g
Blue 77R - 117R, 87ST - 137ST, 79L - 94L

MW168
DENIM PANTS

20 5 50+ UPF

- 5 pockets for ample storage
- Contrast colour stitching for added style
- Heavy duty metal zip and button
- Reinforced seams for extra durability and strength
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton, 470g
Blue 77R - 117R, 87ST - 137ST, 79L - 94L

CARGO SHORTS

280g

MW602
APATCHI SHORTS

20 | 8 | 50+ UPF

- 8 pockets for ample storage
- Zipped pockets
- Cargo pocket on side leg
- Rule pocket
- Phone pocket
- Two rear patch pockets

65% Polyester, 35% Cotton, 280g
Khaki, Navy 77R - 117R

TWO REAR PATCH POCKETS

310g

MULTI POCKET SHORTS

MW702
CARGO SHORTS

20 | 6 | 50+ UPF

- 6 pockets for ample storage
- Cargo pocket on side leg
- Rule pocket
- Heavy duty metal zip and button
- Reinforced seams for extra durability and strength
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 310g
Khaki, Navy 77R - 117R, 77ST - 127ST

TWO REAR PATCH POCKETS

210g

TOP QUALITY, EASY CARE FABRIC

S790
COMBAT SHORTS

KINGSMILL 210 POLY-COTTON

36 | 6 | 50+ UPF

- 6 pockets for ample storage
- Half elasticated waist for a secure and comfortable fit
- Phone pocket
- Twin-stitched seams for extra durability
- Two rear patch pockets
- D-ring for keys or ID cards

Kingsmill: 65% Polyester, 35% Cotton, 210g
Navy S-3XL
Black S-XXL

TWO REAR PATCH POCKETS

NEW COLOUR

KX3

2x Stretch

STRETCH SHORTS

230g

NEW

KINGSMILL 230 POLY-COTTON STRETCH

KX340
KX3 RIPSTOP SHORTS

24 | 11 | 50+ UPF

- 11 pockets for ample storage
- Contemporary design with an ergonomic cut
- Stretch ripstop provides superior comfort and increased freedom of movement
- Triple-stitched seams for extra durability
- Crotch gusset to reduce stress and prevent seam failure
- Smart phone pocket

Kingsmill Poly-cotton Stretch: 65% Polyester, 35% Cotton Ripstop Weft Stretch, 230g
Black, Dark Navy 77R - 107R (30-42)

FLEXIBILITY WITH ADDED STRETCH

280g

KINGSMILL 280 COTTON STRETCH

NEW

MP706
SLIM FIT STRETCH SHORTS

36 | 10 | 50+ UPF

- 10 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Drawcord adjustable waist for a secure and comfortable fit
- Hammer loop for secure storage of work tools
- Slim fit design for exceptional comfort

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 280g
Black, Dark Navy, Sand 72R - 112R

COVERALLS

310g

HARDWEARING EASYCARE FABRIC

210g

MW915
REGULAR WEIGHT COTTON COVERALL

10 | 7 | 50+ UPF

- 7 pockets for ample storage
- Pen division
- Concealed stud front for easy access
- Reinforced seams for extra durability and strength
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 310g
Navy 77R - 112R, 87ST - 137ST, 79L - 94L

S999
EURO WORK POLYCOTTON COVERALL

KINGSMILL 210 POLY-COTTON

24 | 6 | 50+ UPF

- 6 pockets for ample storage
- Elasticated back waist for a secure fit
- Concealed stud front for easy access
- Durable polycotton fabric for high performance and maximum wearer comfort
- Rear patch pocket
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill: 65% Polyester, 35% Cotton, 210g
Navy Reg XS-5XL, Navy Tall S-3XL, Royal Blue S-3XL

5XL XS

LIGHTWEIGHT 100% COTTON

190g

NEW

C814
IONA COTTON COVERALL

KINGSMILL 190 COTTON

24 | 8 | 50+ UPF

- 8 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Premium reflective tape for increased visibility
- Action back for extra freedom of movement
- Lightweight and comfortable
- Radio loop for easy clipping of a radio

100% Cotton, 190g
Khaki S-3XL, Navy S-3XL, Orange S-3XL

YOUTH'S COVERALL

245g

NEW

C890
YOUTH'S COVERALL

KINGSMILL 245 POLY-COTTON

24 | 8 | 50+ UPF

- Phone pocket
- 50+ UPF rated fabric to block 98% of UV rays
- Two-way zip for quick and easy access
- 8 pockets for ample storage
- Durable polycotton fabric for high performance and maximum wearer comfort

Kingsmill: 65% Polyester, 35% Cotton, 245g
Navy, Age 4/5, 6/7, 8/9, 10/11, 12/13, 14/15

WORKWEAR ESSENTIALS

245g

2852
STANDARD COAT

24 | 3 | 50+ UPF

- 3 pockets for ample storage
- Concealed stud front for easy access
- Non shrinking to ensure that this style maintains its shape wash after wash
- Two lower patch pockets
- Excellent dye retention, making the garment look newer for longer
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill: 65% Polyester, 35% Cotton, 245g
X Navy XS-3XL,
Y White XXS-5XL

KINGSMILL 245 POLY-COTTON

EASY CARE FOR EASY WEAR

NEW

300g

LINED HOOD

B302
ROMA HOODY

30 | 1 | 50+ UPF

AS 4399 UPF50+

- 50+ UPF rated fabric to block 98% of UV rays
- Hood for added protection against the elements
- Ribbed hem for a comfortable fit
- Knitted fabric with brushed backing
- Kangaroo pocket for ample storage
- 1 pocket for secure storage

65% Polyester, 35% Cotton, 300g
X Royal Blue S-3XL

CORPORATE CASUALS

B210
NAPLES POLO SHIRT

48 | 30 UPF

AS 4399 UPF30

- Ideal for corporate wear and custom finishes
- Made using Pique knit polycotton fabric which is soft to touch and comfortable to wear
- Twin-stitched seams for extra durability
- Button placket opening
- Rib collar and cuffs
- 30 UPF rated fabric to block 97% of UV rays

65% Polyester, 35% Cotton, 210g
Black XS-5XL, Dark Navy S-3XL, Heather Grey S-3XL, Navy XS-5XL, Red S-3XL, Royal Blue S-5XL

210g

5XL XS

NEW COLOUR

MP101
SHORT SLEEVE SOLID COLOUR MICRO MESH POLO

25 | 1 | 30 UPF

AS 4399 UPF30

- Chest pocket
- Moisture wicking fabric helping to keep the body warm, cool and dry
- Quality wicking fabric finish enhances fabric drying and aids stain removal
- 30 UPF rated fabric to block 97% of UV rays

100% Polyester Micro Mesh, 134g
Black S-5XL, Navy S-5XL

134g

5XL

MP103
LONG SLEEVE SOLID COLOUR MICRO MESH POLO

25 | 1 | 30 UPF

AS 4399 UPF30

- Chest pocket
- Moisture wicking fabric helping to keep the body warm, cool and dry
- Quality wicking fabric finish enhances fabric drying and aids stain removal
- 30 UPF rated fabric to block 97% of UV rays

100% Polyester Micro Mesh, 134g
Black S-5XL

134g

5XL

CORPORATE CASUALS

KX3™

150g

NEW.

PORTWEST SILVER-ION

STAY FRESHER FOR LONGER
UNIQUE ANTI-BACTERIAL SILVER ION TREATMENT

T820
KX3 POLO SHIRT

48 | 50+ UPF

AS 4399 UPF50+

- Contemporary design with clean cut lines
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Loop at placket ideal for attaching glasses/pens
- Reflective trim for increased visibility
- Engineered with an active fit
- Anti-microbial finish helps keep your body feel fresh and dry

100% Polyester with Silver Ion Treatment, 150g
Black S-3XL

TEXPEL™ WICKING

195g

NEW.

B195
TURIN PREMIUM T-SHIRT

72 / 12 | 30 UPF

AS 4399 UPF30

- 30 UPF rated fabric to block 97% of UV rays
- 100% Cotton fabric for added comfort and breathability
- Stylish unisex design for multi functional use
- Available in an excellent choice of corporate colours

100% Cotton, 195g
Black S-3XL, Heather Grey S-3XL, Navy S-3XL, Royal Blue S-3XL, White S-3XL

TRADESMAN WHITES

CONTEMPORARY FIT, STYLISH DESIGN

KS51
PAINTERS PRO POLO

48 | 1 | 30 UPF

AS 4399 UPF30

210g

- 30 UPF rated fabric to block 97% of UV rays
- Chest pocket
- Made using Pique knit polycotton fabric which is soft to touch and comfortable to wear
- Rib collar and cuffs
- Side vents
- Button placket opening

65% Polyester, 35% Cotton, 210g
White S-XXL

KS54
PAINTERS PRO TROUSER

24 | 10 | 50+ UPF | KINGSMILL 245 POLY-COTTON

245g

- 10 pockets for ample storage
- Abrasion resistant Oxford polyester
- Contrast colouring for added style
- Double rule pocket
- Half elasticated waist for a secure and comfortable fit
- Hard wearing durable twill fabric with excellent dye retention

Kingsmill: 65% Polyester, 35% Cotton, 245g
White S-XXL

A PREMIUM RANGE FOR THE MODERN WORKER

PORTWEST®
COOLING 360°

The Latest in Cooling Technology

This innovative range offers a comprehensive selection of products to help minimise the risk of heat stress and UV rays. Outdoor workers in construction, agriculture, mining, oil and gas and other industries frequently find themselves working in temperatures up to and over 40°C/100°F. This Cooling range is ideal for use in these conditions.



FABRIC INFORMATION

Portwest evaporative cooling products are constructed from Cooling 360° Fabric Technology which uses a unique polymer chemistry. Simply activate by soaking in water creating a chemical reaction within the fabric which enables the garments to act like a sponge; retaining water, keeping the body cool in hot weather conditions.

THE GARMENT WILL REMAIN HYDRATED FOR SEVERAL HOURS

TO REACTIVATE REPEAT STEPS 1, 2 AND 3

PORTWEST COOLING 360°

COOLING VESTS

CV01
COOLING VEST

48

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Cooling mesh fabric
- Lightweight and comfortable
- Front zip opening

100% Polyester Mesh, 60g
Bamboo Yarn with PVA Padding, 330g
Grey S/M-XXL/3XL

NEW FIXED SIDES FOR IMPROVED FIT

KEEP COOL FOR UP TO 8 HOURS

CV23
HIGH VIS COOLING VEST

48 3

AS 4602.1 CLASS D/N

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Cooling mesh fabric
- Premium reflective tape for increased visibility
- Lightweight and comfortable
- Pen pocket

100% Polyester, Tricot, 120g
100% Polyester Mesh, 60g
Bamboo Yarn with PVA Padding, 330g
Orange S/M-XXL/3XL, Yellow S/M-XXL/3XL

DAY & NIGHT

NEW

HELPS STOP THE CORE FROM OVERHEATING

CV09
COOLING EVAPORATIVE VEST

48

AS 4602.1 CLASS D

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Cooling mesh fabric
- Lightweight and comfortable
- Soak in water to activate

100% Polyester, 140g
100% Polyester Micro Mesh (Bird Eye) 140g
Super Absorbent Fibres, 160g
Yellow S/M-XXL/3XL

DAY

NEW

BREATHABLE
BIRD EYE KNIT PANELS

PORTWEST COOLING 360°

COOLING ACCESSORIES

CV05
COOLING NECK SCARF

240 12 | 50+ UPF

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Neck shade for added protection against UV rays
- Lightweight and comfortable
- 50+ UPF rated fabric to block 98% of UV rays
- Soak in water to activate

100% Polyester Micro Mesh (Bird Eye), 140g
PVA Padding, 210g
Blue One Size - 95cm Length

CV03
COOLING CROWN WITH NECK SHADE

144 12 | 50+ UPF

NEW COLOUR

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Neck shade for added protection against UV rays
- Touch tape fastening for easy attachment
- Lightweight and comfortable
- 50+ UPF rated fabric to block 98% of UV rays

100% Polyester, 140g
Super Absorbent Fibres, 160g
Orange/Blue One Size, Yellow/Blue One Size

CV04
COOLING HEAD BAND

144 12 | 50+ UPF

NEW COLOUR

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Neck shade for added protection against UV rays
- Lightweight and comfortable
- 50+ UPF rated fabric to block 98% of UV rays
- Soak in water to activate

100% Polyester Micro Mesh (Bird Eye), 140g
Super Absorbent Fibres, 160g
Black One Size, Blue One Size

CV11
COOLING CROWN BEANIE

144 12

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Elasticated back panel
- Lightweight and comfortable
- Soak in water to activate

100% Polyester Micro Mesh (Bird Eye), 140g
Super Absorbent Fibres, 160g
Blue One Size

PORTWEST COOLING 360°

COOLING ACCESSORIES

96 | 12

50+ UPF

CV06
COOLING TOWEL

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Neck shade for added protection against UV rays
- Lightweight and comfortable
- 50+ UPF rated fabric to block 98% of UV rays
- Soak in water to activate

PVA Padding, 210g
Blue One Size - 66cm Length x 21cm Width

240 | 20

50+ UPF

CS24
COOLING MULTIWAY SCARF

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- 4-way stretch fabric for ease of movement and added comfort
- Can be worn wet or dry
- This product is highly versatile and can be worn in a number of different ways
- Retail box which aids presentation for retail sales

92% Polyester 8% Elastane, 180g
Black One Size

192 | 12

2

CV08
COOLING SLEEVES

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- 4-way stretch fabric for ease of movement and added comfort
- Can be worn wet or dry
- Lightweight and comfortable
- Soak in water to activate

92% Polyester 8% Elastane, 160g
100% Polyester Micro Mesh (Bird Eye) 140g
Blue One Size - Length 41cm

CV07
COOLING HELMET SWEATBAND

240 | 12

2

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Soak in water to activate
- Lightweight and comfortable

100% Cotton, 130g
Super Absorbent Fibres, 160g
Blue One Size - Length 25.5cm

CV10
COOLING SHOULDER INSERT

144 | 12

50+ UPF

- Keeps wearer cool for up to 8 hours
- Wicking, cooling and drying capabilities
- Ring stud front for easy opening
- Lightweight and comfortable
- 50+ UPF rated fabric to block 98% of UV rays
- Soak in water to activate

100% Polyester, 140g
Super Absorbent Fibres, 160g
Yellow/Blue One Size

LADIES WEAR

This collection of Ladies Workwear offers a range of designs and features suitable for many end uses. The best quality fabrics and construction techniques are used, guaranteeing comfort and safety. Tested to withstand the rigours of everyday wear, each garment has been carefully designed and manufactured to ensure optimum quality at the best price.

ML808 - Ladies 2 Tone Lightweight Long Sleeve Shirt with Tape

LADIES - STRETCH DAY NIGHT - LIGHTWEIGHT

2x Stretch

LIGHT WEIGHT 145g

HIGH PERFORMING TECHNICAL STRETCH FABRIC

NEW

Code	Opening	Style	Weight	COLOUR/SIZE			
LS502	**FULL BUTTON OPENING**	Long Sleeve	145g		Orange/Navy 6-24		Yellow/Navy 6-24

LS502
BACK VENT WITH COOL FLOW MESH

LS502
PERFORATED TAPE FOR ADDED BREATHABILITY

MENS STYLE AVAILABLE

MS103 40

KINGSMILL 145 COTTON STRETCH

DAY & NIGHT

BIO MOTION

24 4 50+ UPF

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 4 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Bio motion tape pattern to improve recognition of human shape at distance
- Slim fit design for exceptional comfort
- Two zipped compartments
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 145g

LADIES LONG SLEEVE OPEN FRONT SHIRTS

REGULAR AND LIGHTWEIGHT

ML108
REGULAR WEIGHT
185g

ML808
LIGHT WEIGHT
155g

ML808

ML108

AS 4602.1 CLASS D/N
AS/NZS 1906.4
AS 4399 UPF 50 PLUS

- 2 pockets for secure storage
- 100% Cotton fabric for added comfort and breathability
- Contrast panels for protection against dirt
- Underarm cool flow mesh panel for ventilation
- Back vent with cool flow mesh
- Pen division

100% Cotton Drill

DAY & NIGHT

Code	Opening	Style	Weight	COLOUR/SIZE			
ML108	**FULL BUTTON OPENING**	Long Sleeve	185g		Orange/Navy 6-24		Yellow/Navy 6-24
ML808	**FULL BUTTON OPENING**	Long Sleeve	155g		Orange/Navy 6-24		Yellow/Navy 6-24

100% COTTON FOR COMFORT AND DURABILITY

LADIES UTILITY STRETCH - LIGHTWEIGHT

LIGHT WEIGHT 145g

TECHNICAL STRETCH WORKWEAR

NEW

MENS STYLE AVAILABLE

MS106

Code	Opening	Style	Weight	COLOUR/SIZE					
LS501	**FULL BUTTON OPENING**	Long Sleeve	145g		Black 6-24		Dark Navy 6-24		Sand 6-24

- 4 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Button placket opening
- Two zipped compartments
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 145g

LS501
UNDERARM MESH VENT



LS501
BACK VENT WITH COOL FLOW MESH

LADIES WORKWEAR

MENS STYLE AVAILABLE

B210 181

B209
NAPLES LADIES POLO SHIRT

48 | 30 UPF

AS 4399 UPF30

- Ideal for corporate wear and custom finishes
- Twin-stitched seams for extra durability
- Made using Pique knit polycotton fabric which is soft to touch and comfortable to wear
- Rib collar and cuffs
- Button placket opening
- 30 UPF rated fabric to block 97% of UV rays

65% Polyester, 35% Cotton, 210g
Black XS-XXL
Navy XS-XXL

FLATTERING FIT, DURABLE, COMFORTABLE FABRIC

ML702
LADIES CARGO SHORTS

36 | 6 | 50+ UPF

- 6 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Cargo pocket on side leg
- Rule pocket
- 50+ UPF rated fabric to block 98% of UV rays
- Ladieswear

100% Cotton Drill, 310g
Navy 6-24

CARGO POCKET ON SIDE LEG

LADIES JACKETS

MENS STYLE AVAILABLE

TK40 155

NEW

BREATHABLE WINDPROOF SHOWERPROOF

TK41
CHARLOTTE LADIES SOFTSHELL (2L)

24 X2 6

- 2 layer
- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Micro polar fleece lined and bonded with shell
- Water resistant zips to prevent water penetration
- Drawcord adjustable hem
- Touch tape cuffs for a secure fit

94% Polyester, 6% Elastane, with 100% Polyester Micro Polar Fleece Softshell, 320g
Black XS-XXL, Navy S-XXL

TEXPEL SPLASH

INSULATEX™ THERMAL INSULATION

SHOWERPROOF

MENS STYLE AVAILABLE

S543 147

NEW

S545
ASPEN LADIES BAFFLE JACKET

18 3

- Extremely water resistant fabric finish, water beads away from fabric surface
- Inner soft Insulatex lining traps heat fast keeping the wearer warm and protected from the elements
- Designed with a comfortable fit
- Elasticated cuffs for a secure fit
- Drawcord adjustable hem
- Reversed zip for convenient opening/ closing

100% Nylon, 40g
100% Nylon, 55g
Insulatex Lining, 300g
Black XS-XXL, Navy XS-XXL

TEXPEL SPLASH

EXCELLENT WARMTH RETENTION

HIGHLY BREATHABLE FOR WEARER COMFORT



HOLLOW FIBRES TRAP AIR TO RETAIN BODY HEAT

LADIES STRETCH WORK PANTS

Dynamic Slim Fit

280g NEW

2x Stretch

280g NEW

LP401
LADIES STRETCH SLIM FIT WORK PANTS

- 6 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Slim fit design for exceptional comfort
- Rule pocket
- A thick foam centre cushions the wearers knee
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 280g
Black, Dark Navy, Sand 6 - 22

KINGSMILL 280 COTTON STRETCH MENS STYLE AVAILABLE MP708 165

LP402
LADIES STRETCH SLIM FIT TRADE PANTS

- 10 pockets for ample storage
- Portwest Stretch contains a cotton rich and elastane mix with superior comfort and freedom of movement
- Knee pad pockets to facilitate knee pads
- Reinforced panels in high wear areas for maximum durability
- Slim fit design for exceptional comfort
- 50+ UPF rated fabric to block 98% of UV rays

Kingsmill Cotton Stretch: 98% Cotton, 2% Elastane, 280g
Black, Dark Navy, Sand 6 -22

KINGSMILL 280 COTTON STRETCH MENS STYLE AVAILABLE MP707 167

LADIES WORK PANTS

310g

CARGO WITH TAPE

ML709
LADIES CARGO PANTS WITH TAPE

- 6 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Premium reflective tape for increased visibility
- Cargo pocket on side leg
- Rule pocket
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 310g
Navy 6-24

310g

CARGO

ML708
LADIES CARGO PANTS

- 6 pockets for ample storage
- 100% Cotton fabric for added comfort and breathability
- Cargo pocket on side leg
- Reinforced seams for extra durability and strength
- Rule pocket
- 50+ UPF rated fabric to block 98% of UV rays

100% Cotton Drill, 310g
Navy 6-24

210g

COMBAT NEW

C099
LADIES COMBAT PANTS

- 5 pockets for ample storage
- Easy access cargo pockets
- Phone pocket
- Half elasticated waist for a secure and comfortable fit
- Hook and bar closure
- Jetted pocket

65% Polyester, 35% Cotton, 210g
Black XS-3XL, Navy XS-3XL

KINGSMILL 210 POLY-COTTON

LADIES CHEFS JACKETS

190g

MeshAir™

BREATHABLE
DURABLE
COMFORT

C837
RACHEL LADIES CHEFS JACKET L/S

24 | 1

- Hard wearing durable twill fabric with excellent dye retention
- Non shrinking to ensure that this style maintains its shape wash after wash
- MeshAir aerated mesh fabric on underarm gusset to increase air flow
- Four rows of poppers which can be interchanged
- Sleeve pocket
- Superior styling with French cuffs

Kingsmill: 65% Polyester, 35% Cotton, 190g
MeshAir: 100% Polyester Mesh 110g
White XS-XXL

KINGSMILL 190 POLY-COTTON

MeshAir™

UNDERARM
MESH
GUSSET
C837 / C737

NEW

C737
RACHEL LADIES CHEFS JACKET S/S

24 | 1

- Hard wearing durable twill fabric with excellent dye retention
- Non shrinking to ensure that this style maintains its shape wash after wash
- MeshAir aerated mesh fabric on underarm gusset to increase air flow
- Four rows of poppers which can be interchanged
- Sleeve pocket
- Superior styling with French cuffs

Kingsmill: 65% Polyester, 35% Cotton, 190g
MeshAir: 100% Polyester Mesh 110g
White XS-XXL
Black XS-XXL

KINGSMILL 190 POLY-COTTON

MeshAir™

190g

SUPERIOR COMFORT & PERFORMANCE

C071
RACHEL LADIES CHEFS PANTS

- Hard wearing durable twill fabric with excellent dye retention
- Non shrinking to ensure that this style maintains its shape wash after wash
- 3 pockets for ample storage
- Rear patch pocket
- Half elasticated waist for a secure and comfortable fit
- Side pockets

Kingsmill: 65% Polyester, 35% Cotton, 190g
Black S-XXL

KINGSMILL 50/50 POLY-COTTON

C837
RACHEL LADIES CHEFS JACKET L/S

C071
RACHEL LADIES CHEFS PANTS

CHEFS WEAR

THE PROFESSIONALS CHOICE

S904 - MeshAir Pro Bandana
C738 - MeshAir Pro Jacket S/S

This exclusive range of Chefswear has been designed especially for busy catering professionals. Using high quality, hardwearing fabrics and advanced construction techniques, each style has been tested to withstand the rigours of everyday wear and tear. Practical and stylish with an array of designs from classic to modern, this range has been designed to keep the wearer cool and comfortable in hot working environments.

KINGSMILL™ COTTON

Kingsmill™ Cotton is fully pre shrunk and has excellent dye retention properties. The long staple fibres used in the construction process provide strength, pilling resistance and a quality finish.

KINGSMILL™ POLY-COTTON

Constructed from 65% Polyester, 35% Cotton, **Kingsmill™** fabric guarantees high performance and maximum comfort. The material is fully pre-shrunk, has superior dye retention and all the features you would expect from a modern workwear fabric.



MeshAir™ Pro is a double layer 100% polyester aerated mesh designed to improve airflow and draw moisture away from the skin, leaving the wearer cool, dry and comfortable. The MeshAir Pro 140g fabric features special hollow fibres that enhance air circulation to help regulate body temperature, while the double layer construction offers improved breathability and protection.



Our exclusive range of lightweight 100% cotton chefs jackets feature **MeshAir™** aerated underarm mesh panels. Constructed from 100% polyester, MeshAir aerated mesh 110g helps improve airflow and wicks moisture away from the skin. Special hollow polyester fibres improve air circulation, helping to keep you cool, dry and comfortable.

TEXPEL™ SPLASH OIL+STAIN

Texpel™ SOS, Splash, Oil and Stain is a premium fabric finish which repels oil and liquids, causing them to bead up and roll off the fabric surface. The finish also helps release stains in the washing process, keeping garments looking cleaner for longer.

KINGSMILL, MESHAIR AND TEXPEL ARE TRADEMARKS OF THE PORTWEST GROUP.

CHEFSWEAR
SLIM FIT MESH AIR PRO

MeshAir™ PRO

APRON TAB AND MESH AIR BACK C838 & C738

NEW

NEW

S904
MeshAir PRO BANDANA

144
12

- Cooling mesh fabric
- Durable polyester/cotton fabric with Texpel stain resistant finish
- Non shrinking to ensure that this style maintains its shape wash after wash
- Two ties at the back for a secure fit

Kingsmill with Texpel Finish: 65% Polyester, 35% Cotton, 190g
MeshAir Pro: 100% Polyester Mesh, 140g
X Black One Size, White One Size

C838
MeshAir PRO JACKET L/S

24 | 1

- MeshAir aerated mesh fabric on underarm gusset to increase air flow
- Durable polyester/cotton fabric with Texpel stain resistant finish
- Non shrinking to ensure that this style maintains its shape wash after wash
- Concealed stud front for easy access
- Superior styling with French cuffs
- Slim fit design for exceptional comfort

Kingsmill with Texpel Finish: 65% Polyester, 35% Cotton, 190g
MeshAir Pro: 100% Polyester Mesh, 140g
X White S-3XL
Y Black S-3XL, Slate Grey S-3XL

MeshAir™ PRO | KINGSMILL™ 190 POLY-COTTON | TEXPEL™ SPLASH OIL+STAIN

MeshAir™ PRO | KINGSMILL™ 190 POLY-COTTON | TEXPEL™ SPLASH OIL+STAIN

SLIM FIT MESH AIR PRO

HARD WEARING EASY CARE FABRIC

MeshAir™ PRO

C738
MeshAir PRO JACKET S/S

24 | 1

- MeshAir aerated mesh fabric on underarm gusset to increase air flow
- Durable polyester/cotton fabric with Texpel stain resistant finish
- Concealed stud front for easy access
- Slim fit design for exceptional comfort
- Sleeve pocket
- Apron tab ensures secure placement of your apron

Kingsmill with Texpel Finish: 65% Polyester, 35% Cotton, 190g
MeshAir Pro:100% Polyester Mesh, 140g
X White S-3XL
Y Black S-3XL, Slate Grey S-3XL

MeshAir PRO | KINGSMILL 190 POLY-COTTON | TEXPEL SPLASH OIL+STAIN

C073
MeshAir PRO PANTS

24 | 1

- MeshAir aerated mesh fabric on back of knee and crotch gusset to increase air flow
- Durable polyester/cotton fabric with Texpel stain resistant finish
- Slim fit design for exceptional comfort
- Fully elasticated waistband for ultimate wearer comfort
- Drawcord adjustable waist for a secure and comfortable fit
- Adjustable hem to accommodate all leg lengths

Kingsmill with Texpel Finish: 65% Polyester, 35% Cotton, 190g
MeshAir Pro: 100% Polyester Mesh 140g
X Black S-3XL, Slate Grey S-3XL

MeshAir PRO | KINGSMILL 190 POLY-COTTON | TEXPEL SPLASH OIL+STAIN

CHEFSWEAR POLYESTER/ COTTON JACKETS

LADIES CHEFSWEAR JACKETS AVAILABLE

C737 C837 196

C834
SOMERSET CHEFS JACKET

24 1

- Hard wearing durable twill fabric with excellent dye retention
- Non shrinking to ensure that this style maintains its shape wash after wash
- Five rows of poppers which can be interchanged
- Reversible front closing
- Sleeve pocket
- Cuff vents

Kingsmill: 65% Polyester, 35% Cotton, 190g
X White XS-4XL
Y Black XS-3XL

KINGSMILL 190 POLY-COTTON

4XL XS

STAIN REPELLENT AND ANTI FADING FABRIC

C734
KENT CHEFS JACKET

24 1

- Hard wearing durable twill fabric with excellent dye retention
- Five rows of poppers which can be interchanged
- Reversible front closing
- Sleeve pocket
- Mandarin collar
- Stylish unisex design for multi functional use

Kingsmill: 65% Polyester, 35% Cotton, 190g
X White XS-3XL
Y Black XS-3XL

KINGSMILL 190 POLY-COTTON

CHEFSWEAR PANTS

LADIES CHEFSWEAR PANTS AVAILABLE C071 197

COTTON PANTS

C079
BROMLEY CHEFS PANTS

24 | 1

- 100% Cotton fabric for added comfort and breathability
- Stylish unisex design for multi functional use
- Fully elasticated waistband for ultimate wearer comfort
- Drawcord adjustable waist for a secure and comfortable fit
- Concealed fly zip opening
- Back pocket

100% Cotton, 190g
Black Check XS-4XL

KINGSMILL 190 COTTON

4XL XS

POLYESTER/ COTTON PANTS

C070
DRAWSTRING PANTS

24 | 3

- Hard wearing durable twill fabric with excellent dye retention
- Premium stain resistant finish repels oil, water and grime
- Non shrinking to ensure that this style maintains its shape wash after wash
- Fully elasticated waistband for ultimate wearer comfort
- Drawcord adjustable waist for a secure and comfortable fit
- Back pocket

Kingsmill with Texpel Finish: 65% Polyester, 35% Cotton, 190g
Black XS-4XL

KINGSMILL 190 POLY-COTTON | TEXPEL SPLASH OIL+STAIN

4XL XS

CATERING INDUSTRY ACCESSORIES

S841
POLYCOTTON BIB APRON

72
12

- Hard wearing durable twill fabric with excellent dye retention
- Premium stain resistant finish repels oil, water and grime
- Adjustable neck for a secure fit
- Anti-tangle ties for secure fastening

Kingsmill with Texpel Finish: 65% Polyester, 35% Cotton, 190g
Black, White One Size - W70cm x H95cm

S839
BUTCHERS APRON

72
12

- 100% Cotton fabric for added comfort and breathability
- Adjustable straps for a secure fit
- Anti-tangle ties for secure fastening

100% Cotton, 280g
Navy/White One Size - W70cm x H95cm

S899
CHEFS SKULL CAP

144
12

- Hard wearing durable twill fabric with excellent dye retention
- Premium stain resistant finish repels oil, water and grime
- Adjustable straps for a secure fit

Kingsmill with Texpel Finish: 65% Polyester, 35% Cotton, 190g
White One Size
Black One Size

MeshAir™

COOLING MESH FABRIC

S900
MESHAIR SKULL CAP

144
12

- Hard wearing durable twill fabric with excellent dye retention
- Non shrinking to ensure that this style maintains its shape wash after wash
- Cooling mesh fabric
- Touch tape closure for easy access

Kingsmill™: 65% Polyester, 35% Cotton, 190g
MeshAir: 100% Polyester Mesh 60g
Black One Size, White One Size

CHEFSWEAR

S904 - MeshAir Pro Bandana
C738 - MeshAir Pro Jacket S/S

SAFETY FOOTWEAR

QUALITY ASSURANCE GUARANTEED

FC31 Bunbury Safety Boot
A721 Anti Impact Grip Glove

Innovation, quality components, styling and expert construction define the **PORTWEST** *footwear collections.*

The **PORTWEST** *footwear range offers a wide choice of industry leading styles, engineered for performance and ergonomically designed for maximum comfort, protection and reliability. Strong and flexible construction with innovative and stylish design, ensures longer lasting, superb fitting footwear that will withstand the test of time.*

Portwest®

A premium range of safety footwear manufactured using only the best materials and components. Constructed to provide unbeatable comfort, support and flexibility, this range is designed to protect your feet in the toughest environments.

PORTWEST Steelite®

A superb range of safety footwear manufactured using the finest materials and components. Portwest Steelite® footwear contains protective steel toecaps and/or steel midsoles.

PORTWEST Compositelite®

An exceptional range of safety footwear which is lightweight, flexible and metal free. Portwest Compositelite® footwear contains non metallic protective toecaps and/or non metallic protective midsoles.

INNOVATIVE SAFETY FOOTWEAR FOR DEMANDING ENVIRONMENTS

STEELITE AND PORTWEST COMPOSITELITE ARE REGISTERED TRADEMARKS OF THE PORTWEST GROUP.

STANDARDS

AS 2210.3:2019

This Australian and New Zealand standard specifies basic and additional (optional) requirements for safety footwear used for general purposes. It includes, for example, mechanical risks, slip resistance, thermal risks, ergonomic behaviour. The classification system used to identify the protection provided by the footwear is listed:

Category	Additional requirements
SB	The presence of a safety toecap providing protection against impact injury to the toes caused by falling objects. Level of protection provided is 200 joules. Prevention of compression injury to the toes if trapped under a heavy object. Level of this protection is 15kN.
SBP	As SB standard plus penetration resistance.
S1	As SB standard plus closed seat region, antistatic properties, resistance to fuel oil and energy absorption of seat region.
S1P	As S1 standard plus penetration resistance.
S2	As S1 standard plus water penetration and water absorption resistance.
S3	As S2 standard plus cleated outsole and penetration resistance.
S4	200 joule toecap protection. All rubber or all polymeric footwear with antistatic properties. Resistance to fuel oil, energy absorption of seat region and closed seat region.
S5	As S4 standard plus cleated outsole and penetration resistance.

EN ISO 20345:2011

This international standard specifies basic and additional (optional) requirements for safety footwear used for general purposes. It includes, for example, mechanical risks, slip resistance, thermal risks, ergonomic behaviour. The toecap protects the wearer's toes against risk of injury from falling objects and crushing when worn in work environments where potential hazards may occur. The midsole protects against the foot being pierced by underfoot objects.

Table of additional requirements
for special applications with appropriate symbols for marking.

Requirement		Symbols
Whole Footwear	Penetration resistance	P
	Electrical properties: Antistatic footwear	A
	Resistance to inimical environments: Cold insulation of sole complex	CI
	Energy absorption of seat region	E
	Water Resistant	WR
	Metatarsal protection	M
Upper	Water penetration and absorption	WRU
Outsole	Resistance to hot contact	HRO
	Resistance to fuel oil	FO

All footwear is tested to AS/NZS 2210.3:2009 (Thread strengths)

FOOTWEAR SIZE CHART

UK Ladies Size	1	2	3	4	5	6	6.5	7	8	9									
US Ladies Size			5	6	7	8	8.5	9	10	11									
Euro Size	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
UK Mens Size	1	2	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13	14	15	16	17
US Mens Size					6	7	7.5	8	9	10	11	11.5	12	13	14	15	16	17	18

It is recommended to have your foot measured when purchasing footwear as there is no exact standard for converting shoe sizes.

SYMBOLS

- 200 joule steel toecap
- 200 joule composite toecap
- Pierce resistant steel midsole
- Pierce resistant composite midsole
- Antistatic
- Waterproof
- Water resistant upper
- Waterproof membrane
- Energy absorbing seat region
- Slip resistant outsole
- Oil resistant outsole
- Dual density sole unit
- Mono density sole unit
- Metatarsal protection
- Heat resistant outsole
- 100% non-metallic
- Cold insulation
- Heat insulation
- Full grain leather
- Chemical resistant

SAFETY TRAINER

CUSHIONED FOOTBED TO ENHANCE COMFORT AND PERFORMANCE

Steelite ULTRA S1P

FT15

TOVE TRAINER S1P

AS 2210.3:2019
EN ISO 20345:2011 S1P

- Protective steel toecap
- Pierce resistant steel midsole
- Antistatic footwear
- Energy absorbing seat region
- Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Dual density sole unit

KPU/ Mesh
EVA/Rubber Outsole: F53
Black/Green, Black/Blue UK 3-13
(Half sizes: 6.5, 10.5)

SAFETY TRAINER

GREAT PROTECTION GREAT COMFORT GREAT STYLE

Steelite WORK S1P

FW34

LUSUM SAFETY TRAINER S1P HRO

AS 2210.3:2019
EN ISO 20345:2011

- Protective steel toecap
- Pierce resistant steel midsole
- Antistatic footwear
- Made with cow suede leather for a premium finish
- Energy absorbing seat region
- Slip resistant outsole to prevent slips and trips on ceramic surfaces

Cow Suede Leather
EVA/Rubber Outsole: F15
Black/Red, Black/Yellow UK 3-13 (Half sizes: 6.5, 10.5)

NEW COLOUR

ENGINEERED WITH SAFETY IN MIND

SAFETY TRAINERS

PORTWEST Steelite WORK **S1**

FT50
MERSEY TRAINER S1

AS 2210.3:2019
EN ISO 20345:2011 S1

- Protective steel toecap
- Dual density sole unit
- Energy absorbing seat region
- Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Fuel and oil resistant outsole
- Antistatic footwear

Cow Suede Leather
PU/PU Outsole: F50
Grey UK 6-13
(Half sizes 6.5, 10.5)

SLEEK, SAFE & STYLISH

NEW

PORTWEST Steelite ULTRA **S1P**

FW36
LOIRE LOW CUT TRAINER S1P HRO

AS 2210.3:2019
EN ISO 20345:2011 S1P

- Made with cow suede leather for a premium finish
- Protective steel toecap
- Pierce resistant steel midsole
- Energy absorbing seat region
- Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Dual density sole unit

Cow Suede Leather
EVA/Rubber Outsole: F29
Grey UK 6-12
(Half sizes: 6.5, 10.5)

ENGINEERED OUTSOLE FOR ADDED GRIP AND TRACTION

SAFETY BOOTS

PORTWEST Compositelite® AQUA

S3

FC57

COMPOSITELITE ALL WEATHER BOOT S3 WR

AS 2210.3:2019
EN ISO 20345:2011 S3

- Composite toecap for added protection
- Lightweight composite PU cushioned midsole
- 3D breathable mesh lining
- Protective TPU scuff cap for high impact
- Waterproof membrane
- Energy absorbing seat region

Cow Nubuck Leather
PU/TPU Outsole: F12
Black UK 5-13
(Half sizes: 6.5, 10.5)

WIDE FITTING

WATERPROOF AND BREATHABLE LINING

SAFETY BOOTS

SAFETY FOOTWEAR THAT ALWAYS PERFORMS

Portwest PRO S3

FD10
CLYDE SAFETY BOOT S3 HRO CI HI FO

AS 2210.3:2019
EN ISO 20345:2011 S3

- Protective steel toecap
- Pierce resistant steel midsole
- Full grain leather upper aiding prevention of water
- Moisture wicking inner lining provides reliable protection against cold, damp and heat
- Energy absorbing seat region
- Protective TPU scuff cap for high impact

Full-Grain Leather
PU/Rubber Outsole: F47
Black UK 5-13
(Half sizes 6.5, 10.5)

PROTECTIVE SCUFF CAP

Portwest PRO S3

FD15
EDEN SAFETY BOOT S3 HRO CI HI FO

AS 2210.3:2019
EN ISO 20345:2011 S3

- Protective steel toecap
- Pierce resistant steel midsole
- Full grain leather upper aiding prevention of water
- Quick release zip for instant access
- Energy absorbing seat region
- Protective TPU scuff cap for high impact

Full-Grain Leather
PU/Rubber Outsole: F47
Black UK 5-13
(Half sizes 6.5, 10.5)

QUICK-RELEASE ZIP

PIERCE RESISTANT STEEL MIDSOLE

SAFETY BOOTS

Portwest PRO S3

FC30
ROCKLEY SAFETY BOOT

AS 2210.3:2019
EN ISO 20345:2011 S3

- Full grain leather
- Composite toecap for added protection
- Pierce resistant composite midsole
- Quick release zip for instant access
- Energy absorbing seat region
- Protective TPU scuff cap for high impact

Full-Grain Nubuck Leather
PU/Rubber Outsole: F47
Wheat UK 5-13 (Half sizes 6.5, 10.5)

QUICK-RELEASE ZIP

Portwest PRO S3

FC31
BUNBURY SAFETY BOOT

AS 2210.3:2019
EN ISO 20345:2011 S3

- Composite toecap for added protection
- Pierce resistant composite midsole
- Full grain leather
- Quick release zip for instant access
- Water resistant upper to prevent water penetration
- Padded collar for added comfort

Full-Grain Nubuck Leather
PU/Rubber Outsole: F47
Wheat UK 5-13 (Half sizes: 6.5, 10.5)

QUICK-RELEASE ZIP

SLIP, FUEL AND OIL RESISTANT RUBBER OUTSOLE

SAFETY BOOTS

Steelite WORK SBP

FW35
WELTED PLUS SAFETY BOOT SBP HRO

AS 2210.3:2019
EN ISO 20345:2011 SBP

- Protective steel toecap
- Pierce resistant steel midsole
- Full grain leather
- Reinforced ankle support for exceptional ankle protection
- Slip resistant outsole to prevent slips and trips on ceramic surfaces
- Heat resistant outsole 300°C

Full-Grain Nubuck Leather
Rubber Outsole: F07
Honey UK 6-13
(Half sizes: 6.5, 10.5)

REINFORCED ANKLE SUPPORT

HEEL KICK

Portwest PRO S1P

FT70
WARWICK SAFETY DEALER BOOT

AS 2210.3:2019
EN ISO 20345:2011 S1P

- Protective steel toecap
- Pierce resistant steel midsole
- Full grain leather
- Energy absorbing seat region
- Protective TPU scuff cap for high impact
- Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces

Full-Grain Leather
PU/PU Outsole: F47
Wheat, Black UK 5-13 (Half sizes: 6.5, 10.5)

TPU SCUFF CAP

WIDE FITTING

SAFETY BOOTS

PORTWEST Steelite WORK S1P

FW51
PORTWEST DEALER BOOT S1P

AS 2210.3:2019
EN ISO 20345:2011 S1P

- Protective steel toecap
- Pierce resistant steel midsole
- Full grain leather for long lasting protection
- Energy absorbing seat region
- Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Dual density sole unit

Waxy Full-Grain Buffalo Leather (Brown)
PU/PU Outsole: F02
Brown UK 5-13
(Half sizes 6.5, 10.5)

NEW

PROVEN PERFORMANCE AND VALUE

PORTWEST Steelite WORK S1P

FW10
PROTECTOR BOOT S1P

AS 2210.3:2019
EN ISO 20345:2011 S1P

- Protective steel toecap
- Pierce resistant steel midsole
- Energy absorbing seat region
- Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Dual density sole unit
- Fuel and oil resistant outsole

Split Leather
PU/PU Outsole: F64
Black UK 4-15
(Half sizes: 6.5, 10.5)

REINFORCED COLLAR FOR EXTRA COMFORT

SAFETY BOOTS

PORTWEST Steelite ULTRA S3

FW69
MUSTANG BOOT S3

AS 2210.3:2019
EN ISO 20345:2011

- Protective steel toecap
- Pierce resistant steel midsole
- Full grain leather upper aiding prevention of water
- Water resistant upper to prevent water penetration
- 360° rubber external chassis system
- Energy absorbing seat region

Crazy Horse Leather
PU/TPU Outsole: F12
Brown UK 5-13
(Half sizes 6.5, 10.5)

VEGAN

PORTWEST®

MACHINE WASHABLE FOOTWEAR

30

The Portwest Steelite™ Microfibre food and medical industry products are manufactured without the use of animal products and from high quality microfibre, which is water resistant and machine washable. The single density polyurethane outsole has been developed to self-clean which prevents cross contamination whilst providing excellent slip resistance.

PORTWEST Steelite® MICROFIBRE **S2**

FW80
LACED SAFETY SHOE S2

AS 2210.3:2019
EN ISO 20345:2011 S2

- Protective steel toecap
- Machine washable to 30°
- Water resistant upper to prevent water penetration
- Self-cleaning outsole which prevents cross contamination
- Suitable for vegans
- Specially designed for Clean Room, Medical and Food Industries

Microfibre
PU Outsole: F40
Black UK 2-13
(Half sizes 6.5, 10.5)

PORTWEST Steelite® MICROFIBRE **S2**

FW83
SLIP ON SAFETY BOOT S2

AS 2210.3:2019
EN ISO 20345:2011 S2

- Protective steel toecap
- Water resistant upper to prevent water penetration
- Machine washable to 30°
- Self-cleaning outsole which prevents cross contamination
- Suitable for vegans
- Specially designed for Clean Room, Medical and Food Industries

Microfibre
PU Outsole: F40
White UK 1-13
(Half sizes 6.5, 10.5)

REINFORCED PADDED COLLAR FOR ADDED COMFORT

VEGAN
PORTWEST®

THE PORTWEST ANIMAL FRIENDLY RANGE, 100% VEGAN.

Steelite® MICROFIBRE **SB**

FW82
SAFETY CLOG SB AE WRU

AS 2210.3:2019
EN ISO 20345:2011 SB

- Protective steel toecap
- Water resistant upper to prevent water penetration
- Machine washable to 30°
- Detachable heel strap for added functionality
- Self-cleaning outsole which prevents cross contamination
- Suitable for vegans

Microfibre
PU Outsole: F40
Black UK 1-13
(Half sizes 6.5, 10.5)

Steelite® MICROFIBRE **S2**

FW81
SLIP ON SAFETY SHOE S2

AS 2210.3:2019
EN ISO 20345:2011 S2

- Protective steel toecap
- Water resistant upper to prevent water penetration
- Machine washable to 30°
- Self-cleaning outsole which prevents cross contamination
- Suitable for vegans
- Specially designed for Clean Room, Medical and Food Industries

Microfibre
PU Outsole: F40
Black, White UK 1-13
(Half sizes 6.5, 10.5)

GUMBOOTS

IDEAL FOOTWEAR FOR MINING INDUSTRIES

Portwest WORK

S5

FW95
TOTAL SAFETY GUMBOOT S5

AS 2210.3:2019
EN ISO 20345:2011 S5
EN 13832-2:2006

- Protective steel toecap
- Pierce resistant steel midsole
- 100% waterproof
- Washable nylon inner lining
- Dual density PVC/Nitrile construction
- Chemical resistant

PVC/Nitrile
PVC/Nitrile Outsole: F06
Black UK 5-13 (Half sizes 10.5)
White UK 5-13 (Half sizes 10.5)
Height 40cm

GUMBOOTS

MAXIMUM PROTECTION IN HARSH CONDITIONS

Portwest WORK

S4

FW84
SAFETY FOOD GUMBOOT S4

AS 2210.3:2019
EN 13832-2:2006
EN ISO 20345:2011 S4

- Protective steel toecap
- 100% waterproof
- Chemical resistant
- Energy absorbing seat region
- Fuel and oil resistant outsole
- Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces

PVC/Nitrile
PVC/Nitrile Outsole: F06
White UK 3-13
(Half sizes 6.5, 10.5)
Height 40cm

Portwest OCCUPATIONAL

04

FW90
PVC GUMBOOT

EN ISO 20347:2012

- 100% waterproof
- Shock absorption in the heel region
- Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Fuel and oil resistant outsole
- Antistatic footwear

PVC
PVC Outsole: F36
Black UK 6-12
(Half sizes 6.5, 10.5)

INSOLES AND SOCKS

CUSHION COMFORT ALL DAY LONG

FC81
ULTIMATE COMFORT INSOLE

200 / 10

- Energy absorbing seat region
- Retail bag which aids presentation for retail sales
- Available in 3 standard sizes that can be trimmed to fit your ideal shoe size

EVA, Polyester, Gel, Latex
Blue
Small: (UK: 4-6)
Medium: (UK: 6.5-10)
Large: (UK: 10.5-12)

FC90
GEL CUSHIONING INSOLE

50 / 25

- Available in 3 standard sizes that can be trimmed to fit your ideal shoe size
- Energy absorbing seat region
- Retail box which aids presentation for retail sales

Polymer Gel
Grey
Small: (UK: 4-6)
Medium: (UK: 6.5-10)
Large: (UK: 10.5-12)

82g

SK11
THERMAL SOCK

144 / 6

- Retail tag which aids presentation for retail sales
- Sock height 25cm

55% Cotton, 15% Nylon, 15% Wool, 15% Acrylic
Blue, Grey S,L

113g

SK18
EXTREME COLD WEATHER SOCK

144 / 6

SATRA TM 436

- Retail tag which aids presentation for retail sales
- Sock height 40cm
- Polyolefin insulating material

40% Wool, 40% Acrylic, 20% Nylon
Black, Navy S, L

87g

SK33
WORK SOCK 3 PACK

48 / 6

- Retail tag which aids presentation for retail sales
- Sock height 32cm

79% Acrylic, 15% Nylon, 6% Polyester
Black S, L

PORTWEST®
EXCEPTIONAL CARE FOR YOUR FEET
SK18
FC31
214

HAND PROTECTION RANGE

Constructed from the best materials and manufactured using state-of-the-art methods, the **PORTWEST** hand protection range offers the complete hand protection solution.

PORTWEST's extensive range of specialist gloves offer maximum comfort and protection against work place hazards and harsh working environments, including; cuts, punctures, abrasions, oil, chemicals, infection, extreme heat, extreme cold, wet, dry, contact heat and flame.

A745 - Impact Pro Cut Glove

PORTWEST®

CHOOSING THE RIGHT GLOVE SIZE

HOW TO MEASURE:

Place your right hand on the diagram with the line between your thumb and index finger. The line closest to the right side of your hand indicates the best fitting glove size.

OR

Measure the circumference of your hand at the palm using a tape measure. The size chart below explains which size glove will fit you best.

GLOVE & HAND SIZE CHART AS PER STANDARD EN420

Hand Size	6	7	8	9	10	11	12	13
Palm Circumferences (mm)	6"	7"	8"	9"	10"	11"	12"	13"
Hand Length (inches)	6-6½	6½- 7	7- 7½	7½	8	8½	9	9½
Minimal Glove Length (inches)	8½	9	9½	9½-10	10-10½-	10½-11	11½-12	12½
Glove Size	XS / 6	S / 7	M / 8	L / 9	XL / 10	XXL / 11	3XL/12	4XL/13
Portwest Cuff Colour Code								

Knitting gauge

This symbol denotes the knitting gauge of the glove liner

7 10 12 13 15 18

HEAVY FINE

THE AUSTRALIAN/NEW ZEALAND GLOVE STANDARDS AS/NZS 2161 HAVE BEEN REPRODUCED FROM THE EQUIVALENT EUROPEAN STANDARDS.

Protective Gloves : General Requirements
EN 420: 2003 + A1 2009 (AS/NZS 2161.2)

This standard defines the general requirements for glove design and construction, innocuousness, cleaning instructions, electrostatic properties, sizing, dexterity, water vapour transmission and absorption along with marking and information.

EN407

Protective Gloves Against Thermal Risks (Heat and/or Fire) - EN 407: 2004 (AS/NZS 2161.4)

This standard specifies thermal performance for protective gloves against heat and/or fire. The heat and flame pictogram is accompanied by a 6 digit number.

1 3 1 2 1 2

REQUIREMENTS

PERFORMANCE LEVELS 1-4
f: RESISTANCE TO A LARGE MELTING METAL SPRAY:
Amount of spray required to raise the glove to a certain temperature.

PERFORMANCE LEVELS 1-4
e: RESISTANCE TO SMALL MELTING METAL SPRAY:
Amount of spray required to raise the glove to a certain temperature.

PERFORMANCE LEVELS 1-4
d: RESISTANCE TO RADIATING HEAT:
Time required to raise a given temperature level.

PERFORMANCE LEVELS 1-4
c: RESISTANCE TO CONVECTIVE HEAT:
Time during which the glove is able to delay the transfer of heat of a flame.

PERFORMANCE LEVELS 1-4
b: RESISTANCE TO CONTACT HEAT:
Tests the temperature change on the inside of the glove when in contact with a heat source (100°C to 500°C). Pass requirement is 15 seconds. See figure B below.

PERFORMANCE LEVELS 1-4
a: RESISTANCE TO FLAMMABILITY:
Time during which the material remains lit and continues to be consumed after the ignition source has been eliminated.

B: RESISTANCE TO CONTACT HEAT:

Performance Level	Contact Temperature (°C)	Threshold Time (Second)
1	100°C	≥15s
2	250°C	≥15s
3	350°C	≥15s
4	500°C	≥15s

EN388 2016

1 3 4 1 E P

Protective Gloves Against Mechanical Risks – EN388:2003, EN388:2016

Over recent years, changes in the manufacturing process of protective gloves has meant that the well established method of hand protection testing (EN388:2003), and in particular the test to assess protection against cuts has now been deemed no longer fit for purpose. Whilst the old system in EN388:2003 and its 1-5 numbering system was easy to understand, the development of newer cut resistant materials combined with a drive from industry to provide the highest level of cut protection possible meant that the method for testing hand protection needed to be revised.

EN388:2016 seeks to update the standard and by doing this, 2 tests have been revised (abrasion and cut) and 2 new tests have been included (straight blade cut resistance and impact resistance).

EN388:2003 standard specifies physical and mechanical aggression caused by abrasion, blade cut, tearing and puncture.

EN388:2016 updates the existing standard with a new test method for abrasion, blade cut & impact resistance.

EN ISO 13997:1999 (TDM test) records cut results as a Newton value - the force of the blade on the glove material needed to cut through the material 20mm. The results are represented on a scale A-F.

REQUIREMENTS

Performance Level P
Impact Resistance
Impact-resistant properties to 5J
2016 ONLY

Performance Levels A – F
STRAIGHT BLADE CUT RESISTANCE:
(TDM cut test) Measures the average load to achieve the moment of cut-though
2016 ONLY

PERFORMANCE LEVELS 1-4
d: PUNCTURE RESISTANCE:
Force required to pierce the sample with a standardised punch.

PERFORMANCE LEVELS 1-4
c: TEAR RESISTANCE:
Maximum force required to tear the sample.

PERFORMANCE LEVELS 1-5
b: BLADE CUT RESISTANCE:(Coup cut test)
Number of cycles required to cut through the sample at constant speed.

PERFORMANCE LEVELS 1-4
a: ABRASION RESISTANCE:
Number of cycles required to hole the sample at constant speed.

EN388:2003	Level 1	Level 2	Level 3	Level 4	Level 5
Abrasion resistance (number of cycles)	100	500	2,000	8,000	-
Blade cut resistance (index)	1.2	2.5	5	10	20
Tear resistance (N)	10	25	50	75	-
Puncture resistance (N)	20	60	100	150	-

EN ISO 13997:1999 TDM	Level A	Level B	Level C	Level D	Level E	Level F
Cut resistant test levels (N)	2	5	10	15	22	30

NEW CUT LEVEL ICON

To simplify the change from the 2003 cut standard to the 2016 version Portwest has included a simple indicator showing the old standard and the new.

It is worth noting that there is no direct comparison between the two standards. For example "Cut Level 5's" have no equivalent level in the 2016 standard.

EN374

Protective Gloves : Against Chemicals And Micro-Organisms EN ISO 374-1:2016 Terminology and performance requirements for chemical risks.

New to the standard - There are now 3 standard classes related to the performance level and number of chemicals they protect against. There are 6 additional chemicals to test against. There is a requirement to test for degradation EN 374-4:2013. EN374-3:2003 is withdrawn and is replaced by EN 16523-1:2015. Gloves longer than 400mm will have to be additionally tested in the cuff area. The requirement for testing to EN388 has been removed. The "low chemical" or "Waterproof" beaker symbol has been withdrawn.

ISO 374-1:2016/Type C

X - Low Chemical

ISO 374-1:2016/Type B

XYZ

ISO 374-1:2016/Type A

UVWXYZ

Code	Chemical	Class
A	Methanol	Primary alcohol
B	Acetone	Ketone
C	Acetonitrile	Nitrile compound
D	Dichloromethane	Chlorinated paraffin
E	Carbon disulphide	Sulphur containing organic compound
F	Toluene	Aromatic hydrocarbon
G	Diethylamine	Amine
H	Tetrahydrofurane	Hetero-cyclic and ether compound
I	Ethyl acetate	Ester
J	n-Heptane	Saturated hydrocarbon
K	Sodium hydroxide 40%	Inorganic base
L	Sulphuric acid 96%	Inorganic Mineral Acid
M	65% Nitric Acid	Inorganic mineral acid, oxidising
N	99% Acetic Acid	Organic acid
O	Ammonia hydroxide 25%	Organic acid
P	30% Hydrogen peroxide	Peroxide
S	40% Hydofluoric acid	Inorganic inerla acid, contact poison
T	37% Formaldehyde	Aldehyde

EN 374-2:2014 Determination of resistance to penetration

There are no major changes from EN374-2:2003

ISO 374-5:2016

Marking of gloves protecting against, bacteria and fungi

EN 374-4:2013 Determination of resistance to degradation by chemicals (DR)

New to the standard – tests puncture resistance before and after exposure to a challenge chemical. The average of the performance will be recorded in the usersheet as a percentage (%).

EN ISO 374-5:2016 Terminology and performance requirements for micro-organisms risks

Microorganisms are classed as bacteria, viruses or fungi. Gloves protecting against viruses must also pass ISO16604:2004.

ISO 374-5:2016

Additional marking for Virus

BS EN 16523-1:2015 Determination of material resistance to permeation by chemicals. Permeation by liquid chemical under conditions of continuous contact.

This test is similar to EN374-3 therefore gloves certified to EN374-3 do not need to be retested.

EN 16350:2014 Protective Gloves: Electrostatic Properties

This European standard specifies a test method for the electrostatic properties of gloves. The test improves on EN1149 as it requires a lower vertical resistance of less than 10^8 ohms. Gloves tested to EN16350:2014 can be used in areas where there may be an increased risk of explosion, such as in a refinery.

EN12477

Protective Gloves For Welders EN 12477: 2001

This European Standard specifies requirements and test methods for protective gloves for use in manual metal welding, cutting and allied processes. According to their performance, protective gloves for welders are classified into two types.

Type A: Lower dexterity (with higher other performance).
Type B: Higher dexterity (with lower other performance).

EN511

Protective Gloves Against Cold EN 511:2006 (AS/NZS 2161.5)

The European Standard specifies the requirements and test methods for gloves which protect against convective and contact cold down to -50 degrees Celsius. This cold can be linked to the climate conditions or an industrial activity.

3 3 1

REQUIREMENTS
Performance Levels 0-1 C: Water Penetration
Performance Levels 1-4 B: Resistance To Contact Cold
Performance Levels 1-4 A: Resistance To Convective Cold

EN ISO 10819

Protective Gloves: Mechanical Vibration And Shock EN 10819:1996

This European Standard specifies a method for the laboratory measurement, the data analysis and reporting of the vibration transmissibility of gloves in terms of vibration transmission from a handle to the palm of the hand in the frequency range from 31.5 Hz to 1250 Hz. The standard is intended to define a screening test for the vibration transmission through gloves.

THE COMPLETE PORTWEST HAND PROTECTION RANGE

WATER REPELLENT

Water repellent nano coating for light splash applications. Using innovative technology these gloves repels water and heavy oils. Liquid placed on these gloves rolls off, protecting the underlying surface.

IMPACT PROTECTION

The latest development in glove technology, this collection of specially designed gloves provide protection to hands from impact hazards. Portwest Anti-Impact gloves utilise the latest research in materials technology in order to absorb a maximum amount of force from impacts.

CHEMICAL PROTECTION

Working environments using hazardous chemicals and substances can be extremely harmful to workers and the correct protection is a must. Portwest supplies a range of gloves which are fully tested and certified to protect from a range of chemicals.

COLD PROTECTION

When cold thermal hazards are present, the hands' motor skills can be greatly reduced, this leads to increased risks of accidents and injury. Specially designed thermal protective gloves are available to combat these hazardous environments.

SPECIALIST HAND PROTECTION

The Portwest Pro range is a combination of highly specialised gloves which have been designed for very specific tasks. The use of these gloves with the right task will preform better than any other glove which has been designed for more general purposes.

PREMIUM CUT PROTECTION

Hand injury is one of the most frequent types of accident reported in the working environment, with cuts and lacerations the biggest concern in this area. Portwest's range of cut resistant gloves gives varying degrees of protection depending on what level is required.

MULTI PURPOSE WORK GLOVES

One of the best selling ranges of gloves globally, the Drivers and Riggers collection houses a large selection of work gloves made from premium genuine and synthetic leather. This affords the user the best in breathability, durability, comfort and dexterity.

MAXIMUM GRIP GLOVES

The General Handling and Grip Glove category is still one of the most popular collections within Portwests' Hand Protection Range. A carefully selected range of coatings, including Latex, Nitrile, Polyurethane and PVC, provides a broad range of styles suited to a diverse range of tasks.

WELDING PROTECTION GLOVES

Higher levels of protection are needed when a worker is dealing with extremely hot temperatures and heated materials. The Portwest Weld range has an expanding selection of hand protection solutions suitable for all welding and thermal risk.

HEAT SAFE GLOVES

The Heat Protection range provides hand protection against temperatures ranging from 100 degrees to 500 degrees for contact heat, while maintaining exceptional hand dexterity. Trusted to safeguard hands against heat hazards in all work environments.

ANTISTATIC GLOVES

Designed to dissipate static electricity, the Portwest ESD glove range has been tested to EN16350, a glove specific standard, to ensure protection of electronic devices from the risk of damage by electrostatic phenomena and static charge. Ideal for use in electrical component manufacturing.

DURABLE GRIP GLOVES

Designed to enhance grip for precision work, this collection protects from a broad range of hazards. The gloves are constructed from highly engineered textiles and offer an extensive selection of colours, lining, and size options. This collection is suitable for mechanic applications, general construction, material handling, carpentry and utility work.

FOOD SAFE GLOVES

The Food Safe glove range does not alter food on contact ensuring human health and product composition is protected. The range features disposable and non-disposable working gloves, promoting dexterity, durability and cut protection.

LIQUID BARRIER GLOVES

The ultimate barrier to water, liquids and non-aggressive substances. The Aqua range includes both highly water resistant and water proof gloves.

ARC FLASH GLOVES

Designed to offer outstanding protection in the most challenging environments, where there is an increased risk of electric arc. These specialist gloves greatly reduce the damaging effects of electric arc by providing the wearer with exceptional protection against ARC flash burns and cuts.

PORTWEST®
CT SERIES

Introducing the new Portwest CT Series collection of premium cut resistant gloves.

State-of-the-art production techniques ensures that these gloves contain no glass or steel fibres while offering excellent levels of cut resistance including D, E and F.

- **Steel and Glass Fibre Free**
- **Ideal for Sensitive Skin**
- **Level D to Level F Cut Resistant Protection**

CT VHR NITRILE FOAM

CT AHR NITRILE FOAM

CT HR NITRILE FOAM

CUT F

NEW

CT67
CT AHR NITRILE FOAM

144 12 | CE | 13 | 40°

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X43F

- 13 gauge liner for extra dexterity
- Level F cut resistance
- Free from glass and steel fibres
- Retains cut performance level for up to 10 washes
- Wash at 40°C using non-biological detergent, re-shape after wash. Do not tumble dry.
- 100% breathable seamless liner

UHWPE, Nitrile Foam
Grey/Black XS-XXL

RETAINS CUT PERFORMANCE FOR UP TO 10 WASHES

EN388 2016
4X43F

GRIP | CUT | EN 388 CUT 2003 - 2016 F

A667
CLAYMORE AHR CUT GLOVE

144 12 | CE | 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X43F

- Level F cut resistance
- Maximum cut resistance according to EN388:2016
- Excellent durability and grip in wet and dry conditions
- Double sandy nitrile coating
- Double dipped coating for durability
- Seamless 13 gauge liner

HPPE, Steel Fibre, Glass fibre, Nitrile Sandy
Blue/Black M-XXL

EN388 2016
4X43F

GRIP | CUT | EN 388 CUT 2003 - 2016 F

CUT E

NEW

CT65
CT VHR NITRILE FOAM

144 12 CE 15

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X43E

- 15 gauge liner for extra dexterity
- Level E cut resistance
- Free from glass and steel fibres
- Retains cut performance level for up to 10 washes
- 100% breathable seamless liner
- Nitrile foam coating for excellent grip in wet and dry conditions

UHWPE, Nitrile Foam
Grey/Black XS-XXL

RETAINS CUT PERFORMANCE FOR UP TO 10 WASHES

EN388 2016
4X43E

GRIP CUT EN 388 CUT - E 2003 2016

A665
VHR ADVANCED CUT GLOVE

144 12 CE 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X44E

- Level E cut resistance
- Nitrile foam coating for excellent grip in wet and dry conditions
- Palm dipped to increase dexterity and ventilation
- Seamless 13 gauge liner
- Retail bag which aids presentation for retail sales

HDPE, Stainless Steel, Glass fibre, Nitrile Foam
Grey S-XXL

EN388 2016
4X44E

GRIP CUT EN 388 CUT 5 E 2003 2016

CUT D

AP81
LIQUID PRO HR CUT GLOVE

144 12 CE 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3X43D

- Level D cut resistance
- Liquid Pro offers maximum liquid protection
- Dual latex coating for additional protection in tough conditions
- Seamless 13 gauge liner
- Retail tag which aids presentation for retail sales

HPPE, Nylon, Glass fibre, Latex, Latex Foam
Blue XS-XXL

EN388 2016
3X43D

GRIP AQUA CUT EN 388 CUT - D 2003 2016

AP50
AQUA CUT PRO GLOVE

144 12 CE 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X44D

- Level D cut resistance
- Prevents grease, oil and water penetration
- Protects against cuts and abrasion
- Sandy finish for exceptional grip in water, grease or oil
- Seamless 13 gauge liner
- Retail tag which aids presentation for retail sales

HPPE, Glass fibre, Nitrile, Nitrile Foam
Blue/Black S-XXL

EN388 2016
4X44D

GRIP AQUA CUT EN 388 CUT 5 D 2003 2016

EXCELLENT GRIP IN WET AND OILY CONDITIONS

CUT D

RETAINS CUT PERFORMANCE FOR UP TO 10 WASHES

NEW

CT45
CT HR NITRILE FOAM

144 12 | CE | 18 | 40°

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X42D

- 18 gauge liner for extra dexterity
- Level D cut resistance
- Free from glass and steel fibres
- Retains cut performance level for up to 10 washes
- Wash at 40°C using non-biological detergent, re-shape after wash. Do not tumble dry.
- 100% breathable seamless liner

UHWPE, Nitrile Foam
Grey/Black XS-XXL

EN388 2016
4X42D

FREE FROM GLASS AND STEEL FIBRES

GRIP | CUT | EN 388 CUT - D 2003 2016

250°C CONTACT HEAT RESISTANCE

NEW

A611
ARAMID HR CUT LATEX GLOVE

144 12 | CE | 10

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .4
EN 420
EN 388:2016 - 3X43D
EN 407 X2XXXX

- Level D cut resistance
- Ideal for the glass industry
- Durable Aramid cut resistant liner
- Crinkle latex grip offers excellent grip
- Excellent durability and grip in wet and dry conditions
- 10 gauge liner for dexterity

Polyester, Aramid, Steel Fibre, Glass fibre, Latex
Black/Blue S-3XL

EN388 2016
3X43D

EN407
X2XXXX

GRIP | HEAT | CUT | EN 388 CUT - D 2003 2016

CUT D

A645
GREEN CUT - NITRILE FOAM

144 12 | CE | 13 | 40°

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X44D
CE FOOD SAFE

- Level D cut resistance
- Protects against cuts and abrasion
- Nitrile foam coating for excellent grip in wet and dry conditions
- 100% breathable seamless liner
- 13 gauge liner for extra dexterity
- Retail bag which aids presentation for retail sales

HDPE, Glass fibre, Nitrile Foam
Green/Black S-XXL

EN388 2016
4X44D

GRIP | FOOD SAFE | CUT 5 D (EN 388 CUT 2003 2016)

A621
CUT 3/4 NITRILE FOAM GLOVE

144 12 | CE | 13

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .4
EN 420
EN 388:2016 - 4X43D
EN 407 X1XXXX

- Level D cut resistance
- Superb abrasion and tear resistance
- 3/4 dipped for increased protection
- Nitrile foam coating for excellent grip in wet and dry conditions
- 100% breathable seamless liner
- 13 gauge liner for extra dexterity

HDPE, Glass fibre, Nitrile Foam, Nitrile Foam
Black S-3XL

100% BREATHABLE SEAMLESS LINER

EN388 2016
4X43D

EN407
X1XXXX

GRIP | HEAT | CUT 5 D (EN 388 CUT 2003 2016)

CUT D

A625
VIS-TEX CUT RESISTANT GLOVE -PU

144 12 | CE | 13 | 2

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .4
EN 420
EN 388:2016 - 4X43D
EN 407 X1XXXX

- Level D cut resistance
- Tested for both cut and heat protection
- High visibility liner
- Smooth PU coating for increased abrasion resistance
- 100% breathable seamless liner
- 13 gauge liner for extra dexterity

HPPE, Glass fibre, PU
Yellow/Black S-XXL

EN388 2016 — 4X43D
EN407 — X1XXXX

GRIP | HEAT | CUT | EN 388 CUT 5 D 2003 2016

13 GAUGE LINER FOR EXTRA DEXTERITY

A689
14 INCH (35CM) CUT RESISTANT SLEEVE

192 12 | CE | 13 | 2 | 1 | 40°

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .4
EN 420
EN 388:2016 - 4X4XD
EN 407 X1XXXX
CE FOOD SAFE

- Level D cut resistance
- CE foodsafe
- 14 inch (35cm) cut resistant protective tubular sleeve
- Thumb hole for secure fit
- Sold in singles
- 13 gauge liner for extra dexterity

HPPE, Glass fibre
Grey One Size

14 INCH (35CM)

EN388 2016 — 4X4XD
EN407 — X1XXXX

FOOD SAFE | CUT | EN 388 CUT 5 D 2003 2016

CUT C

A622
MR CUT PU PALM GLOVE

144 12 | CE | 13 | 2

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .4
EN 420
EN 388:2016 - 4X43C
EN 407 X1XXXX

- Level C cut resistance
- Superb abrasion and tear resistance
- Smooth PU coating for increased abrasion resistance
- 100% breathable seamless liner
- 13 gauge liner for extra dexterity
- Retail bag which aids presentation for retail sales

HPPE, Elastane, Glass fibre, Elastic, Polyester, PU
Grey XS-3XL

EN388 2016 4X43C
EN407 X1XXXX

GRIP | HEAT | CUT | EN 388 CUT 5 C 2003 2016

AP52
DEXTI CUT ULTRA GLOVE

360 12 | CE | 13 | 2

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X42C

- Level C cut resistance
- Sandy finish for exceptional grip in water, grease or oil
- Reinforced thumb crotch for extra protection and durability
- Low linting construction for minimal contamination
- 13 gauge liner for extra dexterity
- Retail tag which aids presentation for retail sales

HDPE, Glass fibre, Nitrile, Nitrile Sandy
Blue/Black S-XXL

EN388 2016 4X42C

GRIP | CUT | EN 388 CUT 5 C 2003 2016

NEW

REINFORCED THUMB CROTCH AREA FOR EXTRA PROTECTION

CUT B

A620
LR CUT PU PALM GLOVE

144 12 | CE | 13 | 2

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .4
EN 420
EN 388:2016 - 4X41B
EN 407 X1XXXX

- Level B cut resistance
- Palm dipped to increase dexterity and ventilation
- Smooth PU coating for increased abrasion resistance
- 100% breathable seamless liner
- 13 gauge liner for extra dexterity
- Retail bag which aids presentation for retail sales

HPPE, PU
Grey XS-3XL

EN388 2016 — 4X41B
EN407 — X1XXXX

GRIP | HEAT | CUT — EN 388 CUT 3 B 2003 2016

PALM DIPPED FOR EXTRA DEXTERITY

A643
AMBER CUT - NITRILE FOAM

144 12 | CE | 13 | 2 | 40°

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X42B
CE FOOD SAFE

- Level B cut resistance
- Nitrile foam coating for excellent grip in wet and dry conditions
- Palm dipped to increase dexterity and ventilation
- 100% breathable seamless liner
- Suited for food processing plants, resistant to greases, animal fats and oils
- 13 gauge liner for extra dexterity

HPPE, Polyester, Elastane, Nitrile Foam
Amber S-XXL

EN388 2016 — 4X42B

GRIP | FOOD SAFE | CUT — EN 388 CUT 3 B 2003 2016

IMPACT

A745
IMPACT PRO CUT GLOVE

48 12 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .4
EN 420
EN 388:2016 - 3X42FP
EN 407 X2XXXX

- Maximum impact protection using TPR pod technology
- Level F cut resistance
- Premium leather with a reinforced palm for ultimate durability
- Wrist strap for secure handling
- Highly protective cut resistant liner for added security against cut hazards
- Retail tag which aids presentation for retail sales

Full-Grain Cow Leather, HPPE, Stainless Steel, Cotton, TPR
Grey M-4XL

EN388 2016 3X42FP
EN407 X2XXXX
4XL

IMPACT HEAT CUT EN 388 CUT - F 2003 2016

ABSORBS IMPACT ENERGY TO PROTECT HANDS

A723
TPV IMPACT CUT GLOVE

96 12 CE 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X43CP

- Innovative TPV material for supreme impact Protection
- Level C cut resistance
- Reinforced padded palms
- Flexible sandy nitrile coating offers great grip in wet and dry conditions
- 100% breathable seamless liner
- Low linting construction for minimal contamination

TPV, HDPE, Nitrile Foam
Grey/Black M-XXL

EN388 2016 4X43CP

IMPACT CUT EN 388 CUT 5 C 2003 2016

A722
ANTI IMPACT CUT RESISTANT GLOVE

72 12 CE 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X43CP
EN 407 X1XXXX

- Level C cut resistance
- Maximum impact protection using TPR pod technology
- Nitrile foam coating for excellent grip in wet and dry conditions
- Reinforced thumb crotch for extra protection and durability
- Hook and loop strap for safe secure fit
- 13 gauge liner for extra dexterity

HPPE, Glass fibre, TPR, Brushed Acrylic, Nitrile
Grey/Black S-3XL

EN388 2016 4X43CP
EN407 X1XXXX

IMPACT HEAT CUT EN 388 CUT 5 C 2003 2016

A721
ANTI IMPACT GRIP GLOVE

96 12 CE 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4241XP

- Maximum impact protection using TPR pod technology
- Nitrile foam coating for excellent grip in wet and dry conditions
- Hook and loop strap for safe secure fit
- Highly durable and impact resistant
- 13 gauge liner for extra dexterity
- Retail tag which aids presentation for retail sales

TPR, Polyester, Nitrile
Yellow/Orange S-3XL

EN388 2016 4241XP

IMPACT GRIP

MECHANIC

A700
GENERAL UTILITY - HIGH PERFORMANCE GLOVE

144
12

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 1111X

- High performance multi-purpose glove
- Lightweight and comfortable
- Reinforced stitching on the thumb for extra strength
- Low linting construction for minimal contamination
- Wrist support and protection
- Retail tag which aids presentation for retail sales

Synthetic Leather, Elastane
Black M-XXL

EN388
2016
1111X

GRIP MECHANIC

A710
TRADESMAN - HIGH PERFORMANCE GLOVE

144
12

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 1131X

- Highly durable synthetic leather with spandex and neoprene
- Additional knuckle padding for extra protection
- Reinforcement stitching on palms and fingers
- Superior strength and comfort
- Hook and loop strap for safe secure fit
- Retail tag which aids presentation for retail sales

Synthetic Leather, Rubber, Elastane, Neoprene
Black M-XXL

EN388
2016
1131X

GRIP MECHANIC

HIGH PERFORMANCE GLOVES

PRO

REDUCES THE EFFECTS OF VIBRATIONS FROM POWER TOOLS

A790
ANTI VIBRATION GLOVE

100 10 | CE | 10

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4142X
EN 10819 (TRM = 0.865 TRH = 0.598)

- Specially designed to reduce the effects of vibration
- For use with jack hammers, concrete breakers etc
- Specially formulated rubber chloroprene
- Lightweight and comfortable
- 10 gauge liner for dexterity
- Retail tag which aids presentation for retail sales

Cotton, Nylon, Rubber Chloroprene
X Black M-XXL

EN388 2016 — 4142X
EN 10819 — TRM=0.62 TRH=0.55

PRO | IMPACT

A780
ARC GRIP GLOVE

144 12 | CE | 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4X42D
EN 407 X1XXXX
ASTM F2675-13 2

- Level D cut resistance
- ARC Grip glove provides a high level of protection against ARC flash burns and cuts
- Flame-resistant neoprene coated palm allows for excellent grip
- FR aramid thread for extra durability and protection
- Superb Arc-Flash Protection: Arc Rating (ATPV) = 9.5 cal/cm2
- 13 gauge liner for extra dexterity

Aramid, Neoprene
X Green/Black M-XXL

EN388 2016 — 4X43CP
EN407 — X1XXXX

PRO | HEAT | CUT | EN 388 CUT - D (2003 2016)
GRIP | ARC FLASH

ARC FLASH PROTECTION

NANO GRIP GLOVES WITH NANO LIQUID REPELLENT COATING

AP02
THERMO PRO ULTRA

144 12 | CE | 10 |

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .5
EN 420
EN 388:2016 - 4242X
EN 511 X2X

- Water repellent nano coating for light splash applications
- Twin liner traps in heat through increased insulation
- Sandy finish for exceptional grip in water, grease or oil
- Low linting construction for minimal contamination
- 10 gauge liner for dexterity
- Retail tag which aids presentation for retail sales

Acrylic, Nitrile Sandy
Orange/Black S-XXL

EN388 2016 4242X
EN511 X2X

NANO GRIP THERM

AP62
DERMIFLEX AQUA GLOVE

360 12 | CE | 15 |

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4131X

- Water repellent nano coating for light splash applications
- Flexible sandy nitrile coating offers great grip in wet and dry conditions
- Lightweight and comfortable
- 15 gauge liner for extra dexterity
- Retail tag which aids presentation for retail sales

Nylon, Elastane, Nitrile Sandy
Grey/Black S-XXL

EN388 2016 4131X

NANO GRIP

HIGHLY WATER REPELLENT NANO TEXTURE COATING

FOR LIGHT SPLASH APPLICATIONS

SUPERB ABRASION RESISTANT NITRILE SANDY PALM

AQUA

COMPLETE WATERPROOF PROTECTION

AP80
LIQUID PRO

216 / 12 | CE | 13 | EN388 2016 4131X

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4131X

- Liquid Pro offers maximum liquid protection
- Dual latex coating for additional protection in tough conditions
- Elasticated cuffs for a secure fit
- Lightweight and comfortable
- 13 gauge liner for extra dexterity
- Retail tag which aids presentation for retail sales

Nylon, Latex, Latex Foam
Blue S-XXL

EN388 2016
4131X

AQUA GRIP

LATEX DIPPED FOR MAXIMUM GRIP

A002
METAL FREE GLOVE CLIP

X18 / 40

- Keeps gloves safe and secure
- Engineered using dielectric material, which is non-conductive, and non-corrosive
- Safety breakaway which prevents entanglement
- For use in construction, landscaping, agriculture and forestry
- Retail box which aids presentation for retail sales

Acetyl, Santaprene
Yellow One Size



NEVER LOSE YOUR GLOVES

A335
DERMI-GRIP NPR15 NITRILE SANDY

288 | 12 | CE | 15 | EN388 2016 4131X

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4131

- Nitrile sandy coating
- Lightweight and comfortable
- Palm dipped to increase dexterity and ventilation
- 15 gauge liner for extra dexterity
- Retail tag which aids presentation for retail sales

Pylon, Nitrile Sandy
Black XS-XXL,
Orange/Black XS-XXL

EN388 2016 4131X

GRIP | Pylon

A350
DERMIFLEX GLOVE

360 | 12 | CE | 15 | EN388 2016 4131X

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4131X

- Palm dipped to increase dexterity and ventilation
- Nitrile foam coating for excellent grip in wet and dry conditions
- Lightweight and comfortable
- 15 gauge liner for extra dexterity
- Retail tag which aids presentation for retail sales

Nylon, Elastane, Nitrile Foam
Black S-XXL

EN388 2016 4131X

GRIP

GRIP NITRILE COATED

A351
DERMIFLEX PLUS GLOVE

360 12 CE 15

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4131X

- Nitrile foam coating for excellent grip in wet and dry conditions
- Breathable seamless lining ideal for precision handling in dry environments
- Lightweight and comfortable
- Nitrile dotted palm for enhanced grip
- 15 gauge liner for extra dexterity
- Retail tag which aids presentation for retail sales

Nylon, Elastane, Nitrile Foam
Grey/Black S-3XL

EN388 2016
4131X

GRIP

NITRILE PALM DOTS FOR SUPERIOR GRIP

A320
DEXTI-GRIP GLOVE

360 12 CE 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 2121X

- No 1. choice for general assembly work
- Nitrile foam coating for excellent grip in wet and dry conditions
- 100% breathable seamless liner
- Palm dipped to increase dexterity and ventilation
- Perfect for intricate tasks
- 13 gauge liner for extra dexterity

Pylon, Nitrile Foam
Black S-XXL

EN388 2016
2121X

GRIP Pylon

A310
FLEXO GRIP NITRILE GLOVE

360 12 CE 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3121X

- Ideal for auto repair, construction and other sectors
- 100% breathable seamless liner
- Palm dipped to increase dexterity and ventilation
- Low linting construction for minimal contamination
- 13 gauge liner for extra dexterity

Pylon, Elastic, Nitrile
Grey/White XS-XXL

EN388 2016
3121X

GRIP Pylon

PREMIUM NITRILE COATING

GRIP NITRILE COATED

A330
NITRILE LIGHT KNITWRIST

240 | 12 | CE | 12

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3111X

- 3/4 dipped for increased protection
- Excellent for jobs requiring high dexterity
- Jersey cotton lining with knitwrist
- Lightweight and comfortable
- 12 gauge liner for dexterity

Cotton, Nitrile
Yellow S-XXL

EN388 2016
3111X

GRIP

A300
NITRILE KNITWRIST

144 | 12 | CE | 12

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4111X

- Suitable for any work area where oil and grease resistance is a priority.
- Jersey cotton lining with knitwrist
- Fully coated for maximum liquid protection
- 12 gauge liner for dexterity

Cotton, Jersey Lining, Nitrile
Navy M-XXL

JERSEY LINED

EN388 2016
4111X

AQUA | GRIP

GRIP LATEX COATED GLOVES

A100
GRIP GLOVE - LATEX

216 12 CE 10

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 2143A

- Latex foam coating for excellent grip in wet and dry conditions
- Premium quality work glove
- Crinkle latex grip offers excellent grip
- 100% breathable seamless liner
- Open back for breathability
- 10 gauge liner for dexterity

Polyester, Cotton, Latex
Green M-XXL

EN388 2016
2143A

GRIP

A150
CLASSIC GRIP GLOVE - LATEX

216 12 CE 10

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 2121X

- Palm dipped to increase dexterity and ventilation
- Crinkle latex grip offers excellent grip
- Knitted cuff for comfort and warmth
- No 1. choice for general assembly work
- 10 gauge liner for dexterity

Polyester, Cotton, Latex
Yellow/Orange S-XXL

EN388 2016
2121X

GRIP

Recycled Cotton

GRIP LATEX COATED GLOVES

A340
HI-VIS GRIP GLOVE - LATEX

240 | 12 | CE | 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 2121X

- Palm dipped to increase dexterity and ventilation
- Latex foam coating for excellent grip in wet and dry conditions
- Offers the highest level of comfort
- Open back for breathability
- High visibility liner
- Long cuff version

Nylon, Latex Foam
Yellow S-XXL

EN388 2016 2121X

GRIP

A174
FLEX GRIP LATEX GLOVE

360 | 12 | CE | 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 2121X

- Latex foam coating for excellent grip in wet and dry conditions
- 13 gauge liner for extra dexterity
- Open back for breathability
- Ergonomic design to reduce hand fatigue
- Elasticated cuffs for a secure fit
- Retail bag which aids presentation for retail sales

Polyester, Latex
Red/Black S-XXL

EN388 2016 2121X

GRIP

NEW

A800
HOUSEHOLD LATEX GLOVE

240 | 12 | 100%

CE CAT 1

- Prevents grease, oil and water penetration
- Flock lined for added comfort
- Textured pattern for enhanced grip
- Oil and water resistant
- Multipack for added value

Latex
Yellow M-XL

NEW

SOLD IN CARTONS OF 240 PAIRS

AQUA

GRIP PVC COATED

A400
PVC KNITWRIST

144 / 12 · CE · 12

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4121X

- Fully coated for maximum liquid protection
- Extremely flexible PVC
- Superb abrasion and tear resistance
- Knitted cuff for comfort and warmth
- 12 gauge liner for dexterity

Cotton, PVC
Red M-XXL

EN388 2016 4121X

AQUA GRIP

A427
PVC GAUNTLET

120 / 12 · CE · 12

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4121X

- 27cm gauntlet for hand and wrist protection
- Superb abrasion and tear resistance
- Fully coated for maximum liquid protection
- Fully lined with soft and comfortable cotton
- 12 gauge liner for dexterity

Cotton, PVC
Red XL

EN388 2016 4121X

AQUA GRIP

A445
PVC GAUNTLET

72 / 12 · CE · 12

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4121X

- 45cm gauntlet for hand, wrist and arm protection
- Superb abrasion and tear resistance
- Fully coated for maximum liquid protection
- Fully lined with soft and comfortable cotton
- 12 gauge liner for dexterity

Cotton, PVC
Red XL

EN388 2016 4121X

AQUA GRIP

OFFERS MAXIMUM LIQUID REPELLENCY

A427 GAUNTLET 27CM

A445 GAUNTLET 45CM

BEST SELLER

A120

A120
PU PALM GLOVE

480 12 | CE | 13 | 2

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3131X

- 100% breathable seamless liner
- Palm dipped to increase dexterity and ventilation
- Smooth PU coating for increased abrasion resistance
- Superb abrasion and tear resistance
- Perfect for intricate tasks
- Maximum dexterity

Pylon, Elastic, PU
X White XXS-3XL
Y Blue XS-XXL, Pink XS-L, Yellow XS-XXL
Z Black XXS-3XL, Grey XS-XXL

EN388 2016 3131X

GRIP Pylon

B4 GR P9 WH Y2

GRIP PU COATED

A195
TOUCHSCREEN - PU

360 | 12 | CE | 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 2121X

- Can be used with most mobile touchscreen devices
- Designed specifically for touchscreen devices
- For use in electronics assembly, testing and precision work
- Perfect for intricate tasks
- 100% breathable seamless liner
- Seamless 13 gauge liner

Pylon, PU
Purple/Black XS-XXL

EN388 2016 2121X

TOUCH GRIP Pylon

A199
ANTISTATIC PU PALM GLOVE

480 | 12 | ESD | 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3121X
EN 16350:2014 PASS LEVEL R < 1.0 X 108 Ω -
IEC 61340-5-1 PASS

- Antistatic
- Suitable for use in ESD environments
- Palm dipped to increase dexterity and ventilation
- 100% breathable seamless liner
- 13 gauge liner for extra dexterity
- Retail bag which aids presentation for retail sales

Pylon, Carbon Fibre, PU
Grey XS-XXL

EN388 2016 3121X | EN16350 | IEC 61340

ESD GRIP Pylon

A641
RED CUT - PU

144 | 12 | CE | 13

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3131X

- Smooth PU coating for increased abrasion resistance
- Palm dipped to increase dexterity and ventilation
- 100% breathable seamless liner
- Red - For minimal risk tasks
- 13 gauge liner for extra dexterity
- Retail bag which aids presentation for retail sales

Pylon, PU
Red/Black M-XXL

EN388 2016 2021X

GRIP Pylon

GRIP STRING KNIT

A111
CLASSIC POLKA DOT GLOVE

288 12 CE 7

CE CAT 1

- PVC dotted palm for enhanced grip
- Excellent for jobs requiring high dexterity
- Performs well in dry conditions
- Lightweight and comfortable
- 7 gauge liner for dexterity

Polyester, Cotton, PVC
White/Blue XS-XXL

PVC DOTTED PALM FOR ENHANCED GRIP

GRIP

A020
ASSEMBLY GLOVE

960 12 CE 13

CE CAT 1

- Low linting construction for minimal contamination
- Lightweight and comfortable
- 13 gauge liner for extra dexterity
- Multipack for added value

Pylon
White XS-XL

GRIP

PORTWEST Pylon

A030
STRING KNIT LINER GLOVES

300 12 CE 7 100%

- 7 gauge liner for dexterity
- These gloves are ambidextrous and are suitable for left or right handed users for added functionality
- 100% breathable seamless liner
- Multipack for added value

Polycotton
White M-XL

GRIP

THERM

A751
APACHA COLD STORE GLOVE

72 12 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .5
EN 420
EN 388:2016 - 3544X
EN 511 33X

- Specially designed for use in cold conditions
- Knitted cuff for comfort and warmth
- Textured pattern for enhanced grip
- Retail tag which aids presentation for retail sales

Neoprene, Insulatex, Nylon, Waterproof Membrane, Leather
Black L-XXL

EN388 2016 3544X
EN511 33X

INSULATEX™ THERMAL INSULATION

THERM AQUA GRIP

NEW

A146 ARCTIC WINTER GLOVE

144 12 CE 15

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .5
EN 420
EN 388:2016 - 4242X
EN 407 X2XXXX
EN 511 X2X

- Superb abrasion and tear resistance
- Specially designed for use in cold conditions
- Twin liner traps in heat through increased insulation
- Flexible sandy nitrile coating offers great grip in wet and dry conditions
- 3/4 dipped for increased protection
- 100% breathable seamless liner

Nylon, Acrylic, Nitrile Sandy
Yellow L-XXL

EN388 2016 4242X
EN407 X2XXXX
EN511 X2X

THERM GRIP HEAT

NEW

A140
THERMAL GRIP GLOVE - LATEX

144 12 CE 10

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .5
EN 420
EN 388:2016 - 1141X
EN 511 X1X

- Specially designed for use in cold conditions
- Crinkle latex grip offers excellent grip
- Palm dipped to increase dexterity and ventilation
- Warm 10 gauge acrylic liner for cold protection
- Retail tag which aids presentation for retail sales

Acrylic, Latex
Black XS-XXL

THE BEST GRIP IN COLD CONDITIONS

EN388 2016 1141X
EN511 X1X

GRIP THERM

WORK

A220
COTTON BACK RIGGER GLOVE

96 12 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3223X

- Premium quality split leather rigger
- For use in construction, mining and landscaping
- Cotton backing for breathability
- Knuckle back protection
- Rubberised safety cuffs

Cow Split Leather, Polycotton
Red M,XL,3XL

EN388 2016 3223X

WORK

SUPERB ABRASION RESISTANCE

A230
DOUBLE PALM COTTON BACK GLOVE

84 12 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .4
EN 420
EN 388:2016 - 3334X
EN 407 X2XXXX

- Additional reinforced protection on palm and forefinger areas
- Superb abrasion and tear resistance
- Knuckle back protection
- For use in construction, landscaping, agriculture and forestry
- Cotton backing for breathability

Cow Split Leather, Cotton
Grey XL,3XL

EN388 2016 3334X

EN407 X2XXXX

HEAT WORK

A210
CANADIAN COTTON BACK GLOVE

96 12 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3223X

- Cow split leather rigger
- Knuckle back protection
- Cotton backing for breathability
- Patch palm and vein protection

Cow Split Leather, Cotton
Grey XL,3XL

EN388 2016 3223X

WORK

BEST SELLING RIGGER GLOVES

A260
OVES RIGGER GLOVE

240 12 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 2132X

- Made from high quality durable goat leather
- Breathable leather for use in mild and hot climates
- Elasticated cuffs for a secure fit
- Classic leather driver

Goat Skin
Grey M-XXL

EN388 2016 2132X

WORK

A250
TERGSUS GLOVE

180 12 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3142X

- Suitable for light industrial applications
- Hook and loop strap for safe secure fit
- Made from high quality durable goat leather
- Retail tag which aids presentation for retail sales

Goat Skin, Cotton
Orange S, Blue M, Yellow L, Red XL, Black XXL

EN388 2016 3142X

WORK

A270
CLASSIC RIGGER GLOVE

192 12 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 3142X

- Classic leather driver
- Premium full grain cow leather
- Breathable leather for use in mild and hot climates
- Increased puncture resistance properties
- Superb abrasion and tear resistance
- Retail tag which aids presentation for retail sales

Cow Grain Leather
Tan L,XL

EN388 2016 3142X

WORK

WELD

A510
WELDERS GAUNTLET

60 / 6 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .4
EN 420
EN 388:2016 - 3243X
EN 407 413244
EN 12477 TYPE A

- 14 inch cow split leather gauntlet
- Ideal for welding and metal handling
- Maximum EN407 burn behaviour resistance
- Fully lined with soft and comfortable cotton

Cow Split Leather, Cotton
Blue XL

EN388 2016 — 3243X
EN407 — 413244
EN 12477 — TYPE A

WELD HEAT GRIP

A520
PREMIUM TIG WELDING GAUNTLET

144 / 12 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 2122X
EN 407 413X3X
EN 12477 TYPE B

- Soft, flexible goatskin palm with heavy duty split leather cuff
- Para-Aramid stitching throughout for extra durability
- Ideal for welding and metal handling

Goat Skin, Cow Split Leather, Para-Aramid Stitching
Grey L-XXL

EN388 2016 — 2122X
EN 12477 — TYPE B

WELD HEAT GRIP

A530
REINFORCED WELDING GAUNTLET

48 / 6 CE

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4243X
EN 407 413X3X
EN 12477 TYPE A

- Premium quality leather welding gauntlet
- Superb abrasion and tear resistance
- Reinforced palm and thumb area
- Ideal for welding and metal handling

Cow Split Leather, Para-Aramid Stitching
Brown XL,3XL

EN388 2016 — 4243X
EN 12477 — TYPE A

WELD HEAT GRIP

FOOD SAFE

A930
PORTWEST ORANGE HD DISPOSABLE GLOVES

X20 100

EN 420
EN 455 PART 1-4
EN ISO 374-1:2016 TYPE C K > 480 MINS
CE FOOD SAFE

- Crystal grip technology
- Three times stronger than standard nitrile
- 7mil / 0.18mm thickness for exceptional strength
- Silicone free - Ideal for manufacturing, paint applications, electronics and glass handling where silicone is problematic
- Ideal for auto repair, construction and other sectors
- Highly durable synthetic nitrile compound

Nitrile
X Orange M-XL

EN ISO 374-1:2016

EN455 1-4

MECHANIC FOOD SAFE GRIP

CRYSTAL GRIP TECHNOLOGY ON FRONT AND BACK



SILICONE FREE

A925
POWDER FREE NITRILE DISPOSABLE GLOVE

X30 100

AS/NZS 2161 .10.1
EN 455 PART 1 & 2
EN ISO 374-1:2016 TYPE B KPT
CE FOOD SAFE

- Manufactured from synthetic nitrile rubber
- Disposable nitrile gloves eliminate the risk of allergic reaction associated with latex gloves
- Textured finish provides enhanced fingertip grip and dexterity in both wet and dry conditions
- 100 gloves per box
- Retail box which aids presentation for retail sales

Nitrile
X Blue S-XXL
Y Black S-XXL

EN ISO 374-1:2016 TYPE C

MECHANIC FOOD SAFE

NITRILE

A905
POWDER FREE VINYL DISPOSABLE GLOVE

X30 100

CE FOOD SAFE
CE CAT 1

- Manufactured from high grade poly-vinyl chloride
- Super soft for superior user comfort and super stretchy to reduce hand fatigue
- Smooth and non-textured with a beaded cuff
- 100% latex free
- DOP free
- 100 gloves per box

PVC
X Clear M-XL
Y Blue M-XL

FOOD SAFE

APPROVED FOR FOOD CONTACT

PVC

CHEM

AP60
SANDY GRIP LITE GAUNTLET

144 / 12 · CE CAT III · 18 · 2

AS/NZS 2161 .2
AS/NZS 2161 .3
EN 420
EN 388:2016 - 4121X
EN ISO 374-1:2016 TYPE B AJKL
EN ISO 374-5 MICRO ORGANISMS PASS

- CE-CAT III
- 30cm gauntlet for hand and wrist protection
- Flexible sandy nitrile coating offers great grip in wet and dry conditions
- Chemical resistant gauntlet
- Lightweight and comfortable
- 62mil/1.6mm enhanced thickness on the palm for added durability

Nylon, Nitrile, Nitrile Sandy
Blue/Black M-XXL

EN388 2016 4121X · EN374 AJKL · EN374

CHEM AQUA GRIP

A810
NITROSAFE CHEMICAL GAUNTLET

192 / 12 · CE CAT III · 2

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .10.1
EN 420
EN 388:2016 - 3101X
EN ISO 374-1:2016 TYPE A AJKLMNOT
EN ISO 374-5 MICRO ORGANISMS PASS

- Chemical resistant gauntlet
- Flock lined for added comfort
- Textured pattern for enhanced grip
- Retail bag which aids presentation for retail sales

Nitrile, Cotton
Green S-XXL

EN388 2016 3101X · EN374 AJKLMNOT · EN374

CHEM AQUA GRIP

A827 GAUNTLET 27CM

A835 GAUNTLET 35CM

A845 GAUNTLET 45CM

A827 DOUBLE DIPPED PVC GAUNTLET 27CM
A835 DOUBLE DIPPED PVC GAUNTLET 35CM
A845 DOUBLE DIPPED PVC GAUNTLET 45CM

CE CAT III

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .10.1
EN 420
EN 388:2016 - 3121X
EN ISO 374-1:2016 TYPE B JKL
EN ISO 374-5 MICRO ORGANISMS PASS

- Double dipped PVC gauntlet with sandy palm finish for enhanced grip
- Jersey lined for extra wearer comfort
- Available in 3 lengths, 27cm, 35cm and 45cm
- Chemical resistant gauntlet

Cotton, PVC
Green XL

EN388 2016 3121X
EN374 JKL
EN374

120	84	60
12	12	12
A827	A835	A845

CHEM AQUA GRIP

DURABLE CHEMICAL PROTECTION

BIZTEX®

BizTex® hazard protective clothing is an industry leading range of hazard protection garments certified and exceeding the highest international standards. The extensive BizTex range offers powerful protection against many workplace hazards. The BizTex range is cost effective whilst offering the wearer innovative high tech protection.

EN 14605
LIQUID TIGHT SUITS. (TYPE 3)

EN 14605
SPRAY TIGHT SUITS. (TYPE 4)

EN ISO 13982-1
DRY PARTICLE SUIT (TYPE 5)

EN 13034
REDUCE SPRAY SUIT (TYPE 6)

EN 14126
PROTECTIVE CLOTHING AGAINST INFECTIVE AGENTS

EN 1073-2
NUCLEAR PARTICLE

EN 1149
ELECTROSTATIC PROPERTIES

CHEMICAL PROTECTION

BIZTEX IS A REGISTERED TRADEMARK OF THE PORTWEST GROUP.

EN 13982-1

EN ISO 13982-1:2004 + A1:2010 (Type 5)

Dry particle suit. This specifies the minimum requirements for chemical protective clothing resistant to penetration by air borne solid particles. Protects against hazardous dust and dry particles.

EN 13034

EN 13034: 2005 + A1:2009 (Type 6)

Reduce spray suit (Type 6) and partial body protection items (PB6). This specifies the minimum requirements for chemical protective clothing offering limited protective performance against liquid chemicals. This standard tests for liquid chemical (Type 6 and Type PB [6] equipment) sprays and splashes that are not directional or built up on a suit but there may be a fine mist of droplets in the atmosphere.

EN 14605

EN 14605

EN 14605: 2005 + A1:2009

Protective Clothing Against Liquid Chemicals. This standard specifies performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections, including items providing protection to parts of the body only. (Types PB [3] and PB [4])

Liquid Tight Suits. (Type 3)

This test involves exposing a whole suit to a series of short jets of a water based liquid, aimed at various critical parts of the suit. This suit protects against strong jets of liquid chemical.

Spray Tight Suits. (Type 4)

Test involves exposing a whole suit to an intense spray of a water based liquid. This suit protects against saturation of liquid chemicals.

EN 14126

EN 14126:2003 + AC:2004

This specifies the requirements and test methods for limited use protective clothing providing protection against infective agents.

NUCLEAR PARTICLE

EN 1073-2: 2002

Protective clothing against radioactive contamination. Requirements and test methods for non-ventilated protective clothing against particulate radioactive contamination.

EN 1149

EN1149-5:2008

Electrostatic requirements - surface resistivity (test methods and requirements). This tests for the removal of electrostatic to avoid sparks that could cause fire/hazard to the wearer.

CHEMICAL PROTECTION

Chemical Protection

Indicates compliance with current European standards for chemical protective clothing.

PHYSICAL FABRIC TEST

The fabric used in these garments is designated BizTex SMS fabric and BizTex Microporous fabric.			BizTex SMS FABRIC CLASS	BizTex MICROPOROUS FABRIC CLASS
	Standard	Requirements	ST30/36	ST40/ST60
Abrasion resistance	EN 530	Class 1 (min) - 6 (max)	2	4
Flex cracking resistance	EN 7854	Class 1 (min) - 6 (max)	6	6
Trapezoidal tear resistance	EN ISO 9073-4	Class 1 (min) - 6 (max)	3	3
Tensile strength	EN ISO 13934-1	Class 1 (min) - 6 (max)	2	2
Resistance to ignition	EN 13274-4		Pass	Pass
Puncture resistance	EN 863	Class 1 (min) - 6 (max)	2	2

CHEMICAL FABRIC TESTS

Resistance to Chemical Penetration EN ISO 6530	BizTex SMS FABRIC		BizTex MICROPOROUS FABRIC	
	Repellency Class	Penetration Class	Repellency Class	Penetration Class
Sulphuric Acid 30%	3	3	3	3
Sodium Hydroxide 10%	3	3	3	3
O-xylene	2	3	2	3
Butan-1-ol	2	3	2	3

INDUSTRIES AND HAZARDS LIST

ST60	ST40	ST30	ST36	
✔	✔	✔	✔	**Abattoirs**
✔	✔	✔	✔	**Aerospace**
✔	✔	✔	✔	**Agriculture & Farming**
✔	✔	✔	✔	**Asbestos Handling**
✔	✔			**Automotive**
✔	✔			**Bioengineering**
✔	✔	✔	✔	**Biological Hazards**
✔	✔	✔	✔	**Utilities**
✔	✔	✔	✔	**Chemical Handling**
✔	✔	✔	✔	**Civil Protection**
✔	✔	✔	✔	**Construction**
✔	✔			**Decontamination**
✔	✔			**Disease/Disaster Management**
✔	✔	✔	✔	**Painting & Decorating**
✔	✔	✔	✔	**Electronics**
✔	✔	✔	✔	**Engineering**
✔	✔	✔	✔	**Food Processing**
✔	✔	✔	✔	**Forensic Science**
✔	✔			**Hazardous Materials**
✔	✔	✔	✔	**Industrial Clean-Up and Maintenance**
✔	✔	✔	✔	**Janitorial**
✔	✔			**Military**
✔	✔	✔	✔	**Nuclear Industry**
✔	✔			**Oil/Grease-Related Environments**
✔	✔			**Oil & Gas**
✔	✔			**Paint Handling/Isocyanate**
✔	✔	✔	✔	**Pharmaceutical**
✔	✔	✔	✔	**Police**
✔	✔			**Printing**
✔	✔	✔	✔	**Powder Coating**
✔	✔	✔	✔	**Roof Insulation**
✔	✔	✔	✔	**Slaughterhouse**
✔	✔	✔	✔	**Warehousing**
✔	✔			**Waste Management**

ANTI-STATIC BIZTEX® SMS

BEST SELLING LIGHTWEIGHT FABRIC COVERALLS

BREATHABLE PROTECTION AGAINST HAZARDOUS DRY PARTICLES

Portwest BizTex SMS products are manufactured with an integrated three layer polypropylene construction:

- ***SPUNBOND***
- ***MELTBLOWN***
- ***SPUNBOND***

giving a breathable barrier.



ST30
BIZTEX SMS COVERALL TYPE 5/6

50 25 | CE CAT III | CE | 100%

EN ISO 13982 (TYPE 5)
EN 13034 (TYPE 6)
EN 1073-2
EN 1149 -5
ANSI/ISEA 101

- CE-CAT III
- Two-way zip for quick and easy access
- Ergonomically shaped hood for a perfect fit
- Provides an effective barrier against particulates, aerosols and light sprays
- Retail bag which aids presentation for retail sales
- Highly breathable SMS fabric

BizTex SMS, 55g
White S-3XL

ST36
VISTEX SMS COVERALL TYPE 5/6

50 25 | CE CAT III | CE | 100%

EN ISO 13982 (TYPE 5)
EN 13034 (TYPE 6)
EN 1073-2
EN 1149 -5

- CE-CAT III
- Premium reflective tape for increased visibility
- Two-way zip for quick and easy access
- Ergonomically shaped hood for a perfect fit
- Antistatic
- Designed with a comfortable fit

BizTex SMS, 55g
Orange M-3XL

ANTI-STATIC BIZTEX® MICRO

ANTI-STATIC BREATHABLE PROTECTION AGAINST LIQUID HAZARDS

Portwest's BizTex Micro fabric is a polypropylene substrate to which a laminated microporous polyethylene layer is applied (PP/PE). The outer layer of the fabric prevents the passage of liquid molecules inwards yet permits the vapour molecules that build up inside permeate.



ST60
BIZTEX MICROPOROUS COVERALL TYPE 4/5/6

50 25 | CE CAT III | CE | 100%

EN 14605 TYPE 4B
EN ISO 13982 TYPE 5B
EN 13034 TYPE 6B
EN 1073-2
EN 1149 -5
EN 14126

- CE-CAT III
- Taped seams to provide additional protection
- Two-way zip for quick and easy access
- Ergonomically shaped hood for a perfect fit
- Antistatic
- Low linting construction for minimal contamination

BizTex Micro, 60g
White M-3XL

ST40
BIZTEX MICROPOROUS COVERALL TYPE 5/6

50 25 | CE CAT III | CE | 100%

EN ISO 13982 TYPE 5B
EN 13034 TYPE 6B
EN 1073-2
EN 1149 -5
EN 14126

- CE-CAT III
- Two-way zip for quick and easy access
- Ergonomically shaped hood for a perfect fit
- Antistatic
- Retail bag which aids presentation for retail sales
- Low linting construction for minimal contamination

BizTex Micro, 60g
White S-3XL

PPE

THE PREMIER NAME IN PPE

PS47: Endurance HV Clip-On Ear Protector
PS55: Endurance Helmet

PORTWEST *PPE range complies to all of the latest updated standards to offer the highest level of protection. Designed with comfort in mind, this range of lightweight PPE ensures a pleasant wear even after long hours of use. Your safety is our mission.*

P220 267

DISPOSABLE MASKS

Our Biztex® brand ensures exceptional quality and performance across our full range of disposable masks. The extensive Biztex® range offers a high level of protection and quality safeguarding the wearer against many workplace risks including liquid chemicals, static electricity, dry particles and radioactive contamination. The complete Biztex® range includes disposable masks and limited-life garments.

PS32 269

EYE PROTECTION

PORTWEST's eye protection range includes spectacles, safety goggles and visors, designed to protect the eyes and face of workers from injury during work activities.

PS54 275

HEAD PROTECTION

PORTWEST's head protection range aims to benefit our customers by combining the most up to date styles and standards in head protection, irrespective of job or location. Innovative, comfortable and lightweight helmets available for multiple uses.

PW40 279

HEARING PROTECTION

PORTWEST's hearing protection range includes PPE with different level sound attenuation, to be adapted to various working environments giving the correct protection from dangerous noise, without isolating the workers. This new range of earmuffs offer a variety of models and colours allowing a personalised choice

S156 281

GENERAL PPE

PORTWEST General PPE range includes knee pads, lights, luggage and accessories. This complete range of General PPE offers a collection of products that are suitable for a variety of applications.

PORTWEST®

RESPIRATORY PROTECTION

Our Biztex® brand ensures exceptional quality and performance across our full range of disposable masks. The extensive Biztex® range offers a high level of protection and quality safeguarding the wearer against many workplace risks including liquid chemicals, static electricity, dry particles and radioactive contamination. The complete Biztex® range includes disposable masks and limited-life garments.

BIZTEX®



CE CAT III ALL DISPOSABLE MASKS ARE CATEGORY 3 HAZARD PROTECTION

AS/NZS 1716: 2003

Respiratory Protective Devices

The purpose of standard AS/NZS 1716 is to provide minimum performance and testing criteria to be observed in the manufacture of respiratory protective devices, setting out the parameters and requirements for the different types of respirators.

AS/NZS 1715:2003

Selection, Use and Maintenance of Respiratory Protective Equipment

The purpose of standard AS/NZS 1715 is to provide users with information on selection, use and maintenance of suitable respiratory protective equipment for their needs, protecting the body against various substances which could enter the body through the respiratory system.

EN 149: 2001 +A1:2009

Respiratory Protective Devices - Filtering half masks to protect against particles

European Standard for filtering halfmasks. It contains laboratory tests to check the conformity with resistance to impacts, to cleansers and disinfectants, to temperature, to flame and with respiratory resistance. With A1:2009 amendment, filtering dust masks are now classified as either single use /single shift (NR) or reusable/more than 1 shift (R).

P1 OR P2 PROTECTION?

P1 : According to AS/NZS 1716:2003
Choose a P1 mask for filtering mechanically generated particles e.g. particles formed by crushing, grinding, drilling, sanding and cutting.

P2 : According to AS/NZS 1716:2003
Choose P2 for filtering mechanically and thermally generated particles e.g. welding fumes. P2 respirators are also recommended for use against some bioaerosol.

RESPIRATORY PROTECTION - DISPOSABLE MASKS

LATEX FREE

X30
20

P200
FFP2 DUST MIST RESPIRATOR

AS/NZS 1716 P2
NIOSH N95
EN 149 FFP2 NR

- Ultrasound welded elastic straps
- Large inner space to help the user to breathe more easily
- Ideal for all day use
- Retail box which aids presentation for retail sales

PP
White One Size

X30
10

P201
FFP2 VALVED DUST MIST RESPIRATOR

AS/NZS 1716 P2
NIOSH N95
EN 149 FFP2 NR

- Ultrasound welded elastic straps
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Large inner space to help the user to breathe more easily
- Ideal for all day use
- Retail box which aids presentation for retail sales

PP
White One Size

X30
10

P220
FFP2 CARBON VALVED DUST MIST FUME RESPIRATOR

AS/NZS 1716 P2
EN 149 FFP2 NR

- Ultrasound welded elastic straps
- Activated carbon layer for improved absorption of nuisance odours, organic vapours and welding fumes
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Large inner space to help the user to breathe more easily
- Ideal for all day use
- Retail box which aids presentation for retail sales

PP
White One Size

X30
20

P100
FFP1 DUST MIST RESPIRATOR

AS/NZS 1716 P1
EN 149 FFP1 NR

- Ultrasound welded elastic straps
- Large inner space to help the user to breathe more easily
- Ideal for all day use
- Retail box which aids presentation for retail sales

PP
White One Size

X30
10

P101
FFP1 VALVED DUST MIST RESPIRATOR

AS/NZS 1716 P1
EN 149 FFP1 NR

- Ultrasound welded elastic straps
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Large inner space to help the user to breathe more easily
- Ideal for all day use
- Retail box which aids presentation for retail sales

PP
White One Size

OPTIMUM RESPIRATORY PROTECTION

PORTWEST®

EYE PROTECTION

PORTWEST's eye protection range includes spectacles, safety goggles and visors, designed to protect the eyes and face of workers from injury during work activities.



AS/NZS 1337.1: 2010

Australian and New Zealand standard for Eye Protectors for Industrial Applications.

This standard describes features of safety eyewear in terms of general finishing, optical properties or the lenses and impact resistance.

Untinted or laminated / double glazed	These eye protectors are intended for indoor use where no optical radiation hazards exist.
Outdoor untinted	These eye protectors are intended for indoor and outdoor use where no optical radiation hazards exist other than solar radiation. They are intended to provide adequate protection against ultravoilet radiation from the sun, but are not intended to provide protection against sunglare.
Outdoor tinted	These eye protectors are intended for outdoor use where no optical radiation hazards exist other than solar radiation. They are intended to provide adequate protection against sunglare and ultraviolet radiation from the sun.

LENS SHADOW CLASSIFICATION based on the transmittance (% of visible light passing through the lens):

Eyewear Category:	% Of Visible Light Passing Through The Lens	
	Min	Max
Category 0	80 %	100 %
Category 1	43 %	80 %
Category 2	18 %	43 %
Category 3	8 %	18 %
Outdoor Untinted	80 %	100 %

Lens Marking	Features	Protector type
S	Low impact resistance (13 m/sec - 6mm steel ball)	Safety glasses (basic requirement - optional)
I or F	Medium impact resistance (45 m/sec -6mm steel ball)	Safety Glasses, Goggles
V or B	High Impact resistance (120 m/sec - 6mm steel ball)	Face-shields, hoods, welding hand-shields or welding helmets
A	Extra High Impact resistance (190 m/sec - 6mm steel ball)	Face-shields

EN 166: 2001

European Standard, applying to all types of individual protection of the eye which protects from hazards likely to damage the eye, except for nuclear radiation, x-rays, laser emissions and infrared emitted by low-temperature sources. Does not apply to eye protection for which separate standards exist (E.g. anti-laser eye protection, sunglasses for general use).

EN 170: 2002

UV Rays Protection
European Standard for Ultraviolet Filters

Specifications of level numbers and of requirements relating to the transmittance of the filters for protection against ultraviolet radiation.

EN 172: 1995

Specification For Sunglare Filters Used In Personal Eye-Protection For Industrial Use
European Standard for Sunglare filters for industrial use

Specification of level numbers and requirements relating to the transmittance of filters for protection against solar radiation, industrial use.

SPECTACLES

288
12

PS18
POLAR STAR SPECTACLES

AS/NZS 1337.1
EN 166 1 FT
EN 172 5-3.1 (POLARISED)

- Polarised lens eliminates horizontal reflections and harsh glares
- Anti-scratch surface coating intended to mitigate scratch effects on the lens
- Soft arm tips and rubber nose-bridge for ultra comfort
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

Polycarbonate, TPR
Smoke 29g

NEW

POLARISED LENS

300
12

PW18
UMBRA POLARISED SPECTACLES

AS/NZS 1337.1
EN 172 5-3.1 (POLARISED)
EN 166 1 F

- Polarised lens eliminates horizontal reflections and harsh glares
- Adjustable angle allowing for better fit
- Adjustable length for a secure and comfortable fit
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

Polycarbonate
Smoke 32g

288
12

PW13
CLEAR VIEW SPECTACLES

AS/NZS 1337.1
ANSI/ISEA Z87 + U6 (CLEAR)
ANSI/ISEA Z87 + U6 L3 (SMOKE)
EN 166 1 F
EN 170 2C-1.2 (CLEAR)
EN 172 5-3.1 (SMOKE)

- Ultra lightweight for long uses
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer
- Free spec cord
- Retail bag which aids presentation for retail sales

Polycarbonate
Clear, Smoke 27g

288
12

PW14
LITE SAFETY SPECTACLES

AS/NZS 1337.1
ANSI/ISEA Z87 + U6 (CLEAR)
ANSI/ISEA Z87 + U6 L3 (SMOKE)
EN 166 1 F
EN 170 2C-1.2 (CLEAR)
EN 172 5-3.1 (SMOKE)

- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer
- Lightweight and comfortable
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

Polycarbonate
Clear, Smoke 23g

SPECTACLES

288
12

PS06
PARIS SPORT SPECTACLES

AS/NZS 1337.1
EN 166 1 F
EN 172 5-3.1 (SMOKE)

- Soft arm tips and rubber nose-bridge for ultra comfort
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

AS
AF

Polycarbonate, TPR
X Clear 29g
Y Smoke 29g

288
12

PS07
SAINT LOUIS SPECTACLES

AS/NZS 1337.1
EN 166 1 F
EN 172 5-3.1 (SMOKE)

- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer
- Soft arm tips and rubber nose-bridge for ultra comfort
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

AS
AF

Polycarbonate, TPR
X Clear,Smoke 31g

288
12

PW31
CONTOURED SAFETY SPECTACLES

AS/NZS 1337.1
EN 166 1F

- Anti-scratch coating for added durability
- Free spec cord
- Adjustable angle allowing for better fit
- Adjustable length for a secure and comfortable fit
- Lightweight and comfortable
- Retail bag which aids presentation for retail sales

AS

Polycarbonate
X Clear 32g

288
12

PW39
LUCENT SPECTACLES

AS/NZS 1337.1
EN 166 1 FT
EN 170 2C-1.2 (CLEAR)
EN 172 5-3.1 (SMOKE)

- Anti-scratch coating for added durability
- Excellent side protection
- Free spec cord
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

AS

Polycarbonate
X Clear, Smoke 28g

SPECTACLES

288
12

PS30
PORTWEST OVER-SPECTACLES

AS/NZS 1337.1
EN 166 1 FT
EN 170 2C-1.2
ANSI/ISEA Z87 .1

- Can be adapted to be used over prescription glasses
- Excellent side protection
- Adjustable length for a secure and comfortable fit
- Adjustable angle allowing for better fit
- Lightweight and comfortable
- Anti-scratch coating for added durability

Polycarbonate, Nylon
X Clear, Smoke 33g

NEW COLOUR

300
12

PR32
WRAP AROUND PRO SPECTACLES

AS/NZS 1337.1
EN 166 1 FT
EN 170 2C-1.2 (CLEAR)
EN 172 5-3.1 (SMOKE)

- Flexible arms for ultra comfort
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

Polycarbonate, Rubber
X Clear, Smoke 26g

NEW

300
12

PS32
WRAP AROUND PLUS SPECTACLES

AS/NZS 1337.1
ANSI/ISEA Z87 + U6
EN 166 1 FT
EN 170 2C-1.2
EN 172 5-3.1 (SMOKE)

- Flexible arms for ultra comfort
- Detachable foam offers additional protection against shocks and dust
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer
- Free spec cord
- Retail bag which aids presentation for retail sales

Polycarbonate
X Clear, Smoke 28g

NEW COLOUR

DETACHABLE FOAM BACK



300
12

PW32
WRAP AROUND SPECTACLES

AS/NZS 1337.1
ANSI/ISEA Z87 + U6 (CLEAR)
ANSI/ISEA Z87 + U6 L3 (SMOKE)
EN 166 1 FT
EN 170 2C-1.2 (CLEAR)
EN 172 5-3.1 (SMOKE)

- Flexible arms for ultra comfort
- Ultra lightweight for long uses
- Anti-scratch coating for added durability
- Free spec cord
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

Polycarbonate
X Clear, Smoke
Y Light Mirror 22g

NEW COLOUR

EYE PROTECTION - GOGGLES

144 12

PS29
IMPERVIOUS SAFETY GOGGLE

AS/NZS 1337.1
EN 166 1 B 3
EN 170 2C-1.2 (CLEAR)

- Oleophobic and dirt repellent lens treatment helping to keep the lens clean and vision intact
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer
- Adjustable strap fastening for flexible sizing
- 100% metal free
- Indirect ventilation

Polycarbonate, PP, TPR, Polyester, Nylon
Clear 70g

144 12

PW24
ULTRA VISTA GOGGLE

AS/NZS 1337.1
EN 166 1 BT 3
EN 170 2C-1.2

- Can be adapted to be used over prescription glasses
- Single panoramic lens glasses
- Adjustable strap fastening for flexible sizing
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer
- Individually packed for vending machines

Polycarbonate
Clear 113g

CAN BE WORN OVER PRESCRIPTION GLASSES AND DUST MASKS

144 12

PW26
SLIM SAFETY GOGGLE

AS/NZS 1337.1
EN 166 1 B 3 4
EN 170 2C-1.2 (CLEAR)

- Superior front and side face protection
- Back foam ventilation and lens treatment prevents misting and fogging of the ocular
- Lightweight wrap-around design
- Adjustable strap fastening for flexible sizing
- Adjustable dual pin system provides multiple positioning for better fit
- Adjustable angle allowing for better fit

Polycarbonate
Clear 49g

SOFT SEAL PROTECTS AGAINST DUST, SPLASHES AND IMPACT

FACE PROTECTION - ACCESSORIES

NEW

PV91
SLIM BROWGUARD

90 / 45

AS/NZS 1337.1
EN 166 1 F

- Ergonomically designed for unrestricted movement, comfort and breathability
- Adjustable elastic headband for a perfect fit
- Suitable to use with prescription eye wear
- Optimal visibility
- Lightweight and comfortable
- Ideal for all day use

Polyethylene, Polycarbonate, Elastic
Clear, Visor size: 20 x 30cm

NEW

PS58
HELMET VISOR HOLDER

80 / 20

AS/NZS 1337.1
ANSI/ISEA Z87 .1
EN 166 F
EN 1731 F

- Universal slot adapter
- Easy to clip-on
- Compatible with PS94 and PS92 visor
- Can be put in stand-off position for intermittent use
- Suitable for most standard type of hard hats
- Retail bag which aids presentation for retail sales

ABS
Black One Size

NEW

PS94
MESH PROTECTION VISOR

150 / 25

AS/NZS 1337.2:2012
ANSI/ISEA Z87
EN 1731 F

- Lightweight and comfortable
- Easy to fit
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

LDPE, Stainless Steel
Black One Size

NEW

PS92
CLEAR PROTECTIVE VISOR

150 / 25

AS/NZS 1337.1

- Lightweight and comfortable
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

Polycarbonate
Clear
390x200mm

PORTWEST®

HEAD PROTECTION

PS55
275

PORTWEST head protection range aims to benefit our customers by combining the most up to date styles and standards in head protection, irrespective of job or location. Innovative, comfortable and lightweight hard hats are available for multiple uses.

AS/NZS 1801: 1997

Australian and New Zealand standard for Hard Hats.

This standard describes the requirements safety helmets must fulfil, describing details for helmets construction, materials of the shell and head harness and the mechanical strength.

Main tests includes: shock absorption, stiffness test, resistance to penetration, electrical resistance, thermal performance test. According to the AS/NZS 1801 standard, helmets are classified in:

Type 1: General Industrial Safety Helmets

Type 2: Helmets intended for high temperature working places

Type 3: Helmets intended for bushfire fighting.

EN 397: 2012

European Standard for industrial safety helmets

This standard specifies the physical and performance requirements (for example, shock absorption and resistance to penetration) for safety helmets, intended to provide protection against falling objects.

EN 812: 2012

Industrial Bump Caps
European standard for bump caps for industry, describing mandatory impact and penetration tests.

HEAD PROTECTION - HELMETS

PS54
ENDURANCE PLUS HELMET

20 CE LD MM

AS/NZS 1801
ANSI/ISEA Z89.1 TYPE I CLASS E
EN 397 +50°C/-30°C 440VAC
EN 50365 CLASS:0

- Electrical insulation up to 1000Vac or 1500Vdc (EN 50365)
- 6 points textile harness
- Wheel ratchet size adjustment for easy fitting
- Chin strap included
- 7 years shelf life from manufacturing date outlined in product user sheet
- Compatible with PW47 and PS47 clip-on ear muff

ABS
White, Royal, Orange, Yellow, Adjustable 56-63cm

NEW COLOUR

PS55
ENDURANCE HELMET

20 CE LD

AS/NZS 1801
ANSI/ISEA Z89.1 TYPE I CLASS C
EN 397 -30°C/+50°C, LD

- Vented hard hat allowing a refreshing airflow around the head
- 6 points textile harness
- Wheel ratchet size adjustment for easy fitting
- Chin strap included
- 7 years shelf life from manufacturing date outlined in product user sheet
- Compatible with PW47 and PS47 clip-on ear muff

ABS
White, Royal, Orange, Yellow, Adjustable 56-63cm

NEW COLOUR

PS59
AIRTECH BUMP CAP

EN 812

- Mid peak (5cm) ideal for all uses
- Hi-Visibility colour for visibility in daylight
- Cooling mesh fabric
- Inner ABS shell and soft pad for shock absorption
- Reflective piping for increased visibility
- Buckle size adjustment for easy fitting

Nylon, ABS, EVA
Navy
Hi-Vis Yellow, Hi-Vis Orange
Adjustable 54-59 cm

NEW COLOUR NEW COLOUR

INNOVATIVE DESIGN, MAXIMUM WEARER COMFORT

HEAD PROTECTION - ACCESSORIES

HA21
HI-VIS HARD HAT BRIM WITH NECK SHADE

100
10

- Made from UV stabilised polypropylene
- Blocks sun from face and neck
- Suitable for caps and full brim hard hats
- Hook and loop strap for safe secure fit
- AS/NZ 1906.4 certified fabric for extra visibility
- Lightweight and comfortable

100% Polyester
Orange One Size, Yellow One Size

REFLECTIVE TRIM FOR ADDED SAFETY

PA91
REFLECTIVE STICKERS PACK

X2
X30
10

- Suitable for most standard types of hard hats
- High quality reflective stickers with honeycomb pattern for better visibility
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

PET
Red, Silver, 15 x 15 cm



PA55
REPLACEMENT HELMET SWEATBAND

X10
X10
10

- Easy to fit
- Retail bag which aids presentation for retail sales
- Made of soft foam material for extra comfort

Foam
Black

PA45
SWEATBAND ENDURANCE

X10
X10
5

- Technical sweatband made of acrylic
- Easy to clip-on
- Retail bag which aids presentation for retail sales

Acrylic
Black One Size

PORTWEST®
HEARING PROTECTION

PORTWEST's hearing protection range includes PPE with different level sound attenuation, to be adapted to various working environments giving the correct protection from dangerous noise, without isolating the workers. This range of earmuffs offers a variety of models and colours allowing a personalised choice.

ALL HEARING PROTECTION PRODUCTS ARE CATEGORY 3 HAZARD PROTECTION

EACH PAIR INDIVIDUALLY PACKED

EP02
PU FOAM EAR PLUG (200 PAIRS)

X10 200 | CE | 2

AS/NZS 1270 SLC(80) 19DB - CLASS 3
EN 352-2 SNR 36DB
ANSI S3.19 NRR 32DB

- Disposable ear plugs made from soft PU foam
- Easy to fit
- One pair per hang cell (stored in hygienic polybag)
- Individually packed for vending machines
- Retail box which aids presentation for retail sales

PU Foam
X Orange One Size

EP08
CORDED PU FOAM EAR PLUG (200 PAIRS)

X10 200 | CE | 2

AS/NZS 1270 SLC(80) 19DB - CLASS 3
EN 352-2 SNR 36DB
ANSI S3.19 NRR 32DB

- Disposable ear plugs made from soft PU foam
- Corded for safe keeping
- Easy to fit
- One pair per hang cell (stored in hygienic polybag)
- Retail box which aids presentation for retail sales
- Individually packed for vending machines

PU Foam, PVC
X Orange One Size

EP30
DETECTABLE CORDED PU FOAM EAR PLUG (200 PAIRS)

X10 200 | CE | 2

AS/NZS 1270 SLC(80) 19DB - CLASS 3
EN 352-2 SNR 36DB
ANSI S3.19 NRR 32DB

- Can be used in food industries (metal detectable)
- Disposable ear plugs made from soft PU foam
- Corded for safe keeping
- Retail box which aids presentation for retail sales
- Individually packed for vending machines

PU Foam, PVC
X Blue One Size

EASILY ADJUSTED INSIDE THE EAR CANAL

EP20
EAR PLUG DISPENSER

X4 500

AS/NZS 1270 SLC(80) 19DB - CLASS 3
EN 352-2 SNR 36DB
ANSI S3.19 NRR 32DB

- Plastic dispenser with 500 pairs of EP02 ear plugs included
- Wall mountable for secure storage
- Easy to use turn wheel to dispense ear plugs

Plastic
X Black One Size

EAR PROTECTORS

60
10

PW47
ENDURANCE CLIP-ON EAR PROTECTOR

PS47
ENDURANCE HV CLIP-ON EAR PROTECTOR

AS/NZS 1270 SLC(80) 22DB - CLASS 4
EN 352-3 SNR 25DB
ANSI S3.19 NRR 24DB

- Easy to clip-on
- Hi-Visibility colour for visibility in daylight
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

PW47:
ABS, Polystyrene, Stainless Steel, PU
Red

PS47:
ABS, Polystyrene
Hi-Vis Yellow

PS47

PW47

60
10

PW40
CLASSIC EAR PROTECTOR

AS/NZS 1270 SLC(80) 28DB - CLASS 5
EN 352-1 SNR 28DB
ANSI S3.19 NRR 22DB

PS40
CLASSIC HV EAR PROTECTOR

AS/NZS 1270 SLC(80) 28DB - CLASS 5
EN 352-1 SNR 28DB

- Lightweight and comfortable
- Hi-Visibility colour for visibility in daylight **(PS40)**
- Adjustable length for a secure and comfortable fit
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines
- 100% metal free

ABS, Polycarbonate, PVC
PW40: Red, Yellow
PS40: Hi-Vis Yellow

PW40

NEW COLOUR

PS40

60
10

PW41
SUPER EAR PROTECTOR

PS41
SUPER HV EAR PROTECTOR

AS/NZS 1270 SLC(80) 31DB - CLASS 5
EN 352-1 SNR 30DB
ANSI S3.19 NRR 25DB

- Folds to palm size for better carriage and to keep clean
- Adjustable dual pin system provides multiple positioning for better fit
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

HIPS (High Impact Polystyrene), Stainless Steel
PW41: Red
PS41: Hi-Vis Yellow

PW41

PS41

KNEEPADS

PROTECT KNEES FROM HARD AND ROUGH SURFACES

PORTWEST knee protection range offers knee protection to suit every situation;

- Type 1 (strap on knee pads)
- Type 2 (insert knee pads)

All **PORTWEST** knee pads use premium high density material to provide the user with the best protection possible for their knees no matter what the hazard.

NEW

TYPE 1

KP40
ULTIMATE GEL KNEE PAD

EN 14404:2004+A1:2010 TYPE 1 LEVEL 1

- Tough abrasion resistant PVC shell
- Thick silicone gel adapts to your kneecap
- Ergonomically designed and tested straps ensure no pinching to the back of the wearers leg
- Retail box which aids presentation for retail sales

PVC Shell, Nylon, EVA Foam, Neoprene
Black One Size

TAKING CARE OF YOUR KNEES

KNEEPADS

TYPE 1

KP30
SUPER GEL KNEE PAD

36

EN 14404:2004+A1:2010 TYPE 1 LEVEL 0

- A strong and durable outer shell makes for a long lasting tough knee pad
- Ergonomically designed and tested straps ensure no pinching to the back of the wearers leg
- Silicone gel inserts protect joints and ensure great wearer comfort
- Retail box which aids presentation for retail sales

PVC Shell, Nylon, EVA Foam, Neoprene
Black One Size

TYPE 1

KP20
LIGHTWEIGHT KNEE PAD

48

EN 14404:2004+A1:2010 TYPE 1 LEVEL 0

- Lightweight wrap-around design
- Hard wearing outer shell for protection
- A thick foam centre cushions the wearers knee
- Breathable inner fabric allows air to circulate
- Adjustable straps for a secure fit

Nylon, EVA Foam, Plastic
Black One Size

TYPE 2

S156
PORTWEST KNEE PAD

96
24

EN 14404:2004+A1:2010 TYPE 2 LEVEL 0

- Ergonomically designed to hug your knee
- Fits all Portwest knee pad pockets
- Does not interfere when walking
- Retail bag which aids presentation for retail sales

EVA Foam
Black One Size
21.5cm X 16.5cm 1.5cm

PROTECTING KNEES FROM HARD AND ROUGH SURFACES

KP05
KNEELING PAD

84
28

- Lightweight EVA foam cushioning
- Reduces knee and back strain
- Integral carry handle
- Retail bag which aids presentation for retail sales

EVA Foam
Black One Size
40cm x 18.5cm x 2cm

LIGHTS

NEXT GENERATION LIGHTING

The **PORTWEST** lights range is designed to provide premium quality, high performance lighting to increase safety and illuminate dark spaces across multiple industries.

Efficient run times and optimum brightness ensure a long lasting, reliable, multifunctional solution for all your needs. These compact and ergonomic designs offer the user total dependability and versatility in hard working environments.

Brightness

Brightness is measured in lumens (LM). This icon denotes how many Lumens each light can produce allowing you to pick the right light for the right job.

Run time

Run time means the amount of time you can expect to get from your light from fully powered to empty. This allows you to choose the right ratio of brightness to run time to suit you best.

USB rechargeable lights will fully charge from any USB Port.

ADVANCED TECHNOLOGICAL INNOVATION

LED BEANIES

NEW

HAT ALSO HAS LIGHT AT REAR

B028
RECHARGEABLE TWIN LED BEANIE

144 12 CE 9

CE
ROHS

- Brightness 150 lumens
- Run time 2/4 hours
- USB rechargeable li-ion battery
- Function high-medium-flash
- Beam Distance 10m (high), 5m (medium)

100% Acrylic, Knit
Black, Navy, Yellow, Orange, Grey
One Size

150 LM 4HRS USB

NEW

B027
JUNIOR BEANIE LED HEAD LIGHT

144 12 CE 9

CE
ROHS

- Brightness 150 lumens
- Run time 2/4 hours
- USB rechargeable li-ion battery
- Function high-medium-flash
- Beam Distance 10m (high), 5m (medium)

100% Acrylic, Knit
Black, Navy, Yellow
Kids Size: Ages 7 - 12

150 LM 4HRS USB

B029
BEANIE LED HEAD LIGHT USB RECHARGEABLE

144 12 CE 9

CE
ROHS

- Brightness 150 lumens
- Run time 2/4 hours
- USB rechargeable li-ion battery
- Function high-medium-flash
- Beam Distance 10m (high), 5m (medium)

100% Acrylic, Knit
Black, Navy, Orange, Yellow, Grey
One Size

NEW COLOUR

150 LM 4HRS USB

THE BRIGHTEST LED SAFETY ACCESSORIES

LIGHTS

IMPACT AND WATER RESISTANT

NEW

PA70
USB RECHARGEABLE LED HEAD LIGHT

120 | CE | box

CE
ROHS

- Brightness 150 lumens
- Run time 4 hours
- USB rechargeable li-ion battery
- Function high-medium-flash
- Recharge time 5 hours
- Micro USB charging cable included

ABS
Black L8cm x W4.8cm x H3.8cm

150 LM | 4HRS | USB

BRIGHTNESS 100 LUMENS

PA63
PORTWEST DUAL POWER HEAD LIGHT

96 / 12 | CE | box

CE
ROHS

- Brightness 100 lumens
- Run time 8 hours
- Batteries included AAA x 3
- Function high-medium-flash
- Beam Distance 10m (high), 5m (medium)

ABS, Polyester
Black L7.3cm x W6.2 cm x H4.7 cm

100 LM | 8HRS

RUN TIME 10 HOURS

PA50
LED HEAD LIGHT

120 / 20 | CE | box

CE
ROHS

- Brightness 40 lumens
- Run time 10 hours
- Batteries included AAA x 3
- Function high-medium-flash
- Beam distance 15m (high), 10m (medium)

ABS
Silver L7.8cm x W5.4 cm x H4cm

NEW

ADVANCED LIGHTING INNOVATION

PA72
LED CAP LIGHT

200 / 50 | CE | box

CE
ROHS

- Brightness 100 lumens
- Run time 2/4 hours
- USB rechargeable li-ion battery
- Recharge time 3 hours
- Function high-medium-red-flash
- Micro USB charging cable included

ABS
Black L8.3cm x W5.5cm x H2.5cm

100 LM | 2/4HRS | USB

40 LM | 10HRS

LIGHTS

IMPACT AND WATER RESISTANT

PA75
USB RECHARGEABLE TORCH

72 6

CE
ROHS

- Brightness 600 lumens
- Run time 4 hours
- USB rechargeable li-ion battery
- Other battery options: AAA x 3
- Recharge time 3 hours
- Function high-medium-low-sos-flash

Aluminium
Black L15cm x D3.5cm

600 LM 4HRS USB

WRIST STRAP FOR SECURE HANDLING

PA54
PORTWEST TACTICAL TORCH

72 6

CE
ROHS

- Brightness 180 lumens
- Run time 8 hours
- Batteries included AAA x 3
- Function high-medium-flash
- Beam distance 300m max
- Wrist strap for secure handling

Aluminium
Black L13.7cm x D3.5cm

180 LM 8HRS

POWERFUL PORTABLE LIGHTING SOLUTIONS

PA68
HIGH POWERED POCKET TORCH

96 12

CE
ROHS

- Brightness 300 lumens
- Run time 4 hours
- Batteries included AA x 1
- Beam distance 150m max
- Function high-medium-flash
- Wrist strap for secure handling

Aluminium
Black L9cm x D2.5cm

300 LM 4HRS

PA56
24 LED INSPECTION TORCH

60 30

CE
ROHS

- Brightness 70 lumens
- Run time 10 hours
- Batteries included AA x 3
- Beam distance 15m
- 24 Super bright LED lights
- Magnetic back and a rubberised body for grip

ABS
Black L21cm x W6cm x H3cm

70 LM 10HRS

LUGGAGE

TRANSPORT YOUR WORKWEAR AND PPE WITH EASE

The essential collection of versatile luggage pieces, suitable for travelling, work or general everyday use. Robustly constructed with strong materials and resilient components. Reliability and durability guarantee 100% customer satisfaction.

SMART AND COMPACT QUALITY BACKPACKS

B916

BACKPACKS

LITRES 25

B905
HI-VIS BACKPACK

- Premium reflective tape for increased visibility
- Padded double straps for added support
- Padded back panel for wearer comfort
- Phone pocket

100% Polyester 600D Fabric, 250g
210T PA Coated Fabric, 100g
Orange, Yellow
Capacity 25 Litres
L28cm x W21cm x H43cm

PREMIUM STYLE, MAXIMUM PERFORMANCE

LITRES 35

B916
TRIPLE POCKET BACKPACK

- Ideal backpack for day-to-day use
- Durable 1680D polyester construction
- Three main zipped compartments
- Padded shoulder straps for added comfort
- Adjustable straps for a secure fit

100% Polyester 1680D Fabric
Polyester 210D Fabric
Black
Capacity 35 Litres
35cm x 22cm x 50cm

KEEP YOUR EQUIPMENT SAFE AND SECURE

LUGGAGE

LITRES 100

B907
THE MULTI-POCKET TROLLEY BAG

6

- Telescopic handle
- Padded double straps for added support
- Robust base panel
- Multiple side zip compartments for secure storage
- In-line wheel system
- Card holder for ID card display

100% Polyester 600D Fabric
190T PA Coated Fabric
Black/Red
Capacity 100 Litres
L60cm x W40cm x H42cm

INDUSTRIES BEST SELLING LUGGAGE RANGE

LITRES 100

B909
TRAVEL TROLLEY BAG

4

- Telescopic handle
- In-line wheel system
- Card holder for ID card display
- Durable 600D polyester fabric construction
- Three sections divided with hook and loop strip dividers

100% Polyester 600D Fabric
210T PA Coated Fabric
Black
Capacity 100 Litres
L76cm x W37cm x H36cm

LITRES 70

NEW

B910
PORTWEST WATERPROOF HOLD ALL 70L

18

- Waterproof PVC construction ideal for enduring work and weather conditions
- Inner separate mesh compartment
- Robust base panel
- Adjustable shoulder strap for added comfort
- ID card holder

100% Polyester 45C/600D PVC Fabric,
Black One Size
Capacity 70 Litres
L57cm x W34cm x H34cm

LITRES 65

B900
HOLDALL BAG

12

- Ideal for carrying tools, equipment or for use as a travel bag
- Two zipped compartments
- Robust base panel
- Card holder for ID card display
- Adjustable shoulder strap for added comfort

100% Polyester, PVC Coated, 485g
Navy
Capacity 65 Litres
L68cm x W25cm x H39cm

PW372 - PW3 Shirt
T182 - PW3 Hi-Vis Polo Shirt S/S
PW341 - PW3 Cargo Stretch Pants

Merchandising

PORTWEST has a comprehensive range of highly versatile merchandising stands suitable for multi-purpose use. Adaptable parts can be interchanged to create a customized stand specific to individual requirements. Stands are designed to enhance product displays in the best way possible.

NEW



Versatile Merchandising Options to Suit Your Needs

A

Z600

Starter Wall Bay
W1.2m x H2.4m

1

B

Z601

Large Freestanding Floor Stand L1.5m x W.5m x H1.4m

1

A Denotes a fixture that is compatible with the Z600 Wall Bay Stand

B Denotes a fixture that is compatible with the Z601 Free Standing Floor Stand

A+B Denotes the fixture is compatible with both the Z600 Wall Bay and Z601 Free Standing Floor Stands

Designed for Multi-Purpose Use

Below are examples of popular configurations. Stands can be configured in various ways to best suit your needs.

Options:

Example 1

Parts List:
- Z600 x 1
- Z612 x 1
- Z622 x 2

Example 2

Parts List:
- Z600 x 1
- Z612 x 1
- Z621 x 2
- Z636 x 2

Example 3

Parts List:
- Z600 x 1
- Z612 x 5
- Z635 x 15

Side View Examples

Parts List:
- Z601 x 1

Example 1

Parts List:
- Z611 x 4
- Z635 x 4

Example 2

Parts List:
- Z611 x 3
- Z630 x 12

Example 3

Parts List:
- Z610 x 2

Adaptable Parts for Multi-Purpose Use

ACCESSORIES & PARTS

Z612
Shallow RSB 1.2m
A | 12

Z613
Stepped Out Hanging Rail 1.2m
A | 8

Z611
Shallow RSB 50cm
B | 32

Z635
Shoe Shelf
A+B | 30

Z636
Large Shelf
L120cm x W38cm
A | 3

Z610
Stepped Out Hanging Rail 50cm
L50cm x W25cm
B | 12

Z620
Forward Hanging Arm L22cm
A+B | 80

Z621
Forward Hanging Arm L35cm
A+B | 48

Z630
Hook 20cm
A+B | 100

Z622
Stepped Arm
A+B | 40

Z457
Portwest Wooden Pants Hanger
50

Z456
Portwest Wooden Jacket Hanger
100

Z535
Spectacle Display Box
35cm high x 33cm wide x 5cm deep
10

Z529
Spectacle Display Stand
18cm length x 15cm width x 45cm height
1

Z580
Portwest Paper Bag
28cm high x 50cm wide x 25cm deep
200

Z531
Counter Top Stand
20

Z465
Portwest Foot Stool
1

Z534
Helmet Stand
55cm x 55cm x 218cm
1

Z541
Portwest Large Bin
Navy One Size
1

Z533
Glove/PPE Display Stand
170cm high x 70cm length x 40cm width
1

Z551
Sitting Mannequin-
150cm Tall
1

Z550
Standing Mannequin-
190cm Tall
1

Z587
Portwest Mat
Size: 202cm Length x 99cm wide
3

DESIGNED TO ENHANCE PRODUCT DISPLAYS

KEY SYMBOLS

Mobile pocket
This symbol indicates that a mobile phone pocket is included in the garment.

Print access
This symbol indicates that garments have print/embroidery access.

Interactive garment
This symbol indicates a second garment can be zipped into to create a combination.

Two-way zipper
This symbol indicates that the zipper can be opened from the top or bottom of the garment.

Reversible garment
This symbol indicates that garments are reversible.

Internal tablet pocket
This symbol indicates that an internal tablet pocket is included in the garments which carry this symbol.

Breathable garment
This symbol indicates that the garment is made of a high performance breathable fabric.

Free spec cord
Free spec cord with styles showing this symbol.

Knitting gauge
This symbol denotes the knitting gauge of the fabric.

Anti-scratch
Surface coating intended to mitigate scratch effects on the lens.

Anti-fog
Surface treatment which helps reduce fogging effects on the lens.

Lateral deformation
Optional test for safety helmets, it indicates the resistance to lateral compressions.

Molten metal
Optional test for safety helmets, it indicates the resistance to molten metals and hot solids projection.

Radio loops
Radio loops for easy clipping of a radio.

Half elasticated waist
This symbol indicates a half elastic waistband on pants which allows for all-day comfort for the wearer.

Fully elasticated waistband
This symbol indicates a fully elasticated waistband on the pants which allows for all-day comfort for the wearer.

Knee pad pockets
This symbol indicates that the garments incorporate knee pad pockets. These garments have been developed to carry our range of ergonomically designed knee pads.

Taped seams
This symbol indicates that the garment has taped waterproof seams.

Welded seams
This symbol indicates that the garment has high-frequency welded waterproof seams.

Detachable lining
This symbol indicates that the garment has detachable lining.

Detachable hood
This symbol indicates that the garment comes with a non-detachable hood.

Hood
This symbol indicates that the garment comes with a non-detachable hood.

UPF
This symbol denotes the UPF rating of the garment.

New style
This symbol indicates a new product has been added to the catalogue.

New colour
Indicates that a new colour/colours have been added to the style.

Bio motion tape pattern
This symbol indicates bio-motion which is the placement of retro-reflective tape above and below the elbow and/or knee on high visibility apparel.

Day & Night
Indicates high visibility apparel designed for day and night use.

Multi-way jacket
This symbol indicates the garment is multi-functional and can be worn different ways.

Size Range
Indicates the size range of the product from smallest to largest size.

CE CAT III
Indicates the product is CE marked as a Category 3 item for complex design.

Ezee Zip
Ezee zip allows for quick & easy fastening making it ideal for right and left handed users

Vending ready
This symbol indicates that this product has been individually packed for vending machines.

Multiple storage pockets
This symbol indicates that the garment is designed with multiple pockets.

ESD Symbol
This symbol indicates that the product is suitable for use in ESD environments.

FR,IW
Indicates that the garment has double-stitched, industrial wash, flame resistant reflective tape.

FR tape
This symbol indicates that the garment has flame resistant reflective tape.

Heat Set
This symbol indicates that the garment has heat applied reflective tape.

Certified
This symbol indicates conformity of essential health and safety requirements as set out in European Directives.

Touchscreen glove
This symbol indicates that this glove can be used with most mobile touchscreen devices.

Ladieswear
This symbol indicates that the products have been designed specially for ladies with a flattering fit.

Certified after 50x washes
This symbol indicates compliance with EN ISO 20471 after 50 washes* *Minimum requirement under the EN norm is 5 washes

PRODUCT DETAIL SYMBOLS

Fabric
This symbol indicates style fabric details

Contrast Fabric
This symbol indicates the style contrast fabric details

Lining
This symbol indicates the style lining details

Wadding
This symbol indicates the style wadding details

X-Colour
This symbol indicates the standard colours within that style

Y-Colour
This symbol indicates the deep dye colours within that style

Z-Colour
This symbol indicates the very deep dye colours within that style range

Upper
This symbol indicates the material used in the upper of the style

Sole
This symbol indicates the material used in the sole of the style

PACK & CARTON QUANTITY

Carton Quantity
This symbol indicates the quantity of products in a carton which do not have inner boxes.

Retail Bag
This symbol indicates that this packaging aids product presentation for retail sales. All other styles are packed in flat-pack plastic bags to keep items clean. All products have barcodes. Ask the sales team for more information.

Retail box
Indicates that the item is shipped with a retail box to aid product presentation for retail sales.

Retail Tag
This symbol indicates that this item is shipped with a retail tag to aid product presentation for retail sales.

SIZE CONVERSIONS

These size charts show body measurements and should be used as a guide when choosing the correct size.

COVERALL/ACTION BACK

REGULAR

	77R	82R	87R	92R	97R	102R	107R	112R
Chest	54	56	58	60	62	64	66	68
Waist	43	45	47	49	51	53	55	57
In leg	77	79	81	83	85	87	89	91
	S		M	L		XL	XXL	

LONG

	79L	84L	89L	94L
Chest	55	57	59	61
Waist	45	47	49	51
Inleg	83	85	87	89
	S	M	L	XL

STOUT

	87ST	92ST	97ST	102ST	107ST	112ST	117ST	122ST	127ST	132ST	137ST
Chest	60	62	64	66	68	70	72	74	76	78	80
Waist	48	50	52	54	56	58	60	62	64	66	68
Inleg	70	72	74	76	78	80	82	83	84	85	86
	M	L		XL	XXL		3XL		4XL	5XL	



Measure as indicated on the figure to find your size

SAFETY WEAR AND WORKWEAR

(Jackets, Jumpers, Vests, Polos, T-Shirts, Shirts)

To Fit Chest (cm) loose fit	73	80	87	95	102	110	117	125	133	141	157	173
Corresponding size	XXS	XS	S	M	L	XL	2XL	3XL	4XL	5XL	7XL	9XL

SAFETY PANTS

(Pull on Pants)

To fit waist (cm)	60/90	70/100	80/110	90/120	100/130	110/140	120/150
Corresponding size	XXS/XS	S/M	L/XL	2XL/3XL	4XL/5XL	6XL/7XL	8XL/9XL

WORK DRILL PANTS

REGULAR

Imperial Size	26	28	30	32	34	36	38	40	42	44	46	48	50
Corresponding Size	67R	72R	77R	82R	87R	92R	97R	102R	107R	112R	117R		
		XS	S		M	L		XL	XXL		3XL	4XL	

STOUT

Imperial Size	34	36	38	40	42	44	46	48	50	52	54
Corresponding Size	87ST	92ST	97ST	102ST	107ST	112ST	117ST	122ST	127ST	132ST	137ST
	M	L		XL	XXL		3XL	4XL		5XL	

LONG

Imperial Size	31	33	35	37
Corresponding Size	79L	84L	89L	94L
	S	M	L	

LADIES WEAR

LADIES SHIRTS

Chest (cm)	80	85	90	95	100	105	110	115	120	125
	6	8	10	12	14	16	18	20	22	24
	XS	S		M		L	XL		XXL	

LADIES PANTS

To fit waist (cm)	72	77	82	87	92	97	102	107	112	117
	6	8	10	12	14	16	18	20	22	24
	XS	S		M		L	XL		XXL	

WIDE BRIM HAT

To fit head (cm)	56	59	62
	S/M	L/XL	2XL/3XL

PRIME MOVER

INDEX - OLD CODE

MA101	WWNC1001A	41
MA191	WW1901A	45
MA230	HV230A	72
MA301	WWL3001A	45
MA315	HV315A	105
MA801	WWL8001A	42
MA802	WWL8002A	42
MA908	WW908A	52
MA909	WW909A	52
MA922	WW9220A	101
MA931	WW9311A	100
MC101	WWNC1001AC	41
MC191	WW1901AC	45
MC601	HVH601	159
MC801	WWL801C	50
MC802	WWL802C	50
MC903	WWL903C	55
MC905	WWL905C	55
MD618	WW618	112
MD701	WWP701D	172
MF101	CHNC1001A	131
MF115	HV115	104
MF150	FDL150	56
MF210	FOOD210	112
MF213	FOOD213	116
MF215	HV215	104
MF306	FHV306	67
MF315	HV315	157
MF515	WW515	107
MF615	WW615	107
MF922	CH9220A	127
MH315	HV315	105
MH317	HV317	105
MJ204	HV204	85
MJ206	HV206	67
MJ208	HV208	82
MJ288	WWJ288	99
MJ304	HV304	86
MJ306	HV306	65
MJ331	HV333-1	78
MJ370	HV370A	140
MJ504	HV504	85
MJ777	WW777-1	97
MJ881	HV888-1	76
MJ883	HV888-3	79
MJ885	HV888-5	75
MJ887	HV888-7	141
MJ987	WWJ987	98
MJ995	HV999-5	153
MJ996	HV999-6	77
MJ998	WWJ998	98
ML108	LWS1008A	190
ML708	LWP708	195
ML709	LWP709K	195
ML808	LWS8008A	190
MP101	WW101	181
MP103	WW103	181
MP110	HV110	112
MP113	HV113	116
MP200	HV200	87
MP202	HV202	87
MP205	OXP205	151
MP210	HV210	112
MP213	HV213	116
MP310	HV310	111
MP313	HV313	114
MP510	HV510	111
MP513	HV513	115
MP700	WWP700	174
MP701	WWP701K	172
MR206	OXJ206	152
MR304	WW304	154
MS191	WW1901	44
MS301	WWL301	48
MS801	WWL801	50
MS802	WWL802	50
MS868	CHAM868	57
MS869	CHAM869	57
MS901	WWNC901	49
MS903	WW903	54
MS905	WW905	54
MS908	WW908	51
MS909	WW909	51
MS939	HVS8939	151
MS988	WW988	47
MV102	HV102	121
MV116	HV116	120
MV117	HV116-FA	120
MV118	HV116-FW	120
MV119	HV116-TC	120
MV120	HV116-V	120
MV121	HV116-ST	120
MV122	HV116-S	120
MV188	HV188	120
MV214	HV214	71
MV278	WWV278	72
MV338	HV338	121
MW028	BWJ028	96
MW168	DMJ168	175
MW169	DMJ169K	175
MW338	WWC338	121
MW600	TCWP600	174
MW602	TCWS602	176
MW700	CH700	133
MW701	CH701K	133
MW702	WWS702	176
MW703	WWP703	171
MW705	WWP705K	173
MW70E	WWP70E	174
MW71E	WWP71EK	173
MW915	WW9315	178
MW922	WW9220	101
MW931	WW9311	100
MX214	HV214X	71
MX301	WWL3001X	46
MX306	FHV306X	66
MY214	FHVY214	71
MY306	FHVY306	66
MZ102	HV102Z	120
MZ103	HV102Z-FA	120
MZ104	HV102Z-FW	120
MZ105	HV102Z-TC	120
MZ106	HV102Z-V	120
MZ107	HV102Z-ST	120
MZ108	HV102Z-S	120

HUSKI™

INDEX - OLD CODE

K2095	922095	34
K4039	924039	33
K5206	515206	37
K7003	917003	23
K8000	918000	28
K8005	918005	29
K8006	918006	28
K8014	918014	34
K8018	918018	29
K8026	918026	33
K8031	918031	32
K8032	918032	32
K8044	918044	15
K8047	918047	15
K8069	918069	19
K8074	918074	22
K8083	918083	36
K8093	918093	19
K8095	918095	17
K8097	918097	31
K8101	918101	21
K8102	918102	31
K8103	918103	30
K8104	918104	21
K8106	918106	14
K8107	918107	20
K8112	918112	35
K8131	918131	18
K8132	918132	18
K8152	918152	26
K8154	918154	26
K8155	918155	16
K8158	918158	24
K8160	918160	18
K8162	918162	24
K8177	918177	36

Page reference

Style reference

All styles marked green are new styles and all styles marked in pink are ladies styles

PORTWEST

INDEX - NEW CODE

2852	180	A810	258	CT67	230	FW95	220	LS501	191	MJ987	98	MV117	120	PA68	285	S602	145	Z601	290
A002	243	A827	259	CV01	185	GL13	158	LS502	189	MJ995	153	MV118	120	PA70	284	S766	74	Z610	291
A020	252	A835	259	CV03	186	H440	69	MA101	41	MJ996	77	MV119	120	PA72	284	S774	138	Z611	291
A030	252	A845	259	CV04	186	H441	69	MA191	45	MJ998	98	MV120	120	PA75	285	S780	139	Z612	291
A100	247	A905	257	CV05	186	H443	70	MA230	72	ML108	190	MV121	120	PA91	277	S790	176	Z613	291
A111	252	A925	257	CV06	187	H444	70	MA301	45	ML702	192	MV122	120	PR32	271	S839	204	Z620	291
A120	250	A930	257	CV07	187	H445	68	MA315	105	ML708	195	MV188	120	PS06	270	S841	204	Z621	291
A140	253	AP02	242	CV08	187	HA10	158	MA801	42	ML709	195	MV214	71	PS07	270	S899	204	Z622	291
A146	253	AP50	232	CV09	185	HA21	277	MA802	42	ML808	190	MV25	128	PS18	269	S900	204	Z630	291
A150	247	AP52	236	CV10	187	K2095	34	MA908	52	MP101	181	MV26	128	PS29	272	S904	200	Z635	291
A174	248	AP60	258	CV11	186	K4039	33	MA909	52	MP103	181	MV278	72	PS30	271	S999	178	Z636	291
A195	251	AP62	242	CV23	185	K5206	37	MA922	101	MP110	112	MV28	129	PS32	271	SK11	222		
A199	251	AP80	243	EP02	278	K7003	23	MA931	100	MP113	116	MV338	121	PS40	279	SK18	222		
A210	254	AP81	232	EP08	278	K8000	28	MC101	41	MP200	87	MV476	119	PS41	279	SK33	222		
A220	254	B010	159	EP20	278	K8005	29	MC191	45	MP202	87	MW028	96	PS47	279	ST30	262		
A230	254	B013	158	EP30	278	K8006	28	MC464	86	MP205	151	MW168	175	PS54	275	ST36	262		
A250	255	B026	158	F205	157	K8014	34	MC601	159	MP210	112	MW169	175	PS55	275	ST40	263		
A260	255	B027	283	F250	103	K8018	29	MC801	50	MP213	116	MW338	121	PS58	273	ST60	263		
A270	255	B028	283	F301	103	K8026	33	MC802	50	MP310	111	MW600	174	PS59	276	T182	110		
A300	246	B029	283	F474	118	K8031	32	MC903	55	MP313	114	MW602	176	PS92	273	T183	117		
A310	245	B195	182	FC30	214	K8032	32	MC905	55	MP510	111	MW700	133	PS94	273	T186	113		
A320	245	B209	192	FC31	214	K8044	15	MD618	112	MP511	114	MW701	133	PV91	273	T403	64		
A330	246	B210	181	FC57	212	K8047	15	MD701	172	MP512	115	MW702	176	PW13	269	T404	102		
A335	244	B302	180	FC81	222	K8069	19	MF101	131	MP513	115	MW703	171	PW14	269	T602	169		
A340	248	B304	106	FC90	222	K8074	22	MF115	104	MP514	108	MW705	173	PW18	269	T801	170		
A350	244	B317	106	FD10	213	K8083	36	MF116	104	MP515	108	MW70E	174	PW24	272	T802	170		
A351	245	B900	288	FD15	213	K8093	19	MF150	56	MP700	174	MW71E	173	PW26	272	T803	171		
A400	249	B905	287	FR04	130	K8095	17	MF201	130	MP701	172	MW915	178	PW31	270	T820	182		
A427	249	B907	288	FR05	132	K8097	31	MF202	136	MP702	165	MW922	101	PW32	271	T830	156		
A445	249	B909	288	FR10	135	K8101	21	MF210	112	MP703	166	MW931	100	PW341	169	T831	156		
A510	256	B910	288	FR11	134	K8102	31	MF213	116	MP705	167	MX214	71	PW372	43	T832	147		
A520	256	B916	287	FR12	135	K8103	30	MF215	104	MP706	177	MX301	46	PW39	270	TK40	155		
A530	256	BIZ5	127	FR14	134	K8104	21	MF306	67	MP707	167	MX306	66	PW40	279	TK41	193		
A611	233	C070	203	FR18	137	K8106	14	MF315	157	MP708	165	MX460	80	PW41	279	TK50	155		
A620	237	C071	197	FR19	137	K8107	20	MF515	107	MP713	114	MY214	71	PW47	279	TK51	154		
A621	234	C073	201	FR21	126	K8112	35	MF615	107	MR206	152	MY306	66	RT23	117	TM310	94		
A622	236	C079	203	FR31	136	K8131	18	MF922	127	MR304	154	MZ102	120	S156	281	TM311	95		
A625	235	C099	195	FR71	137	K8132	18	MH315	105	MS103	40	MZ103	120	S231	168	TM312	95		
A641	251	C375	121	FR89	131	K8152	26	MH317	105	MS106	53	MZ104	120	S232	168	TM600	93		
A643	237	C470	121	FT15	209	K8154	26	MJ204	85	MS191	44	MZ105	120	S277	114	TM610	94		
A645	234	C473	119	FT50	211	K8155	16	MJ206	67	MS301	48	MZ106	120	S440	150	Z456	291		
A665	231	C734	202	FT70	215	K8158	24	MJ208	82	MS801	50	MZ107	120	S441	150	Z457	291		
A667	230	C737	196	FW10	216	K8160	18	MJ288	99	MS802	50	MZ108	120	S460	80	Z465	291		
A689	235	C738	201	FW34	210	K8162	24	MJ304	86	MS868	57	P100	267	S463	83	Z529	291		
A700	240	C814	179	FW35	215	K8177	36	MJ306	65	MS869	57	P101	267	S466	81	Z531	291		
A710	240	C834	202	FW36	211	KP05	281	MJ331	78	MS901	49	P200	267	S467	81	Z533	291		
A721	239	C837	196	FW51	216	KP20	281	MJ370	140	MS903	54	P201	267	S478	117	Z534	291		
A722	239	C838	200	FW69	217	KP30	281	MJ464	83	MS905	54	P220	267	S543	147	Z535	291		
A723	238	C890	179	FW80	218	KP40	280	MJ504	85	MS908	51	PA45	277	S544	154	Z541	291		
A745	238	CS23	159	FW81	219	KS51	183	MJ777	97	MS909	51	PA50	284	S545	193	Z550	291		
A751	253	CS24	187	FW82	219	KS54	183	MJ881	76	MS939	151	PA54	285	S547	146	Z551	291		
A780	241	CS25	159	FW83	218	KX340	177	MJ883	79	MS988	47	PA55	277	S555	148	Z580	291		
A790	241	CT45	233	FW84	221	LP401	194	MJ885	75	MV102	121	PA56	285	S600	144	Z587	291		
A800	248	CT65	231	FW90	221	LP402	194	MJ887	141	MV116	120	PA63	284	S601	145	Z600	290		

SUSTAINABILITY

WORKING TOWARDS THE UNITED NATIONS SUSTAINABLE DEVELOPMENT GOALS

Partnerships for Goals

Our ethos is to build strong global partnerships and cooperation with industry test houses and associations.

PORTWEST products are rigorously tested and certified by accredited test houses and notified bodies including:

PORTWEST are members of many global industry leading associations. We are proud members of:

Responsible Consumption & Production

We are continually striving to implement low-carbon and green initiatives, by increasing resource efficiency and promoting a sustainable lifestyle.

Many garments in the Portwest range are made from recycled polyester. PORTWEST use 35 Million 1/2 Litre recycled bottles to make Portwest garments every year.

TYPICALLY IT TAKES 20 PET BOTTLES TO MAKE ONE JACKET

80% OF ALL PACKAGING IS RECYCLABLE

MiningUniforms.com.au

Vermont South
Victoria Australia 3133
T: +61 3 9802-5288
E: info@justaminute.com.au

Z985-AU-72281-1